

SETLEY

ANIZATION.

3.

Kept at Setley. 4th Brin the County of Hantsby Colonel C. Mans

HANTS

1923 - 28

am.
Brookhurst
in Gauge 5 in.
ve Ground 1 ft. — in.
Sea Level 145 ft.

and the result entered to the

IMPORTANT NOTE.—Rain
previous day. If an Observer prefe

to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.43						.01	.10	.01	.47	1
2			.14	~~.04~~	.04						.12	.06	2
3			.08	.03						.65	.02	.16	3
4									.18		.01	.19	4
5										.07		.05	5
6			.10	~~.20~~									6
7				~~.04~~	.04					.33		.46	7
8			.04	~~.16~~	.16					.11	.22		8
9				.04						.07			9
10				.66	.04					.15		.02	10
11				.25						.78		.03	11
12			.33	.37	.09		.10			.49			12
13			.09	.09							.74	.03	13
14			.18	.13					.62		.02	.005	14
15			.04	.55	.20	.35	.07		.30		.26		15
16				.08	.01							.02	16
17		.60							.28				17
18		.10		.16						.01			18
19		.01		.02	.02			.16	.18	.80			19
20		.20							.19	.07			20
21		.03		.15					.14	.10		.03	21
22		.63	.02	.16	.01			.33	.39	.15		.005	22
23		.31	.02		.15			.77	.04	.46		.11	23
24		.13		.14			.03	.24	.48	.10		.14	24
25		.63		.76				.20	.06	.55		.59	25
26		.07		.19	.01	.11				.28		.32	26
27		.18	.20		.15			.07		.12		.09	27
28		.13	.03	.25	.44		.15				.02		28
29			.08	.04	.34		.14	1.22		.02		.09	29
30		X					.09	.07		.24		.18	30
31		X		X		X	.34	.02	X		X		31
TOTAL		~~3.02~~	1.78	4.22	1.70	.46	.92	3.08	2.87	5.65	1.42	3.05	YEARS TOTAL
Days with 0.1 in. or more			14	19	14	2	7	9	12	21	9	19	125
Days with 0.4 in. or more			11	16	10	2	6	8	11	19	4	13	100

REGISTER

Kept at Setley. 4^r Brockenhurst
 in the County of Hampshire
 by Colonel C. Mansel-Jones

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Brockenhurst
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.43						.01	.10	.01	.47	1
2			.14	~~.04~~	.04						.12	.06	2
3			.08	.03						.65	.02	.16	3
4									.18		.01	.19	4
5										.07		.05	5
6			.10	.20									6
7				~~.04~~	.04					.33		.46	7
8			.04	~~.16~~	.16					.11	.22		8
9				.04						.07			9
10				.66	.04					.15		.02	10
11				.25						.78		.03	11
12			.33	.87	.09		.10			.49			12
13			.09	.09							.74	.03	13
14			.18	.13					.62		.02	.005	14
15			.04	.56	.20	.35	.07		.30		.26		15
16				.08	.01							.02	16
17		.60							.28				17
18		.10		.16						.01			18
19		.01		.02	.02			.16	.18	.80			19
20		.20							.19	.07			20
21		.03		.15					.14	.10		.03	21
22		.63	.02	.16	.01			.33	.39	.15		.005	22
23		.31	.02		.15			.77	.04	.46		.11	23
24		.13		.14			.03	.24	.48	.10		.14	24
25		.63		.76				.20	.06	.55		.59	25
26		.07		.19	.01	.11				.28		.32	26
27		.18	.20		.15			.07		.12		.09	27
28		.13	.03	.25	.44		.15				.02		28
29			.08	.04	.34		.14	1.22		.02		.09	29
30		X					.09	.07		.24		.18	30
31		X		X		X	.34	.02	X		X		31
TOTAL		~~3.02~~	1.78	4.22	1.70	.46	.92	3.08	2.87	5.65	1.42	3.05	YEARS TOTAL
Days with .01 in. or more			14	19	14	2	7	9	12	21	9	19.8	125
Days with .04 in. or more			11	16	10	2	6	8	11	19	4	13	100

REGISTER OF RAINFALL IN 1924.

Kept at Setley, hr Brockenhurst
 in the County of Hampshire
 by Col. C. Mansel-Jones.

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Brockenhurst
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 145 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
 An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			snow .18		.02	.11	.13	.10	.01		.89	.31	8.2 WWR 174	
2	.06		snow .26		.05		.20		.01	.22	Trace	.02	8.2 .82	
3	.03		.07		.17	.04		.19	.01	.48			7.99 3	
4				.01	.10	.83		.02	.04	.08		.45	7.55 4	
5			.08		.13		.03		.01	.17		.09	6.51 5	
6					.04	.01		.05	.01	.34			5.45 6	
7	.02				.09	.20			.59	.28			7.64 7.18 5	
8	.24	.07		.03	.02	.04			.12	.12			7.64 8	
9	.12	.005		.12	.07	.13			.15	.02			7.615 9	
10	.10	.01		.15	.71	.30			.10	.02			7.39 10	
11	.07			.26	.48	.15			.05	.08	.47		7.57 11	
12	.05	.05		.06	.24	.16		.06	.12		.05		8.79 12	
13	.07			.85	.13			.21	.48			.25	6.99 13	
14	.02			.15				.19			.03	.04	5.43 14	
15		.02		.01				.01	.09		.02	1.44	6.59 15	
16	.08							.29	.03				3.40 16	
17	.41				Trace	.07	1.03	.12	.09				6.72 17	
18	.75	.04			.17			.13		.08		.02	6.19 18	
19	.005							.02	.03	.03		.05	5.175 19	
20	7				.29		.07	.26	.32	.34			6.128 20	
21	.56		.02		.23			.19	.44	.71			6.35 21	
22	.26		.71		.04		.31	.02	.28				6.62 22	
23			.30		.30			.32	.09			1.01	5.202 23	
24	.415	.05	.05	.21	.21			Trace	.09			.40	8.142 24	
25				.10			.14	.03	2.04	.14	.07	.04	7.56 25	
26			.06	.33			.01	.07	.04	.19	.77	.25	8.172 26	
27		(snow) .045	.03	.71			.61	.01		.23	.03	.97	8.263 27	
28							1.52	.56		.08	.50		4.266 28	
29	.02	.02		.10	.22		.09	.31	.05	.84	.02	.57	10.224 29	
30		X		.03	.16		.02	.22	.15	.44	.57	.48	8.207 30	
31		X		X	.57	X	.01	.06	X	.39	X	.14	5.17 31	
TOTAL	3128	31	176	312	444	204	417	344	544	528	342	653	YEAR'S TOTAL 4323	
Days with 01 in. or more	18	17	87	10	15	22	11	13	23	26	21	11	17	195
Days with 04 in. or more	13	5	8	11	20	10	9	17	19	18	7	15	152	



FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Setley, W. Brocksom Heath
in the County of Hampshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 145 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>1.26</u>		'01	'07	'04			'01	'07		'93		1
2	'00			X			'12				'86		2
3	'24	T.			'34		'38				'10		3
4	'02			'34	'34			'16			'21		4
5		'42		'57	'20				'08		'09		5
6		'05		'02	'09		'34	2.34			'77	T	6
7		'30	T		'40					'02	'34	'26	7
8	'11				'10			'03	'03			'13	8
9		'12		'27	T			'13	'01				9
10		'09	'01	'08	'37		'04	X	'02				10
11		'14						'35			'06		11
12		'66						'26					12
13	'09	'38	'06	'16				'03		'02		'07	13
14	'43	'22		'26							'02		14
15	'09	'06								'05			15
16	'15									'24	'25		16
17				'01	'10		'07		'08				17
18	T. (fog)			'11	'35		T		'07	'04		'08	18
19		T		'31			'16	'72	'82	'92		'61	19
20			'02					'09	'68	1.00		'07	20
21		'08	'02				'89	'11	'34	'59		'41	21
22	'01	'34	'05	'20	'15		'16	'13	'35	1.01		'39	22
23		'17	'04	'05	'13			'83		'23		'09	23
24	'38	'43		'16	'45			'09		'03	'02	'38	24
25	'42	1.01			'02	T	'06		'49	'10		'09	25
26	'46	'43		'08	'33		'52	'10		'33		'18	26
27	'30	'05		'10	'56		'07	'10			'02	'09	27
28	'20	'07		'05								'42	28
29	'09	X			'31		'36		'01		'06	'85	29
30		X	'02				'40			'05		'26	30
31	'12	X	'05	X		X	'11		X	'05	X	'03	31
TOTAL	5.03	5.02	'28	2.84	4.31	NIL	3.68	3.37	3.29	4.69	3.48	4.41	40.40
Days with '01 in. or more.	17	18	9	18	17	NIL	15	18	14	15	12	17	171
Days with '04 in. or more.	15	18	4	16	16	NIL	15	14	10	12	9	16	145

(Signed)..... [Signature] [P.T.O.]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

587

Kept at Setley, Brockenhurst
in the County of Hampshire

Diameter of Funnel of Gauge.....5".....in.
Height of top of Gauge above Ground.....1.....ft.....in.
" Ground " Sea Level.....14.5.....ft.

Corr for ant.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.62	.12			.03	.81			.30		x		1
2	.12	.01				.59	Tr		.25		x		2
3	.28	.14	.07	.01					.02		.56		3
4	.10	.39	.18	.11							.26		4
5	.09	.08	.02		.39		.24				.13	.27	5
6	.27	.20	.02	.25	.01		.10	.06		.01	.32		6
7	.02	.12		.19	.25	.15			.04		.96	.01	7
8		.02	.01	.21		.03				.09	.83		8
9						x		Tr	Tr	.08	.46		9
10					.04	x	.10	Tr		.02	.02		10
11		.03			.10	.76		.12	Tr		.83		11
12					.04	.12		Tr	Tr	.31	Tr		12
13	T(s)				.21	Tr		.04	.01	T	1.39	.05	13
14	.15(s)	.17			.35	.59		Tr		.62	.10	.09	14
15	.26(s)	.07		.50	.01	.01		Tr		.14	.13		15
16	.10(s)	.16		.53		Tr		.05	.01	.07	.04		16
17	.34(s)	.62		.25		.61	.19				.10	.01	17
18	.27	.09		.18		.22	Tr	.14			1.07	Tr	18
19			.04	.06	.17		.13	.06			.82	.01	19
20			.02	.21	Tr	Tr		.27			.14		20
21		.03		.05			.02	.02		.50	.43		21
22	.66	.02		.06			.02			.08	.01		22
23	.15					Tr		.01					23
24	.18				Tr	.02	.14			.61			24
25	.22		.10	.40			.03			.21	.07	Tr	25
26	.01	Tr		.01	.20				.04		.16		26
27	.18	.04	.03		.19				.04	x	.04		27
28	.50			Tr	.01		.16			.61	.62		28
29	.07			.03	.22		T				.10		29
30	.37	X		.17	.35					.02	.25		30
31	.36	X		X		X			X		X		31
TOTAL	5.32	2.31	.49	3.22	2.57	3.91	1.13	.77	.71	3.37	9.84	.44	34.08
Days with .01 in. or more.	22	17	9	17	16	13	10	9	8	15	26	6	165
Days with .04 in. or more.	20	12	4	14	12	8	7	7	5	12	24	3	127

Please read the Notes and Instructions Overleaf.

REGISTER OF RAINFALL IN 1927.

Kept at Selby, Brookburn
in the County of Hampshire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft..... in.
Ground Sea Level.....14.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.47	.04	✓	✓	✓	1.00	.21	✓	.48	.40	✓	1
2	—	—	.06	.20	✓	✓	✓	✓	✓	.03	T	✓	2
3	.37	.04	.09	✓	✓	.04	.08	✓	.05	✓	✓	✓	3
4	.05	—	.08	.20	.11	.01	.13	✓	✓	✓	✓	✓	4
5	.10	.19	.20	.40	✓	✓	.02	.02	✓	✓	.15	✓	5
6	—	—	.61	.45	✓	.02	✓	.20	.40	✓	.04	✓	6
7	T	.28	.01	.24	✓	.10	✓	.01	✓	✓	✓	✓	7
8	.03	—	.02	.58	.11	.07	✓	.01	.13	✓	.12	✓	8
9	—	—	.07	.33	✓	✓	✓	.07	.26	✓	✓	.20	9
10	—	—	.16	T	✓	✓	.48	.02	.23	✓	✓	✓	10
11	—	—	✓	T	✓	✓	✓	.18	✓	✓	T(S)	✓	11
12	.10	—	✓	✓	✓	✓	.01	.11	✓	T	✓	✓	12
13	T	—	✓	T	✓	✓	.11	.60	.20	T	.10	.22	13
14	.09	—	✓	.05	.05	✓	.31	.05	1.68	✓	✓	.30	14
15	—	.03	✓	—	✓	✓	✓	.12	.05	✓	✓	✓	15
16	.16(S)	—	✓	✓	.08	.49	✓	.45	.21	T	✓	✓	16
17	.10	✓	.18	✓	—	.04	✓	✓	.02	✓	T	✓	17
18	T	✓	T	✓	—	.36	✓	.12	✓	✓	.85	T(S)	18
19	—	.27	T	✓	—	.01	.01	.27	✓	✓	.50	T(S)	19
20	.30	.04	✓	✓	T	✓	.17	.82	.07	✓	.30	.45	20
21	T(S)	.40	T	✓	✓	.03	✓	.01	.74	.35	.15	.90	21
22	.15	.25	.58	.03	✓	.03	✓	.64	.05	.30	✓	.60	22
23	.01	.78	—	.02	✓	.20	✓	✓	.85	✓	.37	.15	23
24	—	.17	.48	.10	✓	.12	.02	.12	✓	.05	✓	.38	24
25	.01	.33	.13	—	✓	.02	.02	.06	.10	.10	✓	.78	25
26	.30	.44	.07	✓	✓	.05	.20	✓	.05	T	✓	.42(S)	26
27	T	.25	.01	✓	✓	.02	.15	✓	✓	.90	✓	✓	27
28	.15	.14	.15	.09	.30	.27	.04	✓	✓	.07	.35	✓	28
29	.20	X	.09	✓	✓	.30	.02	.01	.66	✓	.48	✓	29
30	.20	X	✓	✓	✓	.39	✓	.01	.10	.35	✓	✓	30
31	.05	X	.43	X	.01	X	.12	.01	X	✓	X	.20	31
TOTAL	2.36	4.08	3.46	2.69	.66	2.57	2.89	4.12	5.85	2.63	3.81	4.60	YEARS TOTAL
Days with ".01 in. or more.	17	15	20	12	6	19	17	23	18	9	12	11	179
Days with ".04 in. or more.	14	14	17	10	5	12	11	15	17	8	12	11	146

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Stey. Brookham
in the County of Hants

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
„ Ground „ Sea Level 146 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.80	.04	.08					.01			.03		1
2	.80	.60	.15					.11			.05	.01	2
3	.15			.32			.15	.85			.08		3
4		.32		.04	.02	.05				.20	.03		4
5		.15	.10			.06	.07			.04	.03		5
6	.02		.08			.30					.03	.08	6
7		.01	.10	.20		.25		.11		.05			7
8		.05		.05	.23	.42	.03		T	.08			8
9	T	.01	.04(s)	.03					.53	.10			9
10	.30	.15		.03		.04				.33	.06	.06	10
11	.02			T		.15				.80	.03	.07	11
12	.75	.65	.03(s)					.06		.08	.16	.03	12
13			T		T	.68		.07					13
14	.10	.11	T	.42	.28	.05		T		.59	.54		14
15				.80		.18		T		.01	.44		15
16		.10	.05	.05		.06				.25	.12	.35	16
17	.25				.45	.04		T		.08			17
18	.65		.01		.08	.04		T		.37	.15		18
19			.10		.03	.07		.10		.70		.08	19
20	.35		.33							.30	.13		20
21	.12		.32	.20	.21					.45	.18		21
22								T		.95	.39	.10	22
23	.70		.07	T	.09					.28	.38		23
24	.02		.06					T	.26	.10	.02	.24	24
25	.10					.10		.11		.16		.06	25
26	.25		T				.03	.51	.15	1.20	T		26
27			.12	.03			.75	T	.65	.30	T	1.15	27
28	1.20		.17									.18	28
29	.40	.25	.50			.04	.05	.01		.15	.06		29
30	.39	X	.35			.06	.25			.15		.06	30
31		X	.27	X		X			X	.03	X		31
TOTAL	7.37	2.44	2.93	2.17	1.39	2.59	1.33	1.94	1.59	7.75	2.91	2.47	YEAR'S TOTAL 36.88
Days with .01 in. or more.	21	12	19	11	8	17	7	10	4	25	19	13	166
Days with .04 in. or more.	16	10	17	8	6	17	5	8	4	23	13	11	138

Kept at *Shaw*

in the County of.....

Diameter of Funnel of

Height of top of Gauge

" Ground

THE MORNI

VIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.83	0.06	—	—	—	0.48	—	—	0.16	—	0.33	—	1	
2	0.22	—	—	—	—	0.30	0.10	—	0.17	—	0.12	—	2	
3	0.10	0.07	0.13	—	—	—	—	—	—	—	—	—	3	
4	0.05	0.27	0.10	0.13	—	—	0.01	—	—	—	0.33	—	4	
5	0.16	0.09	0.17	—	0.30	—	0.25	—	—	—	0.02	0.22	5	
6	0.36	0.41	—	0.25	—	—	0.10	0.18	0.14	—	0.25	—	6	
7	0.06	0.01	—	0.11	0.17	0.20	—	—	0.10	—	0.73	0.01	7	
8	—	0.01	—	0.20	—	—	—	0.03	—	×	0.53	—	8	
9	—	—	0.02	—	—	0.40	0.19	—	—	✓	0.15	0.52	9	
10	—	—	—	—	0.05	0.16	0.04	—	—	—	0.04	—	10	
11	—	0.04	—	—	0.07	0.30	Tr	0.15	0.01	—	0.11	—	11	
12	—	—	—	—	0.02	Tr	—	—	—	×	0.30	—	12	
13	—	—	—	—	0.01	—	—	—	—	✓	0.58	0.02	13	
14	×	0.14	—	0.45	0.19	0.13	—	—	—	×	0.28	0.02	0.01	14
15	×	1.50	0.02	—	0.06	—	—	—	0.01	×	0.12	—	15	
16	×	0.13	—	0.46	—	—	—	0.08	—	✓	0.03	—	16	
17	×	0.50	—	0.14	—	0.46	0.10	—	—	0.73	0.41	Tr	17	
18	0.25	0.38	—	0.08	—	—	0.01	0.08	—	—	0.71	—	18	
19	—	—	—	0.04	0.04	—	0.16	0.02	—	—	0.42	0.01	19	
20	—	—	—	0.39	—	—	—	0.35	—	—	0.19	—	20	
21	0.02	—	—	—	—	—	0.01	0.04	—	0.01	0.09	—	21	
22	0.38	—	—	0.03	—	—	—	—	—	0.01	0.04	—	22	
23	0.09	—	0.02	—	—	—	—	—	—	—	—	—	23	
24	0.14	—	0.15	—	—	—	0.13	0.03	—	0.55	—	—	24	
25	0.04	—	—	0.53	—	—	—	0.02	—	0.08	0.10	—	25	
26	0.03	0.01	Tr	0.05	0.08	—	0.19	—	0.11	0.05	0.03	—	26	
27	0.11	0.02	—	—	0.13	—	—	—	0.09	0.08	0.02	0.02	27	
28	0.66	—	—	0.02	0.03	—	0.23	—	—	0.04	0.14	—	28	
29	0.10	—	—	0.14	0.20	—	—	—	—	—	0.02	—	29	
30	0.19	×	—	0.10	0.13	—	—	—	—	—	0.19	—	30	
31	0.47	×	—	×	—	×	—	0.11	×	—	×	0.03	31	
TOTAL	5.76	1.86	0.59	3.18	1.42	2.43	1.52	1.09	0.79	1.98	6.39	0.32	YEARS TOTAL 27.3	
Days with "01 in. or more.	23	15	6	17	13	8	13	11	8	14	27	7	162	
Days with "04 in. or more.	58	10	4	15	10	8	10	7	6	9	21	1	122	

REGISTER OF RAINFALL IN 1926.

Kept at Shawford 3 miles South of Winchester
in the County of Hants

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....in.
" Ground " Sea Level.....300.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.83	0.06	—	—	—	0.48	—	—	0.16	—	0.33	—	1	
2	0.22	—	—	—	—	0.30	0.10	—	0.17	—	0.12	—	2	
3	0.10	0.07	0.13	—	—	—	—	—	—	—	—	—	3	
4	0.05	0.27	0.10	0.13	—	—	0.01	—	—	—	0.33	—	4	
5	0.16	0.09	0.17	—	0.30	—	0.25	—	—	—	0.02	0.22	5	
6	0.36	0.41	—	0.25	—	—	0.10	0.18	0.14	—	0.25	—	6	
7	0.06	0.01	—	0.11	0.17	0.20	—	—	0.10	—	0.73	0.01	7	
8	—	0.01	—	0.20	—	—	—	0.03	—	✓	0.53	—	8	
9	—	—	0.02	—	—	0.40	0.19	—	—	✓	0.15	0.52	9	
10	—	—	—	—	0.05	0.16	0.04	—	—	—	0.04	—	10	
11	—	0.04	—	—	0.07	0.30	Tr.	0.15	0.01	—	0.11	—	11	
12	—	—	—	—	0.02	Tr.	—	—	—	✓	0.30	—	12	
13	—	—	—	—	0.01	—	—	—	—	✓	0.58	0.02	13	
14	✓	0.14	—	0.45	0.19	0.13	—	—	—	✓	0.28	0.02	0.01	14
15	✓	1.50	0.02	—	0.06	—	—	—	0.01	✓	0.12	—	15	
16	✓	0.13	—	0.46	—	—	—	0.08	—	✓	0.03	—	16	
17	✓	0.50	—	0.14	—	0.46	0.10	—	—	—	0.73	0.41	Tr.	17
18	0.25	0.38	—	0.08	—	—	0.01	0.08	—	—	0.71	—	18	
19	—	—	—	0.04	0.04	—	0.16	0.02	—	—	0.42	0.01	19	
20	—	—	—	0.39	—	—	—	0.35	—	—	0.19	—	20	
21	0.02	—	—	—	—	—	0.01	0.04	—	0.01	0.09	—	21	
22	0.38	—	—	0.03	—	—	—	—	—	0.01	0.04	—	22	
23	0.09	—	0.02	—	—	—	—	—	—	—	—	—	23	
24	0.14	—	0.15	—	—	—	0.13	0.03	—	0.55	—	—	24	
25	0.04	—	—	0.53	—	—	—	0.02	—	0.08	0.10	—	25	
26	0.03	0.01	Tr.	0.05	0.08	—	0.19	—	0.11	0.05	0.03	—	26	
27	0.11	0.02	—	—	0.13	—	—	—	0.09	0.08	0.02	0.02	27	
28	0.66	—	—	0.02	0.03	—	0.23	—	—	0.04	0.14	—	28	
29	0.10	—	—	0.14	0.20	—	—	—	—	—	0.02	—	29	
30	0.19	X	—	0.10	0.13	—	—	—	—	—	0.19	—	30	
31	0.47	X	—	X	—	X	—	0.11	X	—	X	0.03	31	
TOTAL	5.76	1.86	0.59	3.18	1.42	2.43	1.52	1.09	0.79	1.98	6.39	0.32	YEARS TOTAL	27.33
Days with "01 in. or more.	23	15	6	17	13	8	13	11	8	14	27	7	162	
Days with "04 in. or more.	18	10	4	15	10	8	10	7	6	9	21	1	122	

Please read the Notes and Instructions Overleaf.

Section **A** for the entry of Daily Observations.

657
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at HILLCROFT, SHAWFORD
in the County of HANTS
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ONE ft. in.
„ Ground „ Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	0.79	—	—	—	—	0.56	0.20	—	0.37	0.39	—	1
2	0.02	—	0.04	0.15	—	—	—	—	—	0.02	0.02	—	2
3	0.19	—	0.09	—	—	—	0.11	—	0.01	—	—	0.01	3
4	0.08	—	0.06	0.09	0.04	—	0.21	—	—	—	0.01	—	4
5	0.12	0.08	0.20	0.41	0.02	0.05	0.01	—	—	—	0.10	—	5
6	0.01	—	0.41	0.54	—	0.01	—	0.19	0.53	—	0.01	—	6
7	0.01	0.24	—	0.10	—	0.18	0.07	0.01	—	—	—	—	7
8	0.03	—	—	0.34	0.02	—	0.09	0.08	0.09	—	0.01	—	8
9	—	—	0.11	0.24	—	—	—	—	0.35	—	—	0.12	9
10	—	—	0.01	—	—	—	—	0.12	0.12	—	—	—	10
11	—	—	—	0.01	—	—	—	0.20	—	—	—	—	11
12	0.10	—	—	—	—	—	—	0.03	—	0.01	—	—	12
13	0.09	0.01	—	—	—	—	0.50	0.62	0.24	—	0.10	0.40	13
14	0.02	—	—	0.08	0.04	—	0.21	0.02	2.26	—	0.03	0.08	14
15	—	0.01	—	—	—	—	—	0.10	0.04	—	—	—	15
16	0.14	—	—	—	0.19	0.36	—	0.03	0.24	—	—	—	16
17	0.06	—	0.16	—	—	0.33	—	0.45	0.01	—	—	—	17
18	—	—	—	—	—	0.42	—	0.02	0.01	—	0.86	—	18
19	—	0.35	—	—	—	—	0.02	0.47	—	0.01	0.54	—	19
20	0.25	0.13	—	—	—	—	0.21	0.56	0.02	—	0.34	0.31	20
21	0.06	0.36	0.01	—	0.01	0.06	—	0.38	0.47	0.27	0.10	1.03	21
22	0.12	0.26	0.33	0.04	—	0.08	—	0.01	0.18	0.19	—	0.52	22
23	0.01	0.75	0.69	—	—	0.20	—	0.10	0.92	—	0.28	0.12	23
24	—	0.10	0.49	0.03	—	0.26	0.01	0.15	—	0.07	—	0.40	24
25	0.01	0.28	0.26	—	—	0.02	0.01	0.21	0.06	0.14	—	0.64	25
26	0.20	0.50	0.05	—	0.02	0.07	0.29	—	0.05	0.10	0.01	0.10	26
27	0.15	0.34	—	—	0.36	0.10	0.15	—	—	0.65	—	—	27
28	0.30	0.25	0.13	0.10	—	0.20	0.09	—	0.05	0.01	0.37	—	28
29	0.13	X	0.11	—	—	0.47	0.02	—	0.59	—	0.80	—	29
30	0.18	X	0.08	—	—	0.48	0.03	—	0.04	0.31	—	—	30
31	0.01	X	0.37	X	—	X	0.18	0.01	X	0.02	X	0.28	31
TOTAL	2.30	4.45	3.60	2.13	0.70	3.29	2.77	3.96	6.28	2.17	3.97	4.01	YEARS TOTAL 39.63
Days with "01 in. or more.	24	15	18	12	8	16	18	21	20	13	16	12	19.3
Days with "04 in. or more.	15	13	16	10	4	14	12	14	16	8	10	11	14.3

Section



for the entry of Daily Observations.

679
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at SHAWFORD

in the County of HANTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.68	0.03	0.10	—	—	—	—	0.02	—	—	—	—	1
2	0.73	0.65	0.11	0.03	—	—	—	0.15	—	—	—	0.02	2
3	—	—	—	0.20	—	—	0.13	0.96	—	—	—	—	3
4	0.02	0.40	—	—	—	0.03	—	—	—	0.08	0.02	—	4
5	0.03	0.06	0.16	0.03	0.01	0.17	0.04	—	0.02	—	—	—	5
6	0.01	—	0.05	—	—	0.23	—	—	0.12	—	—	0.08	6
7	0.01	0.01	0.05	0.35	—	0.10	—	0.11	—	0.02	—	—	7
8	—	0.07	—	0.03	—	0.54	0.01	—	—	0.03	—	—	8
9	0.03	0.01	—	0.02	—	0.06	—	—	0.46	0.23	—	0.01	9
10	0.36	0.23	—	0.09	—	0.01	—	0.01	—	0.40	0.14	0.04	10
11	—	—	snow 0.01	0.04	—	—	—	—	—	0.69	0.08	0.19	11
12	0.54	0.61	—	0.03	—	—	—	0.01	—	0.03	0.05	0.01	12
13	0.03	—	—	—	0.01	0.63	—	0.22	—	—	0.03	—	13
14	0.15	0.11	—	0.35	0.02	0.20	—	—	—	0.62	0.58	—	14
15	0.04	—	—	0.39	—	0.03	—	—	—	0.01	0.45	—	15
16	—	0.10	—	—	0.04	—	—	—	—	0.24	0.14	0.42	16
17	0.02	—	—	—	0.38	—	—	—	—	—	—	—	17
18	0.43	—	0.03	—	0.12	0.09	—	—	—	0.41	0.10	0.01	18
19	—	—	0.10	—	0.14	0.03	—	0.16	—	0.75	0.05	0.06	19
20	0.32	—	0.15	—	0.06	—	—	0.04	—	0.04	0.15	—	20
21	0.20	—	0.11	0.15	0.19	0.03	—	—	—	0.45	0.27	0.02	21
22	—	—	0.35	—	—	—	—	0.01	—	1.23	0.34	0.11	22
23	0.63	—	0.05	—	0.05	—	—	—	—	0.23	0.30	0.14	23
24	0.01	—	0.13	—	—	—	—	—	0.16	0.11	0.05	0.23	24
25	0.09	—	—	—	—	0.07	—	0.20	—	0.34	0.01	0.25	25
26	0.24	—	0.07	—	0.03	0.21	0.03	0.28	—	1.43	0.05	0.02	26
27	0.02	—	0.08	0.01	—	—	0.64	0.01	0.19	0.14	0.01	1.14	27
28	0.75	—	0.20	—	—	—	—	—	0.30	—	—	0.15	28
29	0.32	0.23	0.57	0.07	0.01	0.02	—	—	—	0.06	0.07	0.15	29
30	0.02	×	0.62	—	—	0.19	0.35	—	—	0.05	—	0.11	30
31	0.30	×	0.15	×	—	×	0.27	—	×	—	×	—	31
TOTAL	6.00	2.51	3.09	1.79	1.16	2.64	1.47	2.18	1.25	7.59	2.89	3.06	YEAR'S TOTAL 35.63
Days with 01 in. or more.	25	12	19	14	12	17	7	13	6	22	19	19	185
Days with 04 in. or more.	15	9	17	8	7	11	5	8	5	18	15	13	131

REGISTER OF RAINFALL IN 1929.

Kept at Hitchin, Herts.
in the County of Hants

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	0.19	—	0.01	—	0.05	—	—	—	0.50	—	0.10	I
2	—	0.42	—	—	—	0.06	0.12	—	—	0.17	0.01	0.33	2
3	—	—	—	—	0.01	0.02	0.10	0.07	—	—	—	0.15	3
4	—	—	—	0.03	0.40	0.30	0.47	0.21	—	—	—	0.58	4
5	—	—	—	—	0.70	0.42	0.11	0.76	—	0.86	0.39	0.18	5
6	—	—	—	—	0.13	—	0.05	0.08	—	0.01	0.09	0.51	6
7	—	—	—	—	0.10	0.19	—	0.20	—	0.43	0.39	0.70	7
8	—	—	—	—	0.20	0.02	—	0.01	—	0.40	—	0.67	8
9	0.10	0.17	—	—	—	—	—	—	—	—	0.18	0.24	9
10	0.11	—	—	0.01	0.03	—	—	—	—	0.02	0.02	0.37	10
11	—	—	—	0.02	0.24	0.01	—	—	—	—	1.14	—	11
12	—	—	—	0.03	0.01	0.04	—	—	—	—	—	—	12
13	0.01	—	—	—	0.17	—	—	0.02	—	—	—	0.02	13
14	—	—	—	—	0.03	0.40	—	—	—	—	—	0.11	14
15	0.02	0.09	—	—	—	0.18	—	—	—	—	0.92	0.04	15
16	—	—	—	—	—	—	—	0.35	—	—	0.04	—	16
17	0.08	—	—	0.03	—	—	—	—	—	—	—	—	17
18	0.01	—	—	—	—	—	—	—	—	—	0.70	—	18
19	0.01	—	—	—	—	—	—	—	—	—	0.12	—	19
20	0.03	—	—	—	—	—	0.23	0.05	—	0.44	—	0.58	20
21	0.03	—	0.03	—	—	—	0.01	—	—	—	—	—	21
22	—	0.04	—	—	—	—	—	0.02	—	—	0.38	0.03	22
23	—	0.04	—	0.01	—	—	—	—	—	0.11	0.70	0.54	23
24	—	—	0.03	—	—	—	—	—	—	0.85	1.23	0.73	24
25	—	0.01	—	—	—	—	—	—	—	0.03	0.21	—	25
26	—	—	—	—	0.04	—	—	—	—	—	0.06	0.21	26
27	0.01	—	—	0.15	0.02	—	—	—	—	0.10	1.30	0.17	27
28	0.29	—	—	0.01	—	—	0.38	—	—	0.42	0.20	0.78	28
29	0.09	X	—	0.59	—	0.10	—	—	0.04	0.05	0.57	0.54	29
30	0.01	X	—	—	—	0.24	0.10	—	0.25	—	0.81	0.10	30
31	0.69	X	—	X	—	X	0.15	—	X	—	X	0.03	31
TOTAL	1.49	0.96	0.06	0.89	2.08	2.03	1.72	1.77	0.29	4.39	9.46	7.71	YEAR'S TOTAL 32.85
Days with "or in. or more.	14	7	2	10	13	13	19	10	2	14	20	23	138
Days with "04 in. or more.	6	6	—	2	8	10	9	7	2	11	19	21	101

Section

A

for the entry of Daily Observations.

719
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at SHAYFORD, WINCHESTER
in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	0.60	—	0.23	—	—	—	—	—	—	0.45	—	I
2	0.03	0.03	0.03	0.13	0.35	—	0.06	0.47	—	—	0.32	—	2
3	0.09	0.11	—	0.61	0.05	—	—	0.54	—	0.04	0.01	—	3
4	1.07	0.05	0.01	0.02	—	—	—	0.25	0.01	0.14	—	—	4
5	0.03	—	—	—	0.04	—	—	0.12	—	0.01	—	—	5
6	—	—	Trace	—	0.01	—	—	0.33	0.52	0.01	—	0.10	6
7	0.13	—	—	—	—	—	—	0.11	0.36	0.33	0.13	—	7
8	0.09	—	—	0.05	—	—	—	—	0.01	0.01	—	0.25	8
9	0.22	—	0.03	—	0.29	—	—	—	0.13	—	—	—	9
10	0.24	—	0.10	—	0.34	—	—	0.01	—	0.02	—	0.90	10
11	0.76	—	0.03	0.07	0.03	—	0.13	—	—	0.03	—	0.10	11
12	0.18	—	Trace	0.09	0.16	—	—	0.03	—	—	—	0.23	12
13	0.02	—	0.10	0.20	0.03	—	0.04	0.22	0.37	—	—	0.03	13
14	0.06	0.06	0.14	0.08	—	—	0.07	—	0.03	0.03	—	0.01	14
15	0.03	0.04	0.31	—	—	—	0.41	—	—	0.12	0.09	0.23	15
16	—	—	—	0.12	—	—	—	—	0.17	0.01	—	0.04	16
17	—	—	0.05	0.13	—	—	—	0.02	0.16	0.27	—	—	17
18	—	—	—	0.01	0.14	—	0.06	0.02	0.20	—	0.16	0.20	18
19	—	—	0.21	0.07	—	0.01	—	0.15	0.45	0.25	0.84	0.02	19
20	—	—	—	0.12	—	0.01	0.81	0.81	0.18	0.05	0.30	—	20
21	—	—	0.02	—	—	—	—	—	0.01	0.08	0.42	—	21
22	0.53	—	—	0.07	0.07	0.05	—	0.52	0.09	0.31	0.08	—	22
23	0.31	—	0.12	0.18	—	0.21	0.16	0.01	0.08	—	0.40	0.06	23
24	0.19	0.01	—	0.40	0.06	0.05	—	—	—	—	0.10	0.43	24
25	0.08	0.26	—	0.02	0.13	—	—	—	—	0.12	0.18	0.07	25
26	0.33	—	—	—	0.02	—	0.09	—	0.15	—	0.29	0.29	26
27	—	—	0.01	Trace	—	—	0.02	—	0.06	0.10	0.34	0.10	27
28	0.06	—	0.05	—	—	—	—	—	0.25	—	0.61	0.18	28
29	0.12	X	0.04	—	0.01	—	0.11	0.06	0.10	0.02	—	0.08	29
30	0.03	X	—	—	0.10	0.07	0.15	—	—	—	—	0.22	30
31	0.60	X	0.13	X	0.16	X	—	—	X	0.14	X	0.13	31
TOTAL	5.13	1.16	1.38	2.60	1.99	0.40	2.11	3.67	3.23	2.12	4.92	3.80	YEAR'S TOTAL 32.51
*Days with or in. or more.	23	8	16	18	17	6	12	16	18	20	16	21	191
*Days with 0.4 in. or more.	17	6	10	15	12	4	11	11	14	12	15	18	145

40-9999

*See Instruction 2 (f) on other side.

(Signed)

John A. Rooke P.T.O.

767/5

SILCHESTER,
OLD HOUSE GARDENS

1930

767/5 FOR OFFICIAL USE.
OFFICE.—BRITISH RAINFALL ORGANIZATION.
INFALL IN 1930.
chester, Reading.
noted, in f 11479/30. a recorder with.) Memo 10.
11479/30. a recorder with.) Memo 10.
Sept. ab. 1" low.
Jan. 1, following

ED TO THE PREVIOUS DAY.
Reading made on January 1st of the following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.44				0.03	0.04	✓			0.47		1
2	0.14	0.05									0.31		2
3		0.05		0.44									3
4		0.12							0.12	0.14			4
5	0.33				0.04					0.11			5
6				0.08					0.32	0.37			6
7	0.15										0.38	0.16	7
8				0.16					0.05			0.37	8
9	0.25				0.24		0.02						9
10	0.55		0.20		0.18							0.33	10
11					0.09		0.03			0.11		0.35	11
12	0.35			0.04	0.04							0.25	12
13	0.06					0.32	0.04		0.37			0.26	13
14	0.22	0.12	0.22				0.30	0.12					14
15			0.28				0.22				0.18		15
16							0.04					0.25	16
17				0.24				0.02	0.05				17
18					0.13	0.62		0.04			0.14		18
19							0.44	0.46		0.20	0.38		19
20								0.48				0.06	20
21				0.18					0.44		0.44		21
22	0.28						0.11	0.34		0.28	0.25		22
23	0.12		0.04			0.13	0.10		0.09				23
24	0.22				0.04								24
25		0.09			0.06						0.14	0.25	25
26	0.45				0.49				0.23		0.50	0.33	26
27	0.12									0.09	0.15	0.12	27
28	0.14		0.05				0.20				1.04	0.19	28
29									0.20			0.06	29
30		×	0.19		0.20	0.14		0.10				0.26	30
31		×		×	0.41	×			×		×	0.15	31
TOTAL	3.44	0.89	1.01	1.14	2.15	1.27	1.63	2.11	1.90	1.33	4.50	3.39	24.79
*Days with or in. or more.	14	6	6	6	11	5	11	7	9	7	12	15	24.79
*Days with or more.	14	6	6	6	11	4	9	7	9	7	12	15	24.79

40-9999

*See Instruction 2 (f) on other side.

(Signed) R. W. Thatcher

P.T.O.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

REGISTER OF RAINFALL IN 1930.

Kept at Old House Gardens, Silchester, Reading
in the County of Hampshire

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 0 in.
,, Ground ,, Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.44				0.03	0.04				0.44		1
2	0.14	0.05									0.31		2
3		0.05		0.44									3
4		0.12							0.12	0.14			4
5	0.33				0.04					0.11			5
6				0.08					0.32	0.37			6
7	0.18										0.38	0.16	7
8				0.16					0.05			0.37	8
9	0.28				0.24		0.02						9
10	0.55		0.20		0.18							0.33	10
11					0.09		0.03			0.11		0.35	11
12	0.35			0.04	0.04							0.28	12
13	0.06					0.32	0.04		0.37			0.26	13
14	0.22	0.12	0.22				0.30	0.12					14
15			0.28				0.22				0.18		15
16							0.04					0.25	16
17				0.24				0.02	0.05				17
18					0.13	0.62		0.04			0.14		18
19							0.44	0.46		0.20	0.38		19
20								0.48				0.06	20
21				0.18					0.44		0.44		21
22	0.28						0.11	0.34		0.28	0.25		22
23	0.12		0.04			0.13	0.10		0.09				23
24	0.22				0.04								24
25		0.09			0.06						0.14	0.25	25
26	0.45				0.49				0.23		0.50	0.33	26
27	0.12									0.09	0.15	0.12	27
28	0.14		0.05				0.20				1.04	0.19	28
29									0.20			0.06	29
30		X	0.19		0.20	0.14		0.10				0.26	30
31		X		X	0.41	X			X		X	0.15	31
TOTAL	3.44	0.89	1.01	1.14	2.15	1.24	1.63	2.11	1.90	1.33	4.50	3.39	24.79
* Days with "or in. or more.	14	6	6	6	11	5	11	16	9	7	12	15	2118
* Days with "04 in. or more.	14	6	6	6	11	4	9	13	9	4	12	15	2112

40-9999

*See Instruction 2 (f) on other side.

(Signed) R. W. Thatcher

P.T.O.

SOBERTON
MISLINGFORD

RAINFALL ORGANIZATION.

636
699

Kept at Soberton
in the County of Hants
by Benny. J. Lee

HANTS

1921 - 1930

Gauge 5" in.
Ground 12 ft. in.
Sea Level 106.99 ft.
red to the previous day.

IMPORTANT NOTE

If an Observer prefers not to enter the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.60	.25	.06	-	-	-	-	.01	-	-	.14	.14	1
2	.03	-	-	-	-	-	-	.13	-	.06	.12	.02	2
3	.04	-	-	-	.08	-	-	-	-	-	.22	-	3
4	.15	-	-	-	.20	-	-	.13	-	-	.36	-	4
5	-	-	.01	-	.01	-	-	.30	-	-	.15	.02	5
6	.36	-	.07	-	.25	-	-	-	-	-	.02	.02	6
7	.86	-	-	-	.44	-	-	-	-	-	.05	-	7
8	.06	-	.02	-	.09	-	-	-	-	-	-	-	8
9	-	-	-	.02	-	-	-	-	.06	-	-	-	9
10	.18	-	-	-	-	-	-	.01	-	-	-	-	10
11	.24	-	-	-	-	-	-	-	.43	-	-	-	11
12	.43	-	.02	-	-	-	-	.46	.01	-	-	.09	12
13	.07	-	.15	.16	-	-	-	.19	.02	.04	-	-	13
14	-	-	.08	-	.10	-	.03	-	-	-	-	.15	14
15	-	-	-	snow .06	-	-	.07	.04	-	-	.02	-	15
16	.17	-	.08	.33	-	-	-	.63	-	-	.79	.01	16
17	.14	-	.22	.03	-	-	.08	.07	.06	-	-	-	17
18	.06	-	-	-	-	-	-	-	-	-	-	-	18
19	-	-	.16	.04	-	-	-	-	-	.29	-	.14	19
20	-	-	.03	-	-	-	-	.27	-	.21	-	-	20
21	.04	-	-	-	-	-	-	-	-	-	.05	-	21
22	-	-	-	.10	-	-	-	-	-	.04	.01	.32	22
23	-	-	-	.03	-	-	.03	.15	-	.17	-	.03	23
24	.10	.04	-	-	-	-	.02	-	-	-	-	.09	24
25	.01	-	-	-	-	.03	-	-	-	-	-	.12	25
26	.03	-	-	-	-	-	-	-	-	-	-	.47	26
27	-	-	-	.20	-	-	-	-	-	-	-	.10	27
28	-	-	.26	-	.19	-	.03	-	-	-	-	.17	28
29	.06	-	.06	-	.32	-	-	-	-	-	-	.02	29
30	.33	~~X~~	-	-	.05	-	-	-	-	-	.34	.12	30
31	.18	~~X~~	-	~~X~~	.03	~~X~~	-	-	~~X~~	-	~~X~~	-	31
TOTAL	4.14	.29	1.22	.94	1.79	.03	.26	2.69	.88	.81	2.24	2.06	14.41
Days with ".01 in. or more	21	2	13	9	11	1	6	12	5	6	12	14	115
Days with ".04 in. or more	18	2	9	6	9	-	2	10	3	6	9	11	85
YEAR'S TOTAL													

REGISTER

Kept at Solihull (Museum Road)
in the County of Staffs
by Barry. Iselard. Gypsum Works Co.

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Maccles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 12 ft. in.
" " " " Sea Level 106.99 ft.

24 MAR 1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.60	.25	.06	-	-	-	-	.01	-	-	.14	.14	1
2	.03	-	-	-	-	-	-	.13	-	.06	.12	.02	2
3	.04	-	-	-	.08	-	-	-	-	-	.22	-	3
4	.15	-	-	-	.20	-	-	.13	-	-	.36	-	4
5	-	-	.01	-	.01	-	-	.30	-	-	.15	.02	5
6	.36	-	.07	-	.25	-	-	-	-	-	.02	.02	6
7	.86	-	-	-	.44	-	-	-	-	-	.05	-	7
8	.06	-	.02	-	.09	-	-	-	-	-	-	-	8
9	-	-	-	.02	-	-	-	-	.06	-	-	-	9
10	.18	-	-	-	-	-	-	.01	-	-	-	-	10
11	.24	-	-	-	-	-	-	-	.43	-	-	-	11
12	.43	-	.02	-	-	-	-	.46	.01	-	-	.09	12
13	.07	-	.15	.16	-	-	-	.19	.02	.04	-	-	13
14	-	-	.08	-	.10	-	.03	-	-	-	-	.15	14
15	-	-	-	snow .06	-	-	.07	.04	-	-	.02	-	15
16	.14	-	.08	.33	-	-	-	.63	-	-	.49	.01	16
17	.14	-	.22	.03	-	-	.08	.07	.06	-	-	-	17
18	.06	-	-	-	-	-	-	-	-	-	-	-	18
19	-	-	.16	.04	-	-	-	-	-	.29	-	.14	19
20	-	-	.03	-	-	-	-	.24	-	.21	-	-	20
21	.04	-	-	-	-	-	-	-	-	-	.05	-	21
22	-	-	-	.10	-	-	-	-	-	.04	.01	.32	22
23	-	-	-	.03	-	-	.03	.15	-	.14	-	.03	23
24	.10	.04	-	-	-	-	.02	-	-	-	-	.09	24
25	.01	-	-	-	-	.03	-	-	-	-	-	.12	25
26	.03	-	-	-	-	-	-	-	-	-	-	.44	26
27	-	-	-	.20	-	-	-	-	-	-	-	.10	27
28	-	-	.26	-	.19	-	.03	-	-	-	-	.14	28
29	.06	-	.06	-	.32	-	-	-	-	-	-	.02	29
30	.33	~~X~~	-	-	.05	-	-	-	-	-	.34	.12	30
31	.18	~~X~~	-	~~X~~	.03	~~X~~	-	-	~~X~~	-	~~X~~	-	31
TOTAL	4.14	.29	1.22	.94	1.49	.03	.26	2.69	.88	.81	2.24	2.06	14.41
Days with ".01 in. or more	21	2	13	9	11	1	6	12	5	6	12	14	115
Days with ".04 in. or more	18	2	9	6	9	-	2	10	3	6	9	11	85
YEAR'S TOTAL													14.41

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1922.

Kept at Muslingford, Soderin
in the County of Harris
by Barry. Shedd, Gosport
Wm. Mrs. G.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station McRae Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.30	.10	—	.13	.04	.24	.12	.15	.01	.44	—	1
2	—	.24	.13	.38	.01	—	.36	.03	—	—	.05	—	2
3	.23	.49	.25	.44	.14	—	.02	.09	—	.02	.10	—	3
4	—	.15	.11	—	.35	—	.20	—	—	.56	—	—	4
5	—	—	.26	—	—	—	2.25	—	—	.10	.48	—	5
6	.10	—	.22	.05	—	—	.03	.48	—	—	.06	—	6
7	.10	—	.42	.26	—	—	—	.14	—	—	.05	—	7
8	.11	—	.06	—	—	.10	.25	—	—	—	.08	.03	8
9	.04	—	—	.05	—	—	.13	.30	—	—	.05	—	9
10	.02	—	—	—	—	—	—	—	—	—	.45	—	10
11	.04	—	—	.06	—	—	—	.04	—	—	—	—	11
12	—	—	—	.68	—	—	.02	.25	.59	—	—	—	12
13	.12	—	—	.62	—	.38	.41	—	.15	—	—	—	13
14	.03	—	—	.03	—	.06	.19	—	.24	—	—	—	14
15	.42	.21	—	—	—	—	.01	—	—	—	—	—	15
16	—	.09	—	.12	.26	—	—	.04	.14	—	—	.24	16
17	—	.18	—	—	.06	—	.08	—	—	—	—	.14	17
18	1.59	.05	—	—	.04	—	.02	—	.11	—	—	.20	18
19	.26	.09	—	—	—	—	—	—	.15	.03	—	.66	19
20	.13	.22	—	—	—	—	—	—	—	—	—	—	20
21	.35	.15	.02	.20	—	—	—	—	—	—	—	1.03	21
22	—	.06	—	.03	.02	.06	—	.09	—	—	—	.23	22
23	—	.05	—	.03	—	.02	.25	—	.02	—	—	—	23
24	.04	—	.16	.04	.24	.14	—	.20	—	—	—	.03	24
25	.56	.02	—	.34	—	.21	—	—	.20	—	.02	.25	25
26	.18	.34	—	.08	—	.10	.21	—	.01	—	—	.34	26
27	.45	.34	.21	—	—	.02	—	.33	—	—	—	.45	27
28	.33	.20	.04	.01	—	.26	—	—	.04	—	—	.29	28
29	.16	—	—	—	—	.09	—	—	—	.14	—	.10	29
30	—	X	.05	—	—	.13	—	.31	.08	.06	.06	.68	30
31	.20	X	.13	X	—	X	—	.08	X	.23	X	.03	31
TOTAL	5.55	3.37	2.46	3.45	1.25	1.64	4.67	2.83	1.88	1.18	2.14	4.76	YEAR'S TOTAL
Days with 0.1 in. or more	21	14	14	14	9	13	16	14	12	8	11	15	35.21
Days with 0.4 in. or more	19	16	13	13	4	11	11	13	10	5	10	12	140

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1923.

Kept at SOBERTON

in the County of HANTS

by Gosport Waterworks Coy.

Lat. 50° 55' 27½" N. Long. 1° 9' 5" W.

Time of Observation 9 A.M. (GREENWICH)

Nearest Railway Station WICKHAM

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 136 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.03	.38	-	-	.02	-	-	.03	.07	.06	.44	1
2	.19	.03	.11	-	.03	-	-	-	-	.09	.04	.01	2
3	.03	-	.02	-	-	-	-	-	.10	.70	.01	.15	3
4	-	-	-	-	-	-	-	-	.04	-	-	.06	4
5	.47	-	.01	.02	-	-	-	-	-	.10	-	.04	5
6	.68	.26	.05	.05	-	-	-	-	-	-	-	-	6
7	.05	1.18	.05	-	.08	-	-	-	-	.40	-	.56	7
8	-	.04	.01	-	.08	-	-	-	-	.19	.30	-	8
9	.11	.43	-	-	-	-	-	-	-	.09	.02	-	9
10	-	.47	-	.57	.07	-	.10	-	-	.16	-	.01	10
11	-	.12	-	.48	.02	-	-	-	-	.74	-	.02	11
12	-	.21	.49	.35	.11	.02	-	-	-	.50	-	-	12
13	-	.10	.03	.05	-	-	-	-	-	-	.59	.03	13
14	-	-	.07	.04	.05	-	-	-	.25	-	-	-	14
15	.02	-	.01	.23	.10	.37	.07	-	.07	-	.30	-	15
16	-	.23	-	.27	.04	-	-	-	-	-	.16	-	16
17	-	.41	-	-	.05	-	-	.10	.16	.01	-	.01	17
18	.04	.25	-	-	.01	-	-	.11	.01	-	.08	-	18
19	.03	.03	.04	.03	-	-	-	-	.05	.92	-	.04	19
20	.09	.25	-	-	-	-	-	.02	.15	.16	-	-	20
21	-	.01	-	.04	-	-	-	-	.15	.17	-	.28	21
22	-	.45	.07	-	-	-	-	.10	.30	.18	.01	.35	22
23	-	.67	.04	-	.44	-	.10	.79	.03	.40	-	.10	23
24	-	.05	-	.09	-	-	-	.10	.26	.23	-	.10	24
25	-	.55	-	.71	.05	.03	-	.15	.10	.65	-	.35	25
26	-	.08	-	.07	-	.01	-	.03	-	.23	-	.39	26
27	-	.12	.38	-	-	-	-	.08	-	.02	-	.12	27
28	-	.03	.08	.20	.62	-	.23	.01	-	-	SNOW .08	-	28
29	.03	-	.12	.05	.42	-	.12	.82	-	.02	-	.12	29
30	-	X	.02	.02	-	-	.05	.10	-	.24	-	.30	30
31	-	X	-	X	-	X	.25	.02	X	-	X	.18	31
TOTAL	1.90	6.00	1.98	3.27	2.17	.45	.92	2.43	1.70	6.27	1.65	3.63	YEAR'S TOTAL 32.37
Days with "01 in. or more	12	23	18	17	15	5	7	13	14	22	11	21	178
Days with "04 in. or more	8	18	12	14	12	1	7	9	11	19	8	16	135

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION
REGISTER OF RAINFALL IN 1924.

County No. 654
River Dist. 699
Station No. _____

Kept at Soberton (Misingford)
in the County of Hants
by Gosport Water Works Coy

Lat. 50° 55' 27 1/2" Long. 1° 9' 5" W
Time of Observation 9 AM
Nearest Railway Station Wickham
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 136 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	09	-	02	38	15	05	-	-	85	09	1 RRR
2	06	-	19	-	-	10	-	-	-	28	-	12	2 VS
3	02	-	12	-	07	03	10	28	-	10	-	-	3
4	-	-	-	-	07	85	-	-	04	03	-	45	4
5	-	-	13	-	07	-	02	03	-	14	-	03	5
6	-	-	-	-	-	-	-	-	04	30	-	-	6
7	04	-	-	-	48	38	-	-	46	27	-	-	7
8	28	16	-	-	09	28	-	-	09	08	-	-	8
9	09	09	-	14	06	12	-	-	06	02	-	-	9
10	13	-	-	22	62	41	-	-	08	05	-	-	10
11	02	01	-	28	48	14	-	-	09	04	35	-	11
12	01	-	-	19	17	29	-	09	08	-	03	-	12
13	03	-	-	69	05	-	-	03	61	-	09	23	13
14	01	-	-	14	-	-	-	07	-	-	-	06	14
15	-	02	-	-	-	-	-	11	08	-	-	1-18	15
16	05	-	-	-	-	-	-	62	02	-	-	02	16
17	36	-	-	-	-	14	1-08	04	06	-	-	-	17
18	57	05	-	-	-	08	-	04	-	10	-	-	18
19	02	-	-	-	05	-	-	11	01	03	-	03	19
20	02	-	-	-	03	01	09	01	24	20	-	-	20
21	73	-	03	-	05	-	12	-	28	50	-	-	21
22	24	-	64	-	01	-	06	17	35	-	-	-	22
23	-	-	45	-	27	-	-	25	03	-	-	81	23
24	43	16	06	13	38	-	-	-	21	-	-	19	24
25	-	01	02	02	04	-	07	-	2-90	15	10	02	25
26	-	-	03	67	-	-	-	13	-	48	57	29	26
27	-	-	-	69	-	-	94	-	-	29	14	86	27
28	-	-	-	-	-	-	1-40	35	-	05	42	-	28
29	-	03	-	18	27	-	02	42	09	79	02	38	29
30	-	X	-	03	11	-	-	19	25	35	40	27	30
31	-	X	-	X	39	X	-	02	X	27	X	16	31 1056
TOTAL	3-11	53	1-76	3-38	3-78	3-21	4-05	3-01	6-07	4-52	2-97	5-19	YEARS TOTAL 41-58
Days with 01 in. or more.	18	8	10	12	21	13	11	19	21	21	10	17	181
Days with 04 in. or more.	11	4	7	10	18	11	9	15	16	18	8	13	142

Register of Rainfall in 1925.

661699

Kept at Soberston Pumping Station
in the County of Hants.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" Ground " Sea Level 135.99 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>1.16</u>	-	-	.08	.01	-	-	.34	.05	-	<u>.90</u>	-	1
2	.61	-	-	.04	-	-	.06	-	-	-	.82	-	2
3	.30	.03	-	-	.26	-	.03	-	-	-	.06	-	3
4	.03	-	-	.17	.30	-	-	.17	.03	-	.25	-	4
5	-	.37	-	<u>.71</u>	.23	-	-	.05	.24	-	.13	-	5
6	-	-	-	.02	.25	-	.40	.32	-	-	.83	-	6
7	-	.30	-	-	<u>.58</u>	-	-	-	-	-	.10	.16	7
8	.08	.01	-	.15	.27	-	-	.10	.02	-	-	.16	8
9	-	.06	-	-	-	-	-	.12	-	-	-	.02	9
10	-	.07	-	-	.12	-	-	.25	-	-	-	-	10
11	-	.10	.09	-	.01	-	-	.28	-	-	.28	-	11
12	-	.70	-	-	-	-	-	.26	-	-	-	-	12
13	.04	.74	.04	.12	-	-	-	.01	-	-	-	.04	13
14	.46	.13	-	.28	-	-	-	-	-	-	-	-	14
15	.10	.04	-	.10	-	-	-	-	-	.08	-	-	15
16	.12	-	-	-	-	-	-	-	.22	.32	-	-	16
17	-	-	-	.02	.03	-	.05	-	.05	-	-	-	17
18	-	-	-	.03	.23	-	-	-	.05	.03	-	.04	18
19	-	.14	-	.10	.02	-	.01	-	.56	.80	-	.46	19
20	-	-	.03	-	-	-	-	.12	<u>.74</u>	.71	-	.07	20
21	-	.04	-	-	-	-	.69	.22	.22	.84	-	.46	21
22	-	.20	.03	-	.30	-	.56	.16	.61	<u>1.17</u>	-	.33	22
23	.04	.25	.07	.23	.11	-	-	<u>1.53</u>	-	.11	-	.18	23
24	.29	.34	.21	.41	.50	-	-	.04	-	-	-	.29	24
25	.42	<u>.88</u>	<u>.22</u>	-	-	-	.10	-	.29	.07	.02	.07	25
26	.15	.50	-	.07	.43	-	<u>.85</u>	.19	-	.47	-	.09	26
27	.18	.01	-	.03	.35	-	.10	.06	-	-	-	.13	27
28	.17	-	-	.13	-	-	.03	-	-	-	-	.38	28
29	.08	-	-	-	.26	-	.12	-	-	-	.10	<u>.76</u>	29
30	-	X	.03	.02	-	-	.43	-	-	.08	.09	.26	30
31	.09	X	.03	X	-	X	.04	-	X	.14	X	.01	31
TOTAL	4.32	4.91	0.75	2.71	4.26	Nil	3.47	4.22	3.08	4.82	3.58	3.91	YEARS TOTAL 440.03
Days with .01 in. or more.	17	19	9	18	18	Nil	14	17	12	12	11	18	165
Days with .04 in. or more.	16	16	5	13	14	Nil	11	16	10	11	10	16	138

(Signed) Harry Steward [P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Soberston Pumping Station
in the County of Hampshire

Diameter of Funnel of Gauge.....5".....in. Snowdon
Height of top of Gauge above Ground.....12 in.
" Ground " Sea Level.....135.99 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	. <u>48</u>	.04	-	-	-	. <u>59</u>	-	-	-	-	.31	-	1
2	.17	-	-	-	-	.22	.09	-	. <u>35</u>	-	.05	-	2
3	.21	.09	. <u>26</u>	-	-	-	-	-	-	-	-	-	3
4	.06	.37	.14	.02	-	-	-	-	-	-	.33	-	4
5	.17	.07	.09	-	. <u>39</u>	-	.18	-	-	.02	.20	. <u>27</u>	5
6	.28	.39	-	.25	.04	-	.16	.17	.03	.01	.13	-	6
7	.04	.28	-	.28	.35	.20	.03	-	.05	-	.63	.02	7
8	-	.02	-	.44	-	.13	-	.02	-	.10	.48	-	8
9	-	-	.03	-	-	.20	.32	.02	-	.04	.63	-	9
10	-	-	-	-	-	.15	.01	-	-	-	.02	-	10
11	-	.06	-	-	.10	.24	-	. <u>42</u>	-	-	.41	-	11
12	-	-	-	-	.03	.08	-	-	-	.27	.03	-	12
13	-	-	-	-	.06	-	-	-	-	-	. <u>1.50</u>	.02	13
14	.07	.17	-	.47	.17	.29	-	-	-	.54	.12	.01	14
15	.36	.01	-	.19	-	-	-	-	.02	.13	.15	-	15
16	.12	.15	-	.32	-	-	-	.14	-	.02	.03	-	16
17	.11	. <u>56</u>	-	.06	-	.44	.05	-	-	-	.21	-	17
18	.34	.10	-	.02	-	-	-	.10	-	-	.68	-	18
19	-	-	-	.02	.05	-	.20	.03	-	-	.30	.02	19
20	-	-	-	.29	-	-	-	.21	-	-	.25	-	20
21	-	-	-	-	-	-	.03	.01	-	.07	.26	-	21
22	.51	-	-	.02	-	-	-	-	-	-	.01	-	22
23	.07	-	.04	-	-	-	-	-	-	-	-	-	23
24	.04	-	-	-	-	-	.10	-	-	. <u>86</u>	-	-	24
25	.24	-	.05	. <u>48</u>	-	-	.02	-	-	.13	.07	.02	25
26	.03	-	-	.03	-	-	. <u>54</u>	-	.07	-	.04	-	26
27	.14	.03	.03	.01	.13	-	-	-	.07	.12	.09	-	27
28	.69	-	-	-	.01	-	.34	-	-	.24	.20	.01	28
29	.02	-	-	.10	.17	-	-	-	-	.05	.02	-	29
30	.23	X	-	.09	.24	-	-	.02	-	-	.10	-	30
31	.44	X	-	X	-	X	-	.18	X	-	X	-	31
TOTAL	5.12	2.34	.64	3.09	1.74	2.54	2.07	1.32	.59	2.60	7.25	.37	YEARS TOTAL
Days with ".01 in. or more.	22	14	7	17	12	10	13	11	6	14	27	7	160
Days with ".04 in. or more.	20	11	5	11	10	10	9	6	4	11	22	1	120

Please read the Notes and Instructions Overleaf.

Records taken in Millimetres should be entered on Form 1091.

..[P.T.O

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Solihull Pumping Station
in the County of Warwick.

Diameter of Funnel of Gauge 5 in. (Snowdon)
Height of top of Gauge above Ground ft. in.
" Ground " Sea Level 135.99 ft.

GOSPORT WATERWORKS COMPANY.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.37	.02	.15	.01	-	-	-	.35	-	-	-	-	1
2	.80	.46	.15	.02	-	-	-	.03	-	-	.02	.02	2
3	-	-	-	.23	-	-	.14	.87	-	-	.02	-	3
4	.03	.19	-	-	-	.04	-	-	-	.01	-	-	4
5	.04	.22	.07	-	-	.14	.10	-	-	.01	-	-	5
6	-	-	.03	-	-	.14	-	-	-	.01	-	.08	6
7	.01	.02	.05	.28	-	.25	-	.13	-	.03	-	-	7
8	.03	.03	-	.02	-	.45	.02	-	.03	.16	-	-	8
9	.01	-	-	.02	-	.03	-	-	.44	.05	-	.03	9
10	.10	.19	-	.04	-	.02	-	.01	-	.30	.18	.07	10
11	.14	-	-	-	-	.06	-	-	-	.67	.09	.18	11
12	.50	.50	-	.02	-	-	-	-	-	.16	.14	.03	12
13	-	.07	SNOW .03	-	-	.96	-	.15	-	-	.05	-	13
14	.15	.08	-	.40	.14	.13	-	.02	-	.46	.60	-	14
15	.13	-	-	RAIN & SNOW .51	-	.03	-	-	-	.01	.33	-	15
16	-	.13	-	.03	.04	-	-	-	-	.20	.28	.34	16
17	-	-	.01	.09	.66	-	-	-	-	.08	-	-	17
18	.66	-	.08	-	.26	.09	-	-	-	.44	.09	.01	18
19	-	-	.02	-	.09	.04	-	.20	-	.43	.04	.10	19
20	.31	-	.15	-	.09	-	-	-	-	.09	.13	.01	20
21	.10	-	.14	.11	.23	.03	-	-	-	.30	.28	-	21
22	-	-	.43	-	-	-	-	-	-	.66	.44	.15	22
23	.41	-	.05	-	.03	-	-	-	-	.21	.38	.03	23
24	.03	-	.10	-	-	-	-	.02	.14	.09	.04	.30	24
25	.08	-	-	-	-	.06	-	-	-	.17	.04	.20	25
26	.13	-	-	-	.02	-	.03	.60	-	1.53	.03	.05	26
27	-	-	.18	.01	-	-	1.02	.02	.13	.25	-	1.11	27
28	.41	-	.12	-	-	-	-	-	.26	-	-	.18	28
29	.34	.29	.48	.02	-	.01	.07	-	-	.17	.05	.24	29
30	.09	X	.28	-	-	.18	.25	-	-	.16	-	.09	30
31	.27	X	.23	X	-	X	.32	-	X	.03	X	-	31
TOTAL	5.44	2.19	2.45	1.81	1.86	2.66	1.95	2.40	1.00	6.98	3.23	3.22	YEAR'S TOTAL
Days with ".01 in. or more.	23	12	19	15	9	17	8	11	5	26	19	19	183
Days with ".04 in. or more.	18	9	15	7	7	12	6	6	4	20	16	13	133

See over for

(Signed) Edw. Hildred [P.T.O.]

Engineer and Manager.

REGISTER OF RAINFALL IN 1929 .

Kept at Solerton Pumping Station
in the County of Gloucesters

Diameter of Funnel of Gauge 5" in. "Snowdon."
Height of top of Gauge above Ground ft. in.
Ground Sea Level 135.99 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.12	-	-	-	.03	-	-	-	.26	-	-	I
2	-	.90	-	-	-	.12	.09	-	-	.19	.02	.52	2
3	-	-	-	-	-	-	.16	.05	-	-	-	.25	3
4	-	-	-	.03	.39	.20	.02	.05	-	.01	.35	.36	4
5	-	-	-	-	1.00	.39	.24	.75	-	.71	-	.44	5
6	-	-	-	-	.04	.01	-	.36	-	.08	.10	.61	6
7	-	-	-	-	.05	.06	-	.58	-	.45	.64	.73	7
8	-	-	-	-	-	-	-	-	-	.38	-	.43	8
9	.12	.24	-	-	-	-	-	-	-	-	.27	.40	9
10	.26	-	-	-	-	-	-	-	-	.05	-	.52	10
11	-	-	-	.05	.25	.05	-	-	-	-	1.29	.02	11
12	-	-	-	.03	.09	.06	-	-	-	-	-	.05	12
13	.01	-	-	-	.20	-	-	-	-	-	-	.03	13
14	-	-	-	-	.03	.15	-	-	-	-	-	.10	14
15	-	.15	-	-	-	.27	-	-	-	-	1.26	.03	15
16	-	-	-	-	-	-	-	.16	-	-	.04	-	16
17	.07	-	-	-	-	-	-	-	-	-	-	-	17
18	-	-	-	.03	-	-	-	.04	-	-	.44	-	18
19	-	-	-	-	-	-	-	-	-	-	.08	-	19
20	.06	-	.01	-	-	-	.27	.18	-	.61	-	.35	20
21	.06	-	.14	-	-	-	-	-	-	-	-	.16	21
22	-	.01	-	-	-	-	.04	.03	-	-	.33	.02	22
23	-	.06	-	-	-	-	-	-	-	.11	.36	.68	23
24	-	-	.04	-	-	-	-	-	-	.67	.97	.47	24
25	-	.03	-	-	-	-	-	-	-	.08	.09	.01	25
26	-	-	-	.03	.02	-	-	-	-	-	.04	.15	26
27	.03	-	-	.07	.09	-	-	-	-	-	1.28	.08	27
28	.32	-	-	.01	-	-	.38	-	-	.57	.39	.60	28
29	.08	-	-	.71	-	.13	-	-	.02	.04	.30	.33	29
30	.01	X	-	-	-	.07	.09	-	.35	-	.78	.17	30
31	.55	X	-	X	-	X	.06	-	X	-	X	.01	31
TOTAL	1.57	1.51	.19	.96	2.16	1.54	1.35	2.20	.37	4.21	8.93	7.52	YEAR'S TOTAL 32.51
Days with ".01 in. or more.	11	7	3	8	10	12	9	9	2	14	19	26	130
Days with ".04 in. or more.	8	5	2	3	8	10	8	8	1	13	18	20	104

Kept at Solerton Pumping Station
in the County of Hants.

Diameter of Funnel of Gauge.....5 in. Snowden
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 135.99 ft.

See over for check gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.11	.81	-	.24	-	-	-	-	-	-	.60	-	I
2	.02	.02	.06	.07	.04	-	.15	.48	-	-	.80	-	2
3	.03	.10	-	.68	.13	-	-	.60	-	.03	-	-	3
4	1.02	.02	-	-	-	-	-	.23	-	.14	-	-	4
5	.02	-	-	.03	.05	-	-	.18	-	-	-	-	5
6	-	-	.02	-	.02	-	-	.72	.29	.04	-	.03	6
7	.14	-	-	-	-	-	-	.18	-	.48	.31	.17	7
8	.13	-	-	.04	.01	-	-	.01	-	-	-	.25	8
9	.19	-	.01	-	.32	-	-	.01	.29	-	-	-	9
10	.57	-	.07	-	.30	-	-	.02	-	-	-	.67	10
II	.17	-	-	.03	.02	-	.23	-	-	.08	-	.54	II
12	.19	-	.01	.05	.16	-	-	.09	-	-	-	.27	12
13	.02	-	.03	.34	.06	-	.14	.34	.44	-	-	-	13
14	.07	.12	.14	.02	-	-	.15	-	-	.03	-	.01	14
15	-	.01	.26	-	.01	-	.40	-	-	.11	.14	.14	15
16	-	-	-	-	-	-	.02	-	.22	-	-	.19	16
17	-	-	.10	.23	-	-	-	.01	.44	.31	-	-	17
18	-	-	-	.02	.17	-	.04	.02	.31	-	.30	.21	18
19	-	-	SNOW .21	.02	-	-	-	.28	.36	.17	.82	.02	19
20	-	-	-	.14	-	-	.93	.66	.16	.15	.25	-	20
21	-	-	.04	-	-	-	-	.02	.03	.08	1.04	-	21
22	.41	-	-	.10	.05	.02	-	.58	.06	.33	.29	-	22
23	.37	-	.12	.16	-	.33	.02	.01	.03	-	.21	.07	23
24	.24	.04	-	.37	.10	.04	-	-	-	.02	.30	.43	24
25	.06	.39	-	.03	.16	-	-	-	-	.04	.30	.04	25
26	.23	-	-	-	.02	-	.07	-	.09	-	.12	.32	26
27	-	-	-	-	-	-	.02	-	-	.04	-	.09	27
28	.05	-	.03	-	-	-	-	-	.43	-	.53	.13	28
29	.17	-	.09	-	.03	-	-	.38	.10	.04	.02	.12	29
30	.08	X	-	-	.11	.08	.15	-	-	-	-	.40	30
31	.61	X	.16	X	.09	X	-	-	X	.14	X	.10	31
TOTAL	4.90	1.51	1.35	2.57	1.85	.47	2.32	4.72	3.25	2.23	6.03	4.20	YEAR'S TOTAL 35.40
Days with or in. or more.	22	8	15	17	19	4	12	19	14	17	15	20	182
Days with or in. or more.	18	5	10	11	13	3	9	12	12	14	14	17	138

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

FOR OFFICIAL USE.

County No. 710
River Dist.
Station No.

Kept at Sherborne S^W John (W. end)
in the County of Hants
by Rear Adm. Lafone

Lat. 51°18'N Long. 1°4'W
Time of Observation 11 a.m.
Nearest Railway Station Basingstoke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.01	—	.01	.15	.03	.11	—	—	.42	.21	RWR
2	.03	—	.09	—	.015	.10	.10	—	—	—	—	.03	CH
3	—	—	.035	—	.02	.08	.265	.20	.02	.01	—	—	3
4	—	—	—	.01	.09	.69	—	—	.06	.08	—	.22	4
5	—	.007	.10	—	—	—	.12	—	—	.09	—	.06	5
6	—	—	—	—	—	—	.01	.07	.04	.50	—	—	6
7	.04	—	—	—	.19	.35	—	—	.20	.40	—	—	7
8	.03	.05	—	.07	—	—	—	—	.035	.13	—	—	8
9	.13	.025	—	.12	.07	.05	—	—	.15	—	—	—	9
10	.32	—	—	.05	.57	.33	—	—	—	.025	—	.01	10
11	.23	—	—	.34	.26	.09	—	—	—	.06	.42	—	11
12	.02	—	—	.18	.07	.26	—	.16	.28	—	.24	—	12
13	.04	—	—	.54	.10	—	.04	—	.38	.015	.11	.19	13
14	.02	—	—	.03	—	—	—	.04	—	—	—	.03	14
15	—	.03	—	—	—	—	—	—	.035	—	—	.50	15
16	.02	—	—	—	—	—	—	.09	.02	—	—	.02	16
17	.23	—	—	—	—	.19	.81	.16	.08	—	—	—	17
18	.40	.04	—	—	.09	.015	.03	.14	—	.14	.01	.03	18
19	.16	—	—	—	.10	—	—	—	.015	.03	—	.015	19
20	.06	—	.05	—	.015	.03	.18	.55	.33	.28	—	—	20
21	.36	—	.01	—	.03	—	.07	.03	.11	.58	—	—	21
22	.23	—	.35	—	.02	—	.69	.21	.27	—	—	.035	22
23	—	—	.08	.005	.28	—	.008	.03	.03	—	—	.83	23
24	.40	.16	.05	.21	.11	—	—	—	.25	—	—	.45	24
25	—	—	.05	.13	.02	—	.44	.005	.85	.14	.06	.09	25
26	—	.005	—	.37	—	—	.025	.04	.07	.10	1.11	.49	26
27	—	—	—	.79	—	—	.73	.005	—	.30	.01	.54	27
28	—	—	—	.05	—	—	.35	.36	—	.04	.24	—	28
29	.01	.09	—	.17	.055	—	.03	.26	.05	.65	.015	.57	29
30	—	X	—	.42	.22	—	—	.05	.56	.33	.17	.425	30
31	—	X	.005	X	.61	X	—	.07	X	.16	X	.16	31 884
TOTAL	2.73	.407	.83	3.485	2.97	2.335	3.928	2.58	3.835	4.00	2.805	4.905	YEAR'S TOTAL
Days with 0.1 in. or more.	18	6	10	16	21	12	14	17	21	20	11	20	34.81
Days with 0.4 in. or more	12	4	7	13	15	10	11	15	15	16	8	13	139



AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Sherborne S. John (West End)in the County of Hants

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1. following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	^{1.23} 1.28	—	.15	.04	.06	—	—	.14	.04	—	.50	—	1
2	.18	—	—	.24	—	—	.06	—	—	.01	.70	—	2
3	⁰⁵ 05	.01	—	—	.14	—	.16	.12	—	—	.08	—	3
4	.01	—	—	.21	.19	—	—	.20	.07	—	.20	—	4
5	—	.46	—	.64	.14	—	—	.03	.11	—	.01	—	5
6	—	.01	—	—	.31	—	.43	.04	—	—	.28	—	6
7	—	.15	—	—	.41	—	—	—	—	—	.05	.24	7
8	.24	.04	—	—	.09	—	—	—	.27	—	—	.12	8
9	—	.05	—	.09	.03	—	—	.10	.20	—	—	—	9
10	—	.04	—	—	.02	—	—	.20	.01	—	—	—	10
11	—	.18	.02	—	—	—	—	.11	—	—	—	—	11
12	.02	.69	—	—	—	—	—	.08	—	—	—	—	12
13	.06	.35	.05	.04	—	—	—	—	—	—	—	.04	13
14	.37	.34	.03	.12	—	—	—	—	—	—	—	—	14
15	.02	—	—	.12	—	—	—	—	—	.16	—	—	15
16	.03	—	—	—	—	—	—	—	.16	.04	—	—	16
17	—	—	—	—	.02	—	.01	—	—	.01	—	—	17
18	—	.06	—	.01	.40	—	—	.06	.06	—	—	—	18
19	—	.04	—	—	.02	—	.03	—	.64	.76	—	.47	19
20	—	—	.04	—	—	—	.06	.18	.63	.45	—	.09	20
21	—	—	.05	—	—	—	.56	.25	.23	1.06	—	.29	21
22	—	.19	—	.20	.23	—	.69	.17	.51	.88	—	.37	22
23	.05	.01	.04	.03	.36	—	.01	1.34	—	.19	—	.02	23
24	.08	^{35.05} 35.05	—	.05	.14	—	—	.34	.02	.05	.08	.15	24
25	.07	.69	—	—	—	—	.12	—	.13	.04	—	.05	25
26	.08	.23	—	.27	.24	.01	.27	.25	—	.09	—	.17	26
27	.06	.11	—	.04	.12	—	.20	—	—	—	—	.09	27
28	.17	—	—	.07	—	—	.02	—	—	—	—	.33	28
29	.15	~~X~~	—	—	.16	—	⁰⁴ 04	—	—	—	.08	.70	29
30	—	X	—	.31	.02	—	.22	—	—	.06	.01	.71	30
31	.10	X	.05	X	.29	X	—	—	X	.05	X	.08	31
TOTAL	2.97	4.00	0.43	2.48	3.39	.01	2.88	3.61	3.08	3.85	1.99	3.92	828 32.61
Days with ".01 in. or more.	18	19	8	16	20	1	15	16	14	14	10	16	167
Days with ".04 in. or more.	14	16	6	14	15	—	11	15	12	12	8	15	138

(Signed).....

A. S. Lafone

Rear Admt.

[P.T.O.]

A

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.703
706

Kept at Sherborne S. John
 in the County of Hants
 Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 „ Ground „ Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.55	.04	—	—	—	.76	—	—	.01	—	.16	—	1
2	.19	~~.14~~	—	—	—	.44	~~.14~~	—	.29	—	.22	—	2
3	.11	.08	.28	—	—	—	—	—	—	—	—	—	3
4	.02	.14	.05	.21	.01	—	.11	—	—	—	.53	—	4
5	.11	.05	.15	—	.41	—	.10	—	.02	.05	.10	.21	5
6	.45	.48	—	.29	—	~~.14~~	.07	.15	.11	—	.78	—	6
7	—	.02	—	.05	.13	.17	.01	—	.04	—	.74	.02	7
8	—	—	—	.23	—	—	—	.08	—	.16	.52	—	8
9	—	—	—	—	~~.14~~	.18	.01	.02	—	—	.27	—	9
10	—	—	—	—	.08	.10	~~.14~~	.05	—	—	.29	—	10
11	—	.06	—	—	.13	.21	—	.03	~~.14~~	.06	.06	~~.14~~	11
12	—	~~.14~~	—	—	.25	—	—	.01	—	.32	.32	.01	12
13	—	—	—	—	.02	.24	—	.02	—	.24	.82	~~.14~~	13
14	.15	.14	—	.55	.29	.33	—	—	—	.52	.02	.03	14
15	~~.14~~	~~.14~~	—	.05	—	—	—	—	.01	.48	.07	—	15
16	.18	.14	—	.35	.03	—	—	.06	—	—	.08	—	16
17	.05	.43	—	—	—	.56	.04	—	—	—	.27	—	17
18	.09	.07	—	—	.09	~~.14~~	.05	.03	—	—	.50	—	18
19	.01	—	—	.01	.05	—	.11	—	—	~~.14~~	.40	—	19
20	—	—	—	.23	~~.14~~	—	—	.12	—	.02	~~.14~~	—	20
21	.04	—	—	.02	.01	—	.25	.16	—	.02	.03	—	21
22	.38	.06	—	.15	—	—	—	—	—	—	.01	—	22
23	.10	.02	—	—	—	—	—	—	—	—	—	—	23
24	.04	—	—	—	—	~~.14~~	.18	—	~~.14~~	.36	—	—	24
25	.11	—	.30	.62	—	—	.20	—	—	.08	.09	.03	25
26	.01	.01	—	.05	~~.14~~	—	.01	—	.08	—	—	—	26
27	.13	.04	.13	.03	.04	—	—	—	.03	.08	~~.14~~	—	27
28	.38	—	—	.17	—	—	.42	—	~~.14~~	.49	.20	—	28
29	.12	X	—	.10	.15	—	~~.14~~	—	—	.02	.05	—	29
30	.04	X	—	.19	.03	—	—	.06	—	—	.27	—	30
31	.27	X	—	X	—	X	—	.24	X	—	X	—	31
TOTAL	4.19	1.78	.91	3.30	1.72	2.99	1.56	1.03	0.59	2.90	6.90	.30	YEARS TOTAL 28.17 10.17
Days with 0.1 in. or more.	23	15	5	17	15	9	13	13	8	14	25	5	162
Days with 0.4 in. or more.	20	12	5	14	10	9	10	8	4	11	22	1	126

Please read the Notes and Instructions Overleaf.

(144ws) * See note overleaf

(Signed)

R. S. Lafone

near adm.

[P.T.O.]

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Shutrone St John (Wend)

in the County of Stanly

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 260 ft.

150 & 390

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.90	.12	.02	—	—	.88	.17	—	.21	.42	—	1
2	—	—	.05	.18	—	—	~~.18~~	—	—	.03	.01	—	2
3	.17	.01	.05	—	—	—	.05	—	—	—	—	.04	3
4	.07	—	.02	.08	—	—	.37	—	—	—	—	—	4
5	.09	.10	.24	.45	—	.04	—	—	—	—	.12	—	5
6	~~.18~~	—	.20	.43	.61	—	.02	.10	.30	—	~~.18~~	.03	6
7	.01	.29	.06	.06	—	.21	.04	.13	—	—	—	—	7
8	.02	—	.03	.33	—	—	.30	.05	.05	~~.18~~	—	—	8
9	—	—	.02	.26	—	—	~~.18~~	.11	.61	~~.18~~	—	.02	9
10	—	—	.25	.04	—	—	.91	—	.01	.01	—	—	10
11	.01	—	.02	.01	—	—	.44	.06	—	—	.02	—	11
12	.31	—	.01	—	—	—	~~.18~~	.23	~~.18~~	.01	—	—	12
13	.15	.01	—	—	—	—	.29	.17	~~.18~~	.03	.08	.22	13
14	.03	—	—	.06	.03	—	.38	.21	~~.18~~	—	.03	.14	14
15	—	~~.18~~	—	—	.31	—	—	.16	.23	—	—	—	15
16	.01	.01	—	—	.22	.31	—	~~.18~~	.59	—	—	—	16
17	.17	—	.05	—	—	.10	—	.33	.05	—	~~.18~~	—	17
18	—	—	—	—	—	.41	—	.01	.01	—	.42	—	18
19	—	.21	—	—	—	—	.04	.30	—	—	.46	—	19
20	.25	.10	—	—	~~.18~~	~~.18~~	.36	.18	—	—	.37	.34	20
21	.14	.13	—	—	.05	.03	~~.18~~	.18	~~.18~~	.19	.12	.77	21
22	.09	.18	.36	—	—	.06	—	.02	~~.18~~	.25	—	.48	22
23	.01	.67	.33	—	—	.24	—	.09	.88	—	.23	.11	23
24	.02	.17	.48	.01	—	~~.18~~	—	.10	~~.18~~	.07	—	.43	24
25	.07	.20	.37	—	—	.02	—	.02	~~.18~~	.11	~~.18~~	.60	25
26	.17	.62	.06	~~.18~~	.28	.12	.50	—	.05	.05	~~.18~~	~~.18~~	26
27	—	.37	.08	—	.18	.12	.12	—	~~.18~~	.48	~~.18~~	—	27
28	.56	.47	.20	—	—	.14	.13	—	~~.18~~	.62	—	—	28
29	.05	X	.16	~~.18~~	—	.56	—	—	.57	—	.94	—	29
30	.10	X	—	—	.03	.90	.02	—	.01	.42	—	—	30
31	.06	X	.27	X	~~.18~~	X	.16	.01	X	.01	X	.41	31
TOTAL	2.56	4.44	3.43	1.93	1.71	3.26	5.01	2.63	6.50	1.87	3.84	3.59	40.77
Days with .01 in. or more.	22	16	22	12	8	14	17	20	18	13	13	12	187
Days with .04 in. or more.	15	13	17	9	6	12	15	16	15	8	10	10	146

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Sherborne St John
in the County of Hants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ✓ in.
„ Ground „ Sea Level 260 ft.

150
400

Jan. 1, following.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.13	—	.05	—	.04	—	—	—	.33	—	.03	1
2	—	.25	—	—	—	.01	.16	—	—	.06	—	.22	2
3	—	—	—	—	~~—~~	—	.25	.04	~~—~~	—	—	.07	3
4	.01	.02	—	.08	.31	.26	~~—~~	.15	—	—	~~.77~~	.92	4
5	.02	~~—~~	—	—	.44	.24	.08	.27	—	.83	17.88	.09	5
6	.01	—	—	—	.13	—	.08	~~—~~	—	~~—~~	10.22	.43	6
7	—	—	—	—	~~—~~	~~—~~	—	.25	—	.34	.32	.57	7
8	—	—	—	—	.01	~~—~~	—	—	—	.24	—	.73	8
9	.13	.14	—	—	—	—	—	—	—	—	.12	.17	9
10	.11	~~—~~	—	.05	.02	—	—	—	—	~~—~~	~~—~~	.33	10
11	—	—	—	.03	.13	.02	—	—	—	—	.93	.06	11
12	—	—	—	.15	.02	.09	—	—	—	—	—	—	12
13	.02	—	—	~~—~~	.10	~~—~~	—	—	—	—	—	.09	13
14	~~—~~	—	—	—	.18	.22	—	—	—	—	~~—~~	.20	14
15	—	.06	—	—	.01	.07	—	—	—	—	.33	.01	15
16	—	—	—	—	—	—	—	.08	—	—	.21	—	16
17	.05	—	—	—	—	—	—	—	—	—	~~—~~	—	17
18	.03	—	—	—	—	—	—	—	—	~~—~~	.44	~~—~~	18
19	.01	—	—	—	—	—	—	—	.01	—	.29	—	19
20	~~—~~	—	—	—	—	—	.11	.03	—	.57	—	.45	20
21	.10	—	.04	—	—	—	~~—~~	—	—	—	~~—~~	.02	21
22	~~—~~	.06	—	—	—	—	.04	.01	—	—	.33	~~—~~	22
23	~~—~~	.01	—	.01	—	—	—	—	—	.03	.63	.42	23
24	—	—	.03	—	.02	—	—	—	—	.81	.85	.43	24
25	—	~~—~~	—	—	—	—	—	—	—	.02	.15	.02	25
26	—	~~—~~	—	—	.03	—	—	—	—	—	~~—~~	.15	26
27	—	—	—	.23	.06	—	—	—	—	.09	.95	.08	27
28	.13	—	—	.02	—	—	.22	—	—	.09	.21	.52	28
29	.19	×	—	.34	—	.15	—	—	.17	.04	.46	.25	29
30	.02	×	—	—	—	.20	.07	—	.19	—	.73	.13	30
31	.50	×	—	×	—	×	.18	—	×	—	×	.04	31
TOTAL	1.33	.67	.07	.96	1.46	1.30	1.19	.83	.37	3.45	7.22	6.43	25.28
Days with or in. or more.	14	7	2	9	13	10	9	7	3	12	17	25	128
Days with .04 in. or more.	7	5	1	6	7	8	9	5	2	10	17	21	98

FORM-1090.

REGISTER OF RAINFALL IN 1930.

Kept at Sherborne S^c John
in the County of Hants
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level 260 ft.

150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.04	.44	-	.15	-	~~.15~~	-	.06	-	-	.47	-	I
2	~~.15~~	.04	.02	.06	.09	-	.04	.49	-	-	.07	-	2
3	.08	.08	-	.52	-	-	-	.40	-	.03	.01	-	3
4	.89	-	-	.04	-	-	.00	.06	.21	.09	-	-	4
5	.01	-	-	-	.04	-	-	.16	-	.15	-	-	5
6	-	-	.03	-	.11	-	-	.13	1.04	.03	-	~~.15~~	6
7	.14	-	~~.15~~	-	-	-	-	.01	-	.20	.39	.08	7
8	.01	-	-	.16	-	-	-	-	.06	.09	~~.15~~	.27	8
9	.24	-	.08	~~.15~~	.24	-	-	-	.15	-	~~.15~~	-	9
10	.54	-	.10	-	.24	-	-	.08	-	-	-	.68	10
11	.33	-	~~.15~~	.04	.03	-	.03	-	-	.06	-	.07	11
12	.10	-	-	.03	.13	-	-	-	.03	-	-	.23	12
13	.03	-	.13	.07	.05	.30	.03	.12	.33	-	~~.15~~	~~.15~~	13
14	.13	.10	.18	.02	-	-	.02	-	-	-	-	.01	14
15	.01	.03	.32	-	-	-	.19	-	-	.06	.09	.17	15
16	-	-	-	.03	-	-	-	-	.07	.01	-	.07	16
17	-	-	.02	.30	-	-	.30	.01	.27	.08	-	~~.15~~	17
18	-	-	-	.02	.04	.03	.01	-	.28	.04	.12	.03	18
19	-	-	-	.24	-	-	-	.11	.08	.16	.46	.01	19
20	-	-	.05	.11	-	-	.38	.50	.40	.01	.38	~~.15~~	20
21	-	-	.02	~~.15~~	-	-	.03	.02	.01	-	.36	-	21
22	.26	-	-	.05	.07	~~.15~~	.04	.20	.03	.20	.02	-	22
23	.14	-	.07	.08	.01	.13	.10	-	.07	-	.22	.06	23
24	.21	-	-	.13	.09	-	~~.15~~	-	~~.15~~	-	.26	.20	24
25	.01	.10	-	.02	.04	-	-	-	.03	.08	.26	.03	25
26	.45	.02	-	-	.01	-	.04	-	.28	-	.23	.33	26
27	~~.15~~	-	-	-	-	-	-	-	.06	.04	.24	.07	27
28	.02	-	.06	-	-	-	~~.15~~	-	.17	~~.15~~	1.11	.21	28
29	.15	X	.07	-	.01	-	.38	.05	.22	.02	.01	.02	29
30	.03	X	-	-	.17	.14	.10	-	-	-	~~.15~~	.16	30
31	.33	X	.08	X	.38	X	-	-	X	.10	X	.16	31
TOTAL	4.15	.81	1.23	2.07	1.75	.60	1.69	2.40	3.79	1.45	4.70	2.86	27.50
*Days with or in. or more.	22	7	14	18	17	4	14	15	19	18	17	19	184
*Days with .04 in. or more.	15	5	10	13	13	3	9	12	15	13	14	14	130

RE

SHERBORNE ST JOHN
RECTORY
HANTS

Kept at...*Sherborne*...

in the County of...*Hants*...

by...*D. W. Chute*...

IMPORTANT NOTE.

If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instructions
and particulars as to the B
sent post-free on application
Square, London, N.W. 1.

Ra

1921 - 1920
26

in Gauge... in.
above Ground... ft. in.
Sea Level... ft.

entered to the previous day.

tested to add
at the end of
of rain gauges,
all Observers,"
62, Camden

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	33		08					04	02		07	21	1
2	06				05			06		07	19	10	2
3	01	01	02		12	13	01			05	10		3
4	20				02			08			45		4
5	03				04			18			20		5
6	09		32								03		6
7	54				36								7
8	06		03	05	07								8
9	01				03				02				9
10	34				03								10
11	27		02					01	74			04	11
12	29		03		07			05	17			03	12
13	03		17	26					05	03			13
14			10		25		01					18	14
15			01	08							01	01	15
16	04		15	16				1.00			22	01	16
17	12			01				35	02				17
18	03		02							33	02		18
19			18	04		01				06		11	19
20			02					01		11	08		20
21											10		21
22	02			02			01			12		27	22
23				01				03		20		06	23
24	03	08					03					04	24
25		23				08						17	25
26	02		01		01							22	26
27					09							03	27
28			30				07				03	05	28
29	02		07		17							02	29
30	22				03						32	11	30
31	02				02								31
TOTAL	2.78	.32	1.53	.63	1.36	.22	.13	1.81	1.02	.97	1.82	1.76	14.35
Days with 01 in. or more	22	3	16	8	15	3	5	10	6	9	13	17	128
Days with 04 in. or more	12	2	8	5	9	2	1	7	3	7	9	12	77

REGISTER OF RAINFALL IN 1921

Kept at Shearborne St. John Rectory
in the County of Hampshire
by D. W. Chute

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	33		068					04	02		07	21	1
2	06				05			06		07	19	10	2
3	01	01	02		12	13	01			05	10		3
4	20				02			08			45		4
5	03				04			18			20		5
6	09		32								03		6
7	54				36								7
8	06		03	05	07								8
9	01				03				02				9
10	34				03								10
11	27		02					01	74			04	11
12	29		03		07			05	17			03	12
13	03		17	26					05	03			13
14			10		25		01					18	14
15			01	08							01	01	15
16	04		15	16				1.00			22	01	16
17	12			01				35	02				17
18	03		02							33	02		18
19			18	04		01				06		11	19
20			02					01		11	08		20
21											10		21
22	02			02			01			12		27	22
23				01				03		20		06	23
24	03	08					03					04	24
25		23				08						17	25
26	02		01		01							32	26
27					09							03	27
28			30				07				03	05	28
29	02		07		17							02	29
30	22				03						32	11	30
31	02				02								31
TOTAL	2.78	.32	1.53	.63	1.36	.22	.13	1.81	1.02	.97	1.82	1.76	14.35
Days with 01 in. or more	22	3	16	8	15	3	5	10	6	9	13	17	128
Days with 04 in. or more	12	2	6	5	9	2	1	7	3	7	9	12	77

Kept at Sherborne, St. John Rectory
in the County of Hampshire
by D. R. Chute

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		08	28	27	47		24	01	02		40	01	1
2	06	40	07			02	25	01			04		2
3	01	06	20	58	13		13	10			18		3
4		26	12		07		10			26			4
5			28				1.68	01		13	42		5
6	07		10				04	1.38			08		6
7	06		27	18			18	48			01	2.018	7
8	07		03			05	18	19			03	03	8
9	07			02			04	09					9
10	02					03		08			27		10
11	01				06								11
12	04			48	12			17	37				12
13				77		45	24		07				13
14				12			70		26				14
15	28	30		12			09						15
16		09		20			07	09				08	16
17		10			02		10	02	07			11	17
18	73	06	02		02				11	02		15	18
19		02	01						16	14		44	19
20		30	01							03			20
21	14	30		10			04					65	21
22		03		04		05	16	14				23	22
23		01	09	03					16				23
24	10				20	13		11					24
25	52			26		02			01			29	25
26	25	25	03	13		12	04		01		04	10	26
27	20	14	03	05		01		06				25	27
28	23	20	21	02		17		13				04	28
29		~~X~~		14			03	12		19		28	29
30	25 (12.5)	~~X~~	18						10	07	08	38	30
31	13	~~X~~	34	~~X~~		~~X~~		07	~~X~~	17	~~X~~	08	31
TOTAL	3.24 (3.24)	2.60	2.27	3.51	1.09	1.05	4.31	3.26	1.44	1.01	1.55	3.13	YEAR'S TOTAL 28.46 28.46
Days with 01 in. or more	19	16	17	17	8	10	18	18	11	8	10	16	168
Days with 01 in. or more	16	13	12	14	6	6	17	14	9	6	8	13	134

REGISTER OF RAINFALL IN 1923.

AIR MINISTRY.

Kept at Sherborne St John Rectoryin the County of Hampshireby D. W. Chute

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06	15	19							09		31	1
2	21	05	05					02		18	02		2
3	06		02	02	04					70	05	05	3
4									08			03	4
5	43		02	07						06	25		5
6	53	17	14	11		01							6
7	07	92	28		03		05			28		20	7
8	02	13	08		02					19	35		8
9	08	23	01				03			13	04		9
10		26		54	08		05						10
11		01		82						64			11
12	02	15	50	35	17	03				54	01		12
13		16	23	03						01	79		13
14		02	05	10	06			02	1.24				14
15			05	16	33	20	04		08		25		15
16		12			15						20		16
17		17		11	02		01	10	09				17
18	03	27				05		02	05	26	09		18
19	05	03				01	02		20	67			19
20		12	22		01	02			24	05	04		20
21		12				01				24		39	21
22		33	02		02				23	21	02		22
23		15	05		32		02	76	04	39	06	10	23
24		04		03	01	04		46	17	06		09	24
25		31		47	05		02	04	06	50		46	25
26		07		08				02		21		35	26
27		10	26				01	15		18		16	27
28		14	13	16	36		09	02		03			28
29	04	~~14~~	06	03	31		01	80		01	03	04	29
30		~~X~~	05	01			21		~~X~~	24	~~X~~	17	30
31		~~X~~		~~X~~		~~X~~	27					19	31
TOTAL	1.60	4.22	2.41	3.09	1.98	37	83	2.41	2.48	5.87	2.20	2.54	YEAR'S TOTAL 30.00
Days with 01 in. or more	12	24	19	16	16	8	13	11	11	23	14	13	180
Days with 04 in. or more	9	21	15	11	10	3	6	6	11	20	10	12	134

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

Kept at Sherborne St. John Rectory
in the County of Hampshire
by D. W. Chute

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			02		01	14	04	10			42	17	1
2	04		09			15		01				15	2
3			03		04	09	10	20	03				3
4			09		08	69	25	01	09	09		19	4
5							11			11			5
6						01		06	01	53			6
7	03				18	32			24	38			7
8		03		08	01				05	18			8
9	02	05		05	04	06				01			9
10	34			18	51	27							10
11	13			29	25	14			13	08	37	02	11
12	03			15	07	58		14	26		19		12
13				49	10		06		37		18	18	13
14				05				05		02		05	14
15		03							05			48	15
16					01			08	03			03	16
17	02				06	15	74	13	10			02	17
18	56				12	02	04	15		14	02		18
19	18	04						50	02	04		03	19
20	03		02		02	04	18	01	42	26			20
21	36		05		04		08	27	12	59			21
22	22		28		04		50	03	25				22
23			10		21				04			80	23
24	37	13	06	17	14				13			45	24
25			06	09	02		45	01	109	12	06	14	25
26		01		40			08	04	06	12	78	36	26
27		04		69			48			26	24	56	27
28				03			60	34		05	22		28
29		06		15	05		06	29	04	45	02	43	29
30		X		45	20			06	61	54	17	49	30
31		X		X	58	X		08	X	10	X	17	31
TOTAL	2.33	39	80	3.27	2.78	2.66	3.77	2.56	4.14	4.07	2.67	4.72	34.16
Days with 0.1 in. or more	13	8	10	14	22	18	15	20	21	19	11	18	184
Days with 0.4 in. or more	8	5	7	13	17	11	15	15	17	17	9	14	148

75

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1925.

717

Kept at Sherborne St John Rectory
in the County of Hampshire
by D. W. Chute

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.
Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.00		13		06			07	09		51	02	1
2	30	02		28			05				75		2
3	05				16		20		04		08		3
4				17				26	12		23		4
5		46		60	21								5
6		07		08	14		42				30		6
7		15		01	34			07	01		03	17	7
8	27				32						01	15	8
9				09	17			09	29				9
10		01							23				10
11		03			12			29	01				11
12	03	23			01								12
13		69	06	05				09				05	13
14	30	36	03	12				01					14
15	16	33		12					15	05			15
16	03	02								17			16
17				01									17
18		06					02	05		75			18
19		04			41		01		66			48	19
20			04	18	03		05		54	37		07	20
21		01	05				56	24	17	127		31	21
22		14	05		19		67	16	48	70		34	22
23	06	06		09	38		02	124	01	22		04	23
24	09	35			16			40	02	06		18	24
25	08	59			02		08		14	05	06	06	25
26	10	22		25	18		26	20		09		14	26
27	08	10		04	13		19				04	02	27
28	17	02		09	16				01			38	28
29	18				04		04				08	54	29
30	01	X		30			18			03	01	78	30
31	12	X	06	X	34	X	05		X	12	X	09	31
TOTAL	3.03	3.96	42	2.48	3.67	00	2.80	3.17	2.97	3.88	2.10	3.82	32.30
Days with 01 in. or more	17	21	7	16	20	0	15	13	16	12	11	17	165
Days with 04 in or more	14	15	6	14	17	0	12	12	11	11	8	15	135
YEAR'S TOTAL													820

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist.

Station No. _____

Kept at Sherborne St. John Rectory
in the County of Hampshire
by D. W. Chute

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

[illegible]

SOPLEY

HANTS

1923-24

Kept at The Avon Valleyin the County of Hampby R. E. Loombs

IMPORTANT NOTE.—

previous day. If an Observer proposes to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

ORGANIZATION.

1923.

Long. 1° 47'n. 9.0 A.M.ation Christchurch.l of Rain Gauge 5 in.uge above Ground 1 ft. 0 in.,, Sea Level 26 ft.

(Time) and the result entered to the

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							—	—	.02	.04	—	.47	1
2							—	—	—	.1	.01	.18	2
3							—	—	.11	.17	—	.05	3
4							—	—	.03	—	.02	.33	4
5							—	—	—	.07	.05	.02	5
6							—	—	—	.33	—	.01	6
7							—	—	—	—	—	.39	7
8							—	—	—	.07	.19	—	8
9							—	—	—	.06	—	—	9
10							.10	—	—	.13	—	.02	10
11							—	—	—	.98	—	—	11
12							—	—	—	.4	.01	—	12
13							—	—	—	.02	.87	.01	13
14							—	.02	.21	—	.02	—	14
15							.03	—	.02	—	.32	—	15
16							—	—	—	—	.15	—	16
17							—	—	.21	.02	.05	—	17
18							—	—	—	.03	.01	—	18
19							—	—	.17	.73	—	.01	19
20							—	.01	—	.05	.01	.01	20
21							—	—	.12	.2	—	—	21
22							—	.32	.35	.13	—	.04	22
23							—	.8	.02	.33	—	.05	23
24							.02	.05	.43	.09	—	.25	24
25							.01	.1	.02	.65	—	.05	25
26							—	—	—	.3	—	.07	26
27							—	.05	—	.03	—	.05	27
28							.09	.03	—	—	.02	.04	28
29							—	.85	—	—	—	.07	29
30		X					.11	.01	.02	.19	—	.05	30
31		X		X		X	.24	—	X	.01	X	.21	31
TOTAL													
Days with .01 in. or more							.60	2.24	1.73	5.13	1.73	2.38	13.61
Days with .04 in. or more							7	10	13	24	13	21	88
							34	6	7	19	6	15	68

REGISTER OF RAINFALL IN 1923.

Kept at The Avon Valley Nurseries, Sopley
in the County of Hampshire
by R. E. Loombs

Lat. 50° 46' Long. 1° 47'
Time of Observation 9.0 A.M.
Nearest Railway Station Christchurch
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							—	—	.02	.04	—	.47	1
2							—	—	—	.1	.01	.18	2
3							—	—	.11	.17	—	.05	3
4							—	—	.03	—	.02	.33	4
5							—	—	—	.07	.05	.02	5
6							—	—	—	.33	—	.01	6
7							—	—	—	—	—	.39	7
8							—	—	—	.07	.19	—	8
9							—	—	—	.06	—	—	9
10							.10	—	—	.13	—	.02	10
11							—	—	—	.98	—	—	11
12							—	—	—	.4	.01	—	12
13							—	—	—	.02	.87	.01	13
14							—	.02	.21	—	.02	—	14
15							.03	—	.02	—	.32	—	15
16							—	—	—	—	.15	—	16
17							—	—	.21	.02	.05	—	17
18							—	—	—	.03	.01	—	18
19							—	—	.17	.73	—	.01	19
20							—	.01	—	.05	.01	.01	20
21							—	—	.12	.2	—	—	21
22							—	.32	.35	.13	—	.04	22
23							—	.8	.02	.33	—	.05	23
24							.02	.05	.43	.09	—	.25	24
25							.01	.1	.02	.65	—	.05	25
26							—	—	—	.3	—	.07	26
27							—	.05	—	.03	—	.05	27
28							.09	.03	—	—	.02	.04	28
29							—	.85	—	—	—	.07	29
30		X					.11	.01	.02	.19	—	.05	30
31		X		X		X	.24	—	X	.01	X	.21	31
TOTAL							.60	2.24	1.73	5.13	1.73	2.38	6 months
Days with 0.1 in. or more							7	10	13	24	13	21	YEARS TOTAL
Days with 0.4 in. or more							34	6	7	19	6	15	

REGISTER OF RAINFALL IN 1924.

Kept at The Avon Valley Nurseries, Sopley.
M. Christchurch.
in the County of Hampshire.
by R.E. Loombs.

Lat. 50° 46' Long. 1° 47' W.
Time of Observation 9-0 A.M.
Nearest Railway Station Christchurch.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 26 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.13			.05	.11	.10					W+V 1
2	.07		.09										60 S 2
3	.04		.06		.14		.14	.18					3
4				.03	.16	.70							4
5			.14		.10		.06						5
6					.07	.01	.01	.04					6
7	.02				.07	.20							7
8	.21	.06			.04		.02						8
9	.11	.02		.15	.06	.09							9
10	.11	.02		.20	.52	.24							10
11	.05			.20	.42	.04							11
12	.02	.03		.49	.28	.11		.13					12
13	.06			.41	.06			.02					13
14	.03			.19				.09					14
15		.15						.01					15
16	.11							.44					16
17	.41				.02		.89	.03					17
18	.60	.03			.11			.11					18
19	.02				.01			.03					19
20					.58		.04	.13					20
21	.61		.02		.05		.05						21
22	.40		.62		.03		.30						22
23			.22		.28			.09					23
24	.39	.03	.09	.15	.09								24
25				.16			.07						25
26				.29				.02					26
27		.02		.53			.75						27
28							1.66	.35					28
29		.03		.07	.24		.05	.11					29
30		X		.02	.16		.15	.22					30
31	.01	X		X	.39	X			X		X		31
TOTAL	3.27	.39	1.37	2.89	3.88	1.44	4.30	2.10					5 months YEAR'S TOTAL 19.64
Days with 01 in. or more	18	9	8	13	22	8	14	17					109
Days with 04 in. or more	13	2	4	11	19	4	12	12					83

SOUTHAMPTON
SHIRLEY RD

OFFICIAL USE.

FORM 1090.

METEOROLOGICAL

RECORD

HANTS

ORGANIZATION.

County No.

River Dist.

Station No.

Kept at Shirley, Hampshire

in the County of Hampshire

by

1924-27, 29-30

on Millbrook

Rain Gauge 5 in.

above Ground 11 ft. 0 in.

Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.11	-	.01	.39	.11	.07	-	-	.81	.25	1 V.W.W
2	.06	-	.14	-	-	.02	.02	-	-	.28	-	.04	2 W.S
3	.06	-	-	-	.04	.03	.15	.20	-	.13	-	-	3
4	-	-	-	.02	.07	.87	-	.02	.03	.16	-	.34	4
5	-	-	.09	-	.08	-	.02	-	-	.13	-	.03	5
6	-	-	-	-	.04	-	-	.03	.01	.31	-	-	6
7	.03	-	-	-	.19	.26	-	-	.37	.26	-	-	7
8	.15	.09	-	-	.05	.15	-	-	.07	.10	-	-	8
9	.08	.02	-	.05	.08	.10	-	-	.09	.01	-	-	9
10	.08	-	-	.25	.73	.25	-	-	.03	.02	-	-	10
11	.04	-	-	-	.38	.12	-	-	-	.10	.27	-	11
12	.04	-	-	.21	.17	.07	-	.05	.11	-	.01	-	12
13	.06	-	-	.69	.12	-	-	.15	.41	-	-	.26	13
14	.01	-	-	.18	-	-	-	.08	-	-	-	.04	14
15	-	.02	-	-	-	-	-	.18	.07	-	-	1.21	15
16	.03	-	-	-	-	-	-	.15	.01	-	-	.01	16
17	.33	-	-	-	.03	-	.76	.09	.05	-	-	.02	17
18	.49	.01	-	-	.10	-	-	.14	-	.07	-	-	18
19	.01	-	-	-	.03	-	-	.02	.01	.02	-	.02	19
20	.02	-	-	-	.35	.18	.07	-	.21	.25	-	-	20
21	.52	-	.06	-	.23	-	-	-	.17	.86	-	-	21
22	.28	-	.56	-	.03	-	-	.11	.27	-	-	-	22
23	-	-	.22	-	.23	-	-	.15	.10	-	-	.73	23
24	.42	.08	.05	.18	.05	-	-	-	.15	-	-	.50	24
25	-	-	.05	.11	.04	-	.08	-	2.13	.07	.05	.09	25
26	-	-	.02	.41	-	-	.06	.05	.05	.23	.46	.36	26
27	-	.02	-	.72	-	-	.55	.03	-	.16	.16	1.10	27
28	-	-	-	-	-	-	.96	.28	-	.03	.58	-	28
29	.01	.01	-	.12	.13	-	.15	.31	.03	.84	.03	.51	29
30	-	X	-	.05	.19	-	.04	.33	.38	.29	.58	.40	30 23.62
31	-	X	-	X	.36	X	-	.03	X	.23	X	.03	31
TOTAL	2.72	.25	1.30	2.99	3.73	2.44	2.97	2.47	4.75	4.55	2.95	5.94	YEAR'S TOTAL
Days with .01 in. or more.	196	75	97	124	24	11	12	20	21	21	92	185	183
Days with .04 in. or more	13	2	8	11	20	9	10	15	15	14	7	13	140

mp. 5. - 11 ft. above s.

OFFICIAL USE.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. _____

River Dist. _____

Station No. _____

Kept at Shirley, Southampton
in the County of Hampshire
by _____

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Millbrook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 11 ft. 0 in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.11	-	.01	.39	.11	.07	-	-	.81	.25	1 VWW
2	.06	-	.14	-	-	.02	.02	-	-	.28	-	.04	2 WVS
3	.06	-	-	-	.04	.03	.15	.20	-	.13	-	-	3
4	-	-	-	.02	.07	.87	-	.02	.03	.16	-	.34	4
5	-	-	.09	-	.08	-	.02	-	-	.13	-	.03	5
6	-	-	-	-	.04	-	-	.03	.01	.31	-	-	6
7	.03	-	-	-	.19	.26	-	-	.37	.26	-	-	7
8	.15	.09	-	-	.05	.15	-	-	.07	.10	-	-	8
9	.08	.02	-	.05	.08	.10	-	-	.09	.01	-	-	9
10	.08	-	-	.25	.73	.25	-	-	.03	.02	-	-	10
11	.04	-	-	-	.38	.12	-	-	-	.10	.27	-	11
12	.04	-	-	.21	.17	.07	-	.05	.11	-	.01	-	12
13	.06	-	-	.69	.12	-	-	.15	.41	-	-	.26	13
14	.01	-	-	.18	-	-	-	.08	-	-	-	.04	14
15	-	.02	-	-	-	-	-	.18	.07	-	-	1.21	15
16	.03	-	-	-	-	-	-	.15	.01	-	-	.01	16
17	.33	-	-	-	.03	-	.76	.09	.05	-	-	.02	17
18	.49	.01	-	-	.10	-	-	.14	-	.07	-	-	18
19	.01	-	-	-	.03	-	-	.02	.01	.02	-	.02	19
20	.02	-	-	-	.35	.18	.07	-	.21	.25	-	-	20
21	.52	-	.06	-	.23	-	-	-	.17	.86	-	-	21
22	.28	-	.56	-	.03	-	-	.11	.27	-	-	-	22
23	-	-	.22	-	.23	-	-	.15	.10	-	-	.73	23
24	.42	.08	.05	.18	.05	-	-	-	.15	-	-	.50	24
25	-	-	.05	.11	.04	-	.08	-	2.13	.07	.05	.09	25
26	-	-	.02	.41	-	-	.06	.05	.05	.23	.46	.36	26
27	-	.02	-	.72	-	-	.55	.03	-	.16	.16	1.10	27
28	-	-	-	-	-	-	.96	.28	-	.03	.58	-	28
29	.01	.01	-	.12	.13	-	.15	.21	.03	.84	.03	.51	29
30	-	X	-	.05	.19	-	.04	.33	.38	.29	.58	.40	30 23.62
31	-	X	-	X	.36	X	-	.03	X	.23	X	.03	31
TOTAL	2.72	.25	1.30	2.99	3.73	2.44	2.97	2.47	4.75	4.55	2.95	5.94	YEAR'S TOTAL 37.06
Days with 0.1 in. or more.	196	75	94	124	24	11	122	205	216	21	92	185	183
Days with 0.4 in. or more	13	2	8	11	20	9	10	15	15	14	7	13	140

n.p.
5. - 11 62 - above 5.

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Register of Rainfall in 1925.

Kept at *Belloc House, Shirley Road, Southampton*in the County of *Wampshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *11* ft. *—* in.,, Ground ,, Sea Level *—* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>1.19</i>		<i>.08</i>	<i>.04</i>	<i>.09</i>			<i>.12</i>	<i>.05</i>		<i>.48</i>		1
2	<i>.56</i>			<i>.03</i>			<i>.11</i>				<i>.49</i>		2
3	<i>.20</i>				<i>.21</i>		<i>.03</i>				<i>.09</i>		3
4	<i>.02</i>			<i>.23</i>	<i>.22</i>			<i>.12</i>			<i>.09</i>		4
5		<i>.31</i>		<i>.84</i>	<i>.15</i>				<i>.26</i>		<i>.12</i>		5
6		<i>.04</i>		<i>.03</i>	<i>.08</i>		<i>.28</i>	<i>.26</i>			<i>.69</i>		6
7		<i>.19</i>			<i>.34</i>						<i>.04</i>	<i>.16</i>	7
8	<i>.10</i>	<i>.01</i>			<i>.11</i>			<i>.01</i>	<i>.04</i>			<i>.16</i>	8
9		<i>.06</i>		<i>.21</i>				<i>.09</i>				<i>.01</i>	9
10		<i>.09</i>	<i>.04</i>		<i>.08</i>				<i>.01</i>				10
11		<i>.10</i>			<i>.03</i>			<i>.22</i>					11
12		<i>.41</i>						<i>.10</i>		<i>.04</i>			12
13	<i>.04</i>	<i>.45</i>		<i>.06</i>				<i>.01</i>				<i>.03</i>	13
14	<i>.33</i>	<i>.32</i>		<i>.18</i>									14
15	<i>.12</i>	<i>.04</i>		<i>.11</i>									15
16	<i>.04</i>								<i>.19</i>	<i>.25</i>			16
17	<i>.01</i>			<i>.01</i>	<i>.05</i>		<i>.04</i>		<i>.05</i>				17
18	<i>.01</i>				<i>.81</i>				<i>.05</i>	<i>.03</i>		<i>.02</i>	18
19		<i>.02</i>		<i>.16</i>	<i>.02</i>		<i>.11</i>	<i>.14</i>	<i>.44</i>	<i>.62</i>		<i>.46</i>	19
20			<i>.01</i>					<i>.34</i>	<i>.62</i>	<i>.48</i>		<i>.04</i>	20
21		<i>.06</i>	<i>.01</i>				<i>.64</i>	<i>.43</i>	<i>.20</i>	<i>.44</i>		<i>.34</i>	21
22	<i>.01</i>	<i>.18</i>		<i>.12</i>	<i>.12</i>		<i>.34</i>	<i>.08</i>	<i>.40</i>	<i>.99</i>		<i>.45</i>	22
23	<i>.05</i>	<i>.13</i>	<i>.02</i>	<i>.01</i>	<i>.15</i>			<i>1.14</i>		<i>.16</i>		<i>.05</i>	23
24	<i>.25</i>	<i>.30</i>	<i>.06</i>	<i>.02</i>	<i>.48</i>			<i>.26</i>	<i>.01</i>	<i>.03</i>		<i>.33</i>	24
25	<i>.39</i>	<i>.89</i>		<i>.03</i>			<i>.09</i>		<i>.21</i>	<i>.06</i>		<i>.07</i>	25
26	<i>.23</i>	<i>.21</i>		<i>.01</i>	<i>.22</i>		<i>.32</i>	<i>.09</i>		<i>.31</i>		<i>.08</i>	26
27	<i>.14</i>	<i>.02</i>		<i>.03</i>	<i>.45</i>		<i>.09</i>	<i>.03</i>				<i>.14</i>	27
28	<i>.17</i>	<i>.12</i>		<i>.03</i>			<i>.01</i>					<i>.39</i>	28
29	<i>.12</i>				<i>.17</i>		<i>.10</i>				<i>.03</i>	<i>.66</i>	29
30		<i>X</i>	<i>.03</i>	<i>.14</i>			<i>.35</i>			<i>.09</i>	<i>.06</i>	<i>.28</i>	30
31	<i>.08</i>	<i>X</i>	<i>.04</i>	<i>X</i>		<i>X</i>	<i>.04</i>		<i>X</i>	<i>.04</i>	<i>X</i>	<i>.04</i>	31
TOTAL	<i>4.06</i>	<i>4.25</i>	<i>.32</i>	<i>2.32</i>	<i>3.78</i>		<i>2.58</i>	<i>3.74</i>	<i>2.83</i>	<i>4.23</i>	<i>2.41</i>	<i>3.40</i>	YEARS TOTAL
Days with .01 in. or more.	<i>20</i>	<i>20</i>	<i>8</i>	<i>19</i>	<i>18</i>		<i>14</i>	<i>16</i>	<i>13</i>	<i>14</i>	<i>10</i>	<i>18</i>	<i>34.52</i>
Days with .04 in. or more.	<i>16</i>	<i>14</i>	<i>4</i>	<i>10</i>	<i>16</i>		<i>12</i>	<i>13</i>	<i>11</i>	<i>12</i>	<i>8</i>	<i>15</i>	<i>134</i>

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

595A

Kept at Block House, Shirley Road, Southampton
in the County of Hampshire

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....11 ft..... in.
,, Ground ,, Sea Level ft.

*about 2 in low
letter to observer suggesting
gauge be lowered
encl 6A file 663358/26*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.94	.09	-	-	-	.39	-	-	.10	-	.45	-	1
2	.05	.01	-	-	-	.41	.04	-	.12	-	.11	-	2
3	.38	.10	.14	-	-	-	-	-	-	-	-	-	3
4	.05	.30	.14	.12	-	-	-	-	-	-	.32	-	4
5	.08	.16	.05	-	.56	-	.10	-	-	.01	.16	.24	5
6	.38	.18	-	.22	.02	-	.10	.12	-	-	.23	-	6
7	.05	.14	-	.22	.18	.18	.01	-	.04	-	.62	.02	7
8	-	.02	-	.22	-	-	-	-	-	.06	.83	-	8
9	-	-	.03	-	-	.34	.46	-	-	.03	.21	-	9
10	-	-	-	-	.01	.15	.02	-	-	-	.01	-	10
11	-	.03	-	-	.04	.25	-	.26	-	-	.26	-	11
12	-	-	-	-	.03	.02	-	-	-	.21	.06	-	12
13	-	-	-	-	.04	-	-	-	-	-	1.13	.04	13
14	.09	.10	-	.40	.05	.33	-	-	-	.46	.12	-	14
15	.28	.04	-	.13	-	-	-	-	-	.14	.09	-	15
16	.11	.09	-	.48	-	-	-	.04	-	.03	.03	-	16
17	.14	.61	-	.13	-	.33	.10	-	-	-	.22	.01	17
18	.24	.04	-	.06	-	.18	-	.08	-	-	.84	-	18
19	-	-	-	.08	.01	-	.15	.02	-	-	.28	.01	19
20	-	-	-	.22	-	-	-	.22	-	-	.22	-	20
21	-	.01	.02	.01	-	-	-	-	-	.15	.18	-	21
22	.56	.01	-	.02	-	-	-	.01	-	.08	.03	-	22
23	.05	-	-	-	-	-	-	-	-	-	-	-	23
24	.06	-	-	-	-	-	.04	-	-	.72	-	-	24
25	.21	-	.11	.41	-	-	-	-	-	.25	.06	.02	25
26	.03	-	-	.05	.13	-	.22	-	.08	-	.11	-	26
27	.13	.02	-	-	.12	-	-	-	.09	.06	.02	-	27
28	.60	-	-	-	.01	-	.24	-	-	.18	.23	-	28
29	.03	-	-	.15	.16	-	-	-	-	.04	.04	-	29
30	.21	X	-	.12	.18	-	-	-	-	-	.04	-	30
31	.36	X	-	X	-	X	-	.12	X	-	X	-	31
TOTAL	5.06	2.01	.52	3.04	1.54	2.58	1.58	.90	.46	2.45	6.96	.34	27.44
Days with ".01 in. or more.	22	14	6	14	14	10	11	8	5	14	24	6	154
Days with ".04 in. or more.	20	11	14	15	9	9	9	6	5	11	23	2	124

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

590A
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Clock House, Shirley Road, Southampton

in the County of Hampshire

Diameter of Funnel of Gauge 5-in.

Height of top of Gauge above Ground 11-ft.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.52	.02	-	-	.04	1.03	.24	-	.44	.19	-	1
2	.01	-	.06	.17	-	-	-	-	-	-	.02	-	2
3	.23	.01	.04	-	-	-	.05	-	.11	-	-	-	3
4	.06	-	.06	.10	.04	.02	.08	-	-	-	-	-	4
5	.11	.09	.20	.35	-	.02	-	-	-	-	.06	-	5
6	.02	-	.38	.46	-	.01	-	.17	.66	-	.02	-	6
7	-	.24	-	.25	-	.18	-	-	-	-	-	-	7
8	.02	-	-	.52	.06	-	.14	.05	.04	-	.03	-	8
9	-	-	.12	.09	.14	-	.03	-	.17	-	-	.10	9
10	-	-	.07	-	-	-	-	-	.22	-	-	-	10
11	-	-	-	.02	-	-	-	.15	-	-	-	-	11
12	.12	-	-	-	-	-	-	-	-	-	-	-	12
13	.12	-	-	-	-	-	.32	.61	.15	.02	.11	.31	13
14	.04	-	-	.02	-	-	.21	-	1.85	-	.01	.07	14
15	-	-	-	-	-	-	-	.14	.09	-	-	-	15
16	.05	-	-	-	.11	.35	-	-	.20	-	-	-	16
17	.13	-	.10	-	-	.08	-	.40	.03	-	-	-	17
18	.02	-	-	-	-	.31	-	.06	.02	-	.78	-	18
19	-	.33	-	-	-	-	-	.20	-	.02	.34	-	19
20	.19	.11	-	-	.02	-	.12	.73	.01	-	.28	.30	20
21	.01	.27	-	-	-	.02	.01	.33	.44	.17	.12	1.01	21
22	.12	.20	.24	-	.01	.04	-	.03	.09	.19	-	.57	22
23	.02	.72	.49	-	-	.21	.01	.17	.82	-	.23	.07	23
24	-	.10	.52	-	-	.19	.03	.29	.01	.04	-	.36	24
25	-	.31	.18	-	-	.02	-	.17	.13	.05	-	.56	25
26	.37	.52	.04	-	-	.04	.18	-	-	.09	-	.18	26
27	.06	.27	.03	-	.33	.03	.25	-	-	.67	.02	.04	27
28	.28	.28	.15	.06	-	.19	-	-	-	.05	.28	-	28
29	.13	X	.24	-	-	.36	-	-	.74	.01	.39	-	29
30	.13	X	-	-	-	.24	.02	-	.04	.25	-	.01	30
31	-	X	.37	X	-	X	.04	-	X	.02	X	.13	31
TOTAL	2.30	3.97	3.31	2.04	.71	2.35	2.52	3.74	5.82	2.02	2.88	3.71	YEARS TOTAL
Days with '01 in. or more.	22	14	18	10	7	18	15	15	19	13	15	13	179
Days with '04 in. or more.	15	13	16	8	5	12	10	14	15	9	10	12	139

REGISTER OF RAINFALL IN 1929.

Kept at SOUTHAMPTON (Ridley)
in the County of Southampton
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 14 ft. 0 in.
Ground Sea Level 70 ft.

*Letter asking if gauge really correct
blot told not perfect 16 ft 6 7 ft
make get 663353/26
Not now
and gauge
663353/26
7 m/d/Int*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	/	.13	/	/	/	.05	/	/	/	.24	/	.02	I
2	/	.55	/	/	/	.10	.12	/	/	.18	/	.38	2
3	/	/	/	/	/	/	.16	.04	/	/	/	.10	3
4	/	/	/	.03	.35	/	.10	.16	/	/	/	.35	4
5	/	/	/	/	.48	.35	.15	.64	/	1.10	.36	.29	5
6	/	/	/	/	.13	.01	/	.24	/	.01	.16	.44	6
7	/	/	/	/	.01	.06	/	.24	/	.43	.36	.44	7
8	/	/	/	/	.12	/	/	.02	/	.34	/	.35	8
9	.09	.12	/	/	/	/	/	/	/	/	.15	.56	9
10	.11	/	/	/	/	/	/	/	/	.03	.01	.42	10
11	/	/	/	.01	.19	/	/	/	/	/	1.24	.02	11
12	/	/	/	.06	.06	.06	/	/	/	/	.01	.05	12
13	.01	/	/	/	.14	/	/	.01	/	/	/	.03	13
14	/	/	/	/	.04	.22	/	/	/	/	/	.09	14
15	.03	.16	/	/	/	.14	/	/	/	/	.49	.03	15
16	/	/	/	/	/	/	/	.25	/	/	.01	/	16
17	.03	/	/	.02	/	/	/	/	/	/	/	/	17
18	.05	/	/	/	/	/	/	/	/	/	.63	/	18
19	/	/	/	/	/	/	/	/	/	/	.11	/	19
20	.04	/	/	/	/	/	.11	.04	/	.43	/	.49	20
21	.05	/	.04	/	/	/	/	/	/	/	/	.04	21
22	/	/	/	/	/	/	.02	.03	/	/	.43	.01	22
23	/	.11	/	/	/	/	/	/	/	.18	.63	.45	23
24	/	/	.05	/	/	/	/	/	/	.44	1.15	.64	24
25	/	.02	/	/	/	/	/	/	/	.04	.19	.01	25
26	/	.04	/	/	.02	/	/	/	/	/	.05	.18	26
27	/	/	/	.15	.18	/	/	/	/	.02	1.04	.10	27
28	.31	/	/	.02	/	/	.31	/	/	.44	.33	.61	28
29	.11	/	/	.43	/	.06	/	/	.01	.08	.54	.43	29
30	.01	X	/	/	/	.14	.06	/	.31	/	.49	.15	30
31	.65	X	/	X	/	X	.11	/	X	/	X	.09	31
TOTAL	1.449	1.13	.09	1.02	2.05	1.19	1.44	1.70	.32	4.32	9.04	7.43	YEAR'S TOTAL
Days with ".01 in. or more.	12	7	2	7	11	10	9	10	2	14	20	24	31.55
Days with ".04 in. or more.	8	6	2	3	9	9	8	4	1	11	14	21	102

Section



for the entry of Daily Observations.

657
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Shirley
in the County of Southampton
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

Met
Sely
before
ending
days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06	79	—	16	—	—	—	—	—	—	35	—	1
2	02	02	08	05	28	—	05	56	—	—	73	—	2
3	08	09	—	65	—	—	—	53	—	01	—	—	3
4	83	04	01	—	—	—	—	25	—	26	—	—	4
5	01	—	—	—	03	—	—	57	—	—	—	—	5
6	01	—	—	—	01	—	—	89	43	02	—	07	6
7	12	—	—	—	—	—	—	14	—	39	27	20	7
8	11	—	—	04	—	—	—	—	06	—	—	32	8
9	22	—	02	—	18	—	—	—	09	—	—	—	9
10	65	—	05	—	27	—	—	—	—	—	—	62	10
11	22	—	04	03	02	—	12	—	—	03	—	28	11
12	21	—	—	06	18	—	—	04	—	—	—	22	12
13	04	—	03	38	09	—	06	10	34	—	—	—	13
14	04	06	16	04	—	—	—	—	06	03	—	03	14
15	09	05	26	—	—	—	31	—	—	11	09	19	15
16	—	—	—	—	—	—	—	—	16	—	—	19	16
17	—	—	08	06	—	—	—	—	41	24	—	—	17
18	—	—	—	02	06	—	—	03	24	—	16	23	18
19	—	—	26	25	—	03	—	26	34	24	68	02	19
20	—	—	08	16	06	—	66	76	27	03	33	—	20
21	—	—	02	—	—	—	—	—	03	11	48	—	21
22	49	—	—	04	06	05	—	60	04	25	29	—	22
23	25	—	15	20	—	20	17	—	06	—	28	04	23
24	17	—	—	42	07	09	—	—	—	02	28	41	24
25	04	29	—	17	37	—	—	—	—	01	12	06	25
26	27	01	—	—	04	—	05	—	09	—	19	28	26
27	04	—	—	—	—	—	02	—	02	14	30	09	27
28	07	—	03	—	—	—	—	—	22	—	65	18	28
29	07	X	05	—	01	—	06	—	23	05	02	05	29
30	06	X	—	—	12	21	08	—	—	—	—	33	30
31	53	X	22	X	18	X	—	—	X	10	X	17	31
TOTAL	4.70	1.35	1.54	2.73	2.03	.58	1.58	4.73	3.09	2.04	5.22	3.98	YEAR'S TOTAL 33.57
* Days with or in. or more.	25 3	8 2	16 5	16 2	17 4	5 1	10 1	12 1	17 2	17 7	16 1	20 2	34 179
* Days with 04 in. or more.	22	6	11	14	13	4	9	11	15	10	15	18	148

40-9999

*See Instruction 2 (f) on other side.

(Signed) A. G. Martin

[P.T.O.]

METEOROLOGICAL REGIS

SOUTHAMPTON
CORPORATION WHARF

Kept at Corporation Wharf
in the County of Hampshire
by

USE.

ZATION.

County No. _____
River Dist. _____
Station No. _____

Southampton Dock
auge 5 in.
round 6 ft. 0 in.
a Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.12	-	.01	.39	.12	.05	-	-	.83	.20	1 VVV
2	.04	-	.15	-	-	.03	.02	-	-	.28	-	.02	2 LVS
3	.04	-	.05	-	.05	.04	.16	.18	-	.14	-	-	3
4	-	-	-	.02	.20	.78	-	.01	.03	.12	-	.33	4
5	-	-	.09	-	.05	-	.01	-	-	.10	-	.02	5
6	-	-	-	-	.02	-	-	.04	.02	.35	-	-	6
7	.05	-	-	-	.30	.24	-	-	.52	.23	-	-	7
8	.14	.12	-	-	.08	.08	-	-	.08	.10	-	-	8
9	.07	.02	-	.02	.05	.13	-	-	.15	.01	-	-	9
10	.09	-	-	.28	.72	.20	-	-	.05	.02	-	-	10
11	.06	-	-	-	.36	.28	-	-	-	.08	.27	-	11
12	.04	-	-	.19	.13	.18	-	.04	.10	-	.03	-	12
13	.05	-	-	.63	.31	-	-	.05	.43	-	-	.34	13
14	.01	-	-	.19	-	-	-	.06	-	-	-	.05	14
15	-	.02	-	-	-	-	-	.10	.04	-	-	1.44	15
16	.07	-	-	-	-	-	-	.41	.01	-	-	.01	16
17	.31	-	-	-	.01	-	.88	.12	.05	-	-	.02	17
18	.60	.02	-	-	.20	-	-	.15	-	.06	-	-	18
19	.01	-	-	-	.01	-	-	.02	.01	.02	-	.02	19
20	.02	-	-	-	.22	.42	.07	.04	.28	.22	-	-	20
21	.53	-	.06	-	.16	-	-	-	.21	.71	-	-	21
22	.28	-	.47	-	.02	-	-	.32	.30	-	-	-	22
23	-	-	.42	-	.30	-	-	.09	.09	-	-	.74	23
24	.40	.12	.03	.18	.11	-	-	-	.23	-	-	.57	24
25	-	-	.04	.10	.04	-	.09	-	2.42	.13	.12	.08	25
26	-	-	.05	.50	-	-	.09	.06	.05	.24	.51	.26	26
27	-	.05	-	.73	-	-	.50	.03	-	.16	.07	1.10	27
28	-	-	-	-	-	-	1.15	.32	-	.01	.47	-	28
29	.01	.01	-	.12	.14	-	.47	.40	.16	.81	.16	.60	29
30	-	X	-	.06	.19	-	.01	.29	.43	.34	.07	.44	30
31	-	X	-	X	.54	X	-	.01	X	.22	X	.06	31 1013
TOTAL	2.82	.36	1.48	3.02	4.22	2.77	3.57	2.79	5.66	4.35	2.53	6.30	YEARS TOTAL
Days with ".01 in. or more.	19	7	10	12	24	11	12	21	21	21	9	18	39
Days with ".04 in. or more	15	3	9	10	19	10	9	17	17	17	8	13	147

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____
River Dist. _____
Station No. _____

Kept at Corporation Wharf, Southampton
in the County of Hampshire
by

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Southampton Docks
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. 0 in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.12	-	.01	.39	.12	.05	-	-	.83	.20	1 VVV
2	.04	-	.15	-	-	.03	.02	-	-	.28	-	.02	2 LVS
3	.04	-	.05	-	.05	.04	.16	.18	-	.14	-	-	3
4	-	-	-	.02	.20	.78	-	.01	.03	.12	-	.33	4
5	-	-	.09	-	.05	-	.01	-	-	.10	-	.02	5
6	-	-	-	-	.02	-	-	.04	.02	.35	-	-	6
7	.05	-	-	-	.30	.24	-	-	.52	.23	-	-	7
8	.14	.12	-	-	.08	.08	-	-	.08	.10	-	-	8
9	.07	.02	-	.02	.05	.13	-	-	.15	.01	-	-	9
10	.09	-	-	.28	.72	.20	-	-	.05	.02	-	-	10
11	.06	-	-	-	.36	.28	-	-	-	.08	.27	-	11
12	.04	-	-	.19	.13	.18	-	.04	.10	-	.03	-	12
13	.05	-	-	.63	.31	-	-	.05	.43	-	-	.34	13
14	.01	-	-	.19	-	-	-	.06	-	-	-	.05	14
15	-	.02	-	-	-	-	-	.10	.04	-	-	1.44	15
16	.07	-	-	-	-	-	-	.41	.01	-	-	.01	16
17	.31	-	-	-	.01	-	.88	.12	.05	-	-	.02	17
18	.60	.02	-	-	.20	-	-	.15	-	.06	-	-	18
19	.01	-	-	-	.01	-	-	.02	.01	.02	-	.02	19
20	.02	-	-	-	.22	.42	.07	.04	.28	.22	-	-	20
21	.53	-	.06	-	.16	-	-	-	.21	.71	-	-	21
22	.28	-	.47	-	.02	-	-	.32	.30	-	-	-	22
23	-	-	.42	-	.30	-	-	.09	.09	-	-	.74	23
24	.40	.12	.03	.18	.11	-	-	-	.23	-	-	.57	24
25	-	-	.04	.10	.04	-	.09	-	2.42	.13	.12	.08	25
26	-	-	.05	.50	-	-	.09	.06	.05	.24	.51	.26	26
27	-	.05	-	.73	-	-	.50	.03	-	.16	.07	1.10	27
28	-	-	-	-	-	-	1.15	.32	-	.01	.47	-	28
29	.01	.01	-	.12	.14	-	.47	.40	.16	.81	.16	.60	29
30	-	X	-	.06	.19	-	.01	.29	.43	.34	.07	.44	30
31	-	X	-	X	.54	X	-	.01	X	.22	X	.06	31 1013
TOTAL	2.82	.36	1.48	3.02	4.22	2.77	3.54	2.79	5.66	4.35	2.53	6.30	YEARS TOTAL 39.87
Days with ".01 in. or more.	19	7	10	12	24	11	12	21	21	21	9	18	185
Days with ".04 in. or more	16	3	9	10	19	10	9	17	17	17	8	13	147

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

Register of Rainfall in 1925.

653

Kept at Corporation Wharf Southampton
in the County of Hampshire

Observers are requested to read the instructions printed overleaf before filling in this form.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 ft. in.
Ground Sea Level ft.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.16		.02	.04	.10			.19	.04		.90		1
2	.49			.03			.12				.85		2
3	.20				.24		.06				.06		3
4	.07	.02		.25	.26			.14	.01		.10		4
5		.38		.85	.16				.24		.10		5
6		.04		.04	.13		.29	.24			.81		6
7		.20			.24						.11	.14	7
8	.06	.01			.03			.02	.05			.14	8
9		.08		.27				.08				.01	9
10		.07	.04		.21			.07	.01		.01		10
11		.06			.03			.26	.01		.01		11
12		.64						.11		.06			12
13	.05	.50		.05				.01				.02	13
14	.29	.44		.20							.02		14
15	.12	.04		.08						.07			15
16	.04								.21	.22			16
17	.01			.01	.04		.04		.05				17
18	.01				.60				.05	.02		.05	18
19		.03		.20	.02		.13	.02	.71	.63		.50	19
20			.01					.15	.61	.83		.03	20
21		.05	.01				.53	.48	.28	.64		.40	21
22	.02	.17		.15	.18		.30	.25	.49	.83		.43	22
23	.05	.13	.03	.02	.08			1.34		.17		.07	23
24	.26	.39	.08	.07	.36			.13	.01	.01		.30	24
25	.44	.90					.06		.23	.04		.08	25
26	.30	.42		.06	.24		.42	.08		.32		.08	26
27	.16	.03		.06	.46		.07	.02				.10	27
28	.17	.05		.19			.07					.40	28
29	.13				.17		.08				.05	.64	29
30		X	.05	.01			.37			.07	.08	.28	30
31	.07	X	.05	X		X	.06		X	.05	X	.02	31
TOTAL	4.10	4.68	.29	2.58	3.55		2.54	2.59	3.00	3.96	3.10	3.69	YEARS TOTAL
Days with .01 in. or more.	20	21	8	18	18		14	17	15	14	12	18	35.08
Days with .04 in. or more.	17	17	4	14	15		13	13	11	12	9	14	175

(Signed).....P.T.O.



REGISTER OF RAINFALL IN 1926. 638

Kept at Corporation Wharf, Southampton
in the County of Hampshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 ft. — in.
" Ground " Sea Level — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.81	.09	—	—	—	.41	—	—	.10	—	.45	—	1
2	.07	.01	—	—	—	.35	.03	—	.10	—	.05	—	2
3	.34	.13	.11	—	—	—	—	—	—	—	—	—	3
4	.05	.30	.14	.12	—	—	—	—	—	—	.30	—	4
5	.09	.15	.06	—	.56	—	.07	—	—	.01	.17	.22	5
6	.29	.20	—	.23	.02	—	.11	.15	.01	—	.24	—	6
7	.04	.16	—	.39	.12	.18	.10	—	.04	—	.85	.02	7
8	—	.02	—	.26	—	—	—	—	—	.06	.63	—	8
9	—	—	.02	—	—	.36	.34	—	—	.03	.36	—	9
10	—	—	—	—	.01	.19	.01	—	—	—	.04	—	10
11	—	.04	—	—	.02	.30	—	.30	—	—	.28	—	11
12	—	—	—	—	.04	.01	—	—	—	.25	.03	—	12
13	—	—	—	—	.05	—	—	—	—	—	1.15	.05	13
14	.06	.07	—	.39	.05	.18	—	—	—	.46	.24	.02	14
15	.13	.06	—	.12	—	—	—	—	—	.16	.09	—	15
16	.21	.10	—	.45	—	—	—	.10	—	.02	.03	—	16
17	.05	.64	—	.11	—	.32	.14	—	—	—	.25	.01	17
18	.35	.03	—	.01	—	.31	—	.14	—	—	.84	—	18
19	—	—	—	.04	.01	—	.10	.03	—	—	.25	.02	19
20	—	—	—	.22	—	—	—	.20	—	—	.27	—	20
21	—	.01	.02	.02	—	—	—	—	—	.10	.33	—	21
22	.56	.02	—	.03	—	—	—	.02	—	.08	.03	—	22
23	.12	—	—	—	—	—	—	—	—	—	—	—	23
24	.06	—	—	—	—	—	.08	—	—	.58	—	—	24
25	.17	—	.15	.46	—	—	.01	—	—	.16	.07	.02	25
26	.03	—	—	.02	.07	—	.32	—	.05	—	.09	—	26
27	.13	.01	—	—	.13	—	—	—	.06	.07	.01	—	27
28	.66	—	—	—	.01	—	.27	—	—	.26	.23	.02	28
29	.11	—	—	.08	.14	—	—	—	—	.06	.05	—	29
30	.22	X	—	.13	.25	—	—	—	—	—	.07	—	30
31	.35	X	—	X	—	X	—	.12	X	—	X	—	31
TOTAL	4.90	2.06	.53	3.13	1.48	2.61	1.58	1.06	.36	2.30	7.40	.38	YEARS TOTAL
Days with ".01 in. or more.	22	17	6	17	14	10	12	8	6	14	24	8	161
Days with ".04 in. or more.	21	11	4	13	9	9	9	6	5	11	23	2	123

Please read the Notes and Instructions Overleaf.

Kept at Corporation Wharf Southampton
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 ft. in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.52	.03	-	-	-	.76	.25	-	.33	.14	-	1
2	.01	-	.03	.19	-	-	-	-	-	.01	.01	-	2
3	.26	.01	.03	-	-	-	.10	-	.12	-	-	-	3
4	.06	-	.04	.08	.04	.03	.14	-	-	-	-	-	4
5	.10	.08	.13	.35	.05	.02	.01	-	-	-	.07	-	5
6	.01	-	.32	.44	-	.01	-	.16	.46	-	.01	-	6
7	.01	.21	-	.29	-	.16	.03	-	-	-	-	-	7
8	.02	-	-	.30	.12	-	.05	.02	.04	-	.05	-	8
9	-	-	.14	.18	.05	-	.05	.05	.26	-	-	.06	9
10	-	-	.05	.01	-	-	-	-	.20	-	-	-	10
11	-	-	-	.01	-	-	-	.17	-	-	-	-	11
12	.15	-	-	-	-	-	.02	-	-	-	-	-	12
13	.12	-	-	-	-	-	.56	.51	.15	.04	.10	.29	13
14	.03	-	-	.03	-	-	.20	-	1.75	-	.01	.10	14
15	-	-	-	-	-	-	-	.18	.04	-	-	-	15
16	.07	-	-	-	.07	.27	-	-	.20	-	-	-	16
17	.07	-	.12	-	-	.13	-	.47	.02	-	-	-	17
18	.02	-	-	-	-	.30	-	.02	-	-	.81	-	18
19	-	.46	-	-	-	-	-	.21	-	.02	.30	-	19
20	.23	.10	-	-	.02	-	.10	.65	.01	-	.25	.34	20
21	.01	.29	.01	-	-	.03	.02	.51	.37	.20	.15	.81	21
22	.11	.20	.26	-	.02	.10	-	.02	.05	.20	-	.50	22
23	.02	.80	.37	-	-	.21	-	.15	.80	-	.20	.07	23
24	-	.14	.53	.01	-	.18	.02	.23	.01	.04	-	.31	24
25	-	.34	.18	-	-	.02	-	.35	.03	.04	-	.50	25
26	.34	.71	.06	-	-	-	.18	-	-	.02	-	.04	26
27	.08	.30	.09	-	.34	.04	.14	-	-	.59	.02	-	27
28	.28	.26	.20	.07	-	.25	-	-	-	.02	.32	-	28
29	.09	X	.26	-	-	.34	-	-	.80	.05	.33	-	29
30	.15	X	.01	-	-	.24	.01	-	.03	.25	-	.01	30
31	.01	X	.45	X	-	X	.03	-	X	.02	X	.12	31
TOTAL	2.26	4.42	3.31	1.96	.71	2.33	2.42	3.95	5.34	.183	2.77	3.15	YEAR'S TOTAL 34.45
Days with "01 in. or more.	24	14	20	12	8	16	17	16	18	14	15	12	186
Days with "04 in. or more.	14	13	15	8	6	11	10	13	13	9	11	11	134



Section for the entry of Daily Observations.

656
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM-1090.

REGISTER OF RAINFALL IN 1928.

Kept at Corporation Wharf
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 ft. — in.
" Ground " Sea Level — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.85	.02	.10	.13				1.46					1
2	.88	.68	.12	.03				.02					2
3				.21			.13	.82					3
4	.01	.16				.05		.02					4
5	.03	.25	.23	.02		.15	.08		.01				5
6			.02			.30							6
7			.05	.22		.25		.08					7
8		.01		.02		.38							8
9				.01		.02			.49				9
10	.22	.17		.02		.01		.01					10
11	.04					.05							11
12	.46	.51											12
13		.04			.01	.61		.04					13
14	.13	.07		.48	.45	.05		.07					14
15	.13			.52				.04					15
16		.07		.06	.02								16
17	.03				.37	.01							17
18	.45		.03		.12	.05							18
19			.06		.06	.04		.15					19
20	.21		.2		.01			.01					20
21	.13		.18	.16	.12								21
22			.32										22
23	.41		.03		.04								23
24	.03		.13										24
25	.09					.05		.18	.14				25
26	.28					.02	.04	.21					26
27			.08				.85		.13				27
28	.76		.11						.35				28
29	.28	.30	.58	.02		.01	.08						29
30	.02	X	.82			.25	.18						30
31	.25	X	.26	X		X	.28		X		X		31
TOTAL	5.69	2.28	3.32	1.9	1.2	2.3	1.64	3.11	1.12				YEAR'S TOTAL
Days with .01 in. or more.	21	11	17	13	9	17	7	13	5				22.56
Days with .04 in. or more.	16	9	14	7	6	12	7	9	4				84

650

IZATION.

589

SOUTHAMPTON

EAST PARK

HANTS

1921-1930

Kept at Southamp
in the County of Hants
by A. Vaughan Gen

IMPORTANT NOTE—

If an Observer prefers not to
the reading at 9 a.m. on 1st J
this paragraph. Full instructio
and particulars as to the Briti
sent post-free on application
Square, London, N.W. 1.

Re

auge. 8 in.
round. 1 ft. 0 in.
ea Level 65 ft.
d to the previous day.
to add
e end of
gauges,
servers,"
Camden

Jan. 1, following.

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	mm.	mm.	mm.								mm.	mm.	
21	11.0	4.9	1.0								3.3	4.3	1
2	0.8	-	-	-	-	-	3.3	-	1.8	3.9	1.1	-	2
3	1.4	-	0.2	-	1.0	1.6	-	1.3	-	5.6	-	-	3
4	4.3	-	-	-	0.8	-	-	2.3	-	4.5	-	-	4
5	-	-	0.2	-	0.2	-	-	7.0	-	4.9	0.4	-	5
6	5.8	-	3.4	-	4.9	-	-	-	-	0.1	0.4	-	6
7	16.5	-	-	-	8.0	-	-	-	-	3.7	-	-	7
8	1.0	-	0.5	-	1.0	-	-	-	-	-	-	-	8
9	-	-	1.1	1.0	-	-	-	-	1.3	-	-	-	9
10	5.2	-	0.2	-	-	-	-	0.2	-	-	0.6	-	10
11	4.6	-	0.9	-	0.2	-	-	-	15.6	-	0.3	-	11
12	12.2	-	1.0	-	0.5	-	-	8.4	0.2	-	2.0	-	12
13	0.7	-	4.9	2.2	-	-	0.3	0.2	0.3	1.3	-	-	13
14	-	-	2.5	-	6.0	-	0.9	0.2	-	-	3.6	-	14
15	-	-	0.2	0.1	0.1	-	12.5	0.5	-	-	3.2	0.3	15
16	2.2	-	0.4	10.9	-	-	-	11.8	-	-	14.0	0.3	16
17	1.6	-	4.5	1.6	-	-	1.1	1.4	2.3	-	-	-	17
18	1.8	-	-	0.4	-	-	-	-	-	2.0	-	0.1	18
19	-	-	2.6	1.7	-	-	-	-	-	-	1.8	-	19
20	-	-	0.4	0.8	-	-	-	15.0	-	11.1	0.3	-	20
21	0.7	-	-	-	-	-	-	-	-	2.0	-	-	21
22	-	-	0.1	2.8	-	-	-	-	-	2.2	-	7.0	22
23	-	-	-	0.7	-	-	0.6	1.5	-	6.1	-	0.1	23
24	1.7	2.0	-	0.2	-	-	-	-	-	-	1.7	-	24
25	0.2	2.0	-	-	-	1.9	0.3	-	-	-	2.6	-	25
26	1.7	-	0.5	-	0.2	-	-	-	-	-	9.4	-	26
27	0.1	-	0.2	2.3	-	-	-	0.1	-	-	4.7	-	27
28	-	-	6.0	-	1.5	-	0.3	-	-	-	2.2	-	28
29	1.0	X	0.8	-	7.5	-	0.3	-	-	-	0.7	-	29
30	15.4	X	-	-	0.5	-	-	-	-	-	-	3.0	30
31	1.1	X	-	X	0.4	X	-	-	X	-	X	-	31
TOTAL	358 91.0	0.35 8.9	1.24 31.6	0.97 24.7	1.24 32.8	0.14 3.5	0.64 16.3	2.15 54.6	0.78 19.4	0.97 24.5	2.16 54.8	1.71 43.3	YEAR'S TOTAL 405.7
Days with 0.2 mm. or more	21	3	20	11	14	2	8	14	5	6	11	18	133
Days with 1.0 mm. or more	17	3	9	7	7	2	2	10	3	6	10	12	88

REGISTER OF RAINFALL IN 192/

Kept at Southampton M.O.in the County of Hantsby A. Vaughan for the Director -General of Ordnance Survey.Lat. 50°55' Long. 1°24' WTime of Observation 9h. 9.7.7.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.Height of top of Gauge above Ground 1 ft. 0 in.Sea Level 65 ft.

IMPORTANT NOTE—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	11.0	4.9	1.0	-	-	-	-	1.4	-	-	3.3	4.3	1
2	0.8	-	-	-	-	-	-	3.3	-	1.8	3.9	1.1	2
3	1.4	-	0.2	-	1.0	1.6	-	1.3	-	-	5.6	-	3
4	4.3	-	-	-	0.8	-	-	2.3	-	-	4.5	-	4
5	-	-	0.2	-	0.2	-	-	7.0	-	-	4.9	0.4	5
6	5.8	-	3.4	-	4.9	-	-	-	-	-	0.1	0.1	6
7	16.5	-	-	-	8.0	-	-	-	-	-	3.7	-	7
8	1.0	-	0.5	-	1.0	-	-	-	-	-	-	-	8
9	-	-	1.1	1.0	-	-	-	-	1.3	-	-	-	9
10	5.2	-	0.2	-	-	-	-	0.2	-	-	-	0.6	10
11	4.6	-	0.9	-	0.2	-	-	-	15.6	-	-	0.3	11
12	12.2	-	1.0	-	0.5	-	-	8.4	0.2	-	-	2.0	12
13	0.7	-	4.9	2.2	-	-	0.3	0.2	0.3	1.3	-	-	13
14	-	-	2.5	-	6.0	-	0.9	0.2	-	-	-	3.6	14
15	-	-	0.2	0.1	0.1	-	12.5	0.5	-	-	3.2	0.3	15
16	2.2	-	0.4	10.9	-	-	-	11.8	-	-	14.0	0.3	16
17	1.6	-	4.5	4.6	-	-	1.1	1.4	2.3	-	-	-	17
18	1.8	-	-	0.4	-	-	-	-	-	2.0	-	0.1	18
19	-	-	2.6	1.7	-	-	-	-	-	-	-	1.8	19
20	-	-	0.4	0.8	-	-	-	15.0	-	11.1	0.3	-	20
21	0.7	-	-	-	-	-	-	-	-	-	2.0	-	21
22	-	-	0.1	2.8	-	-	-	-	-	2.2	-	7.0	22
23	-	-	-	0.7	-	-	0.6	1.5	-	6.1	-	0.1	23
24	1.7	2.0	-	0.2	-	-	-	-	-	-	-	1.4	24
25	0.2	2.0	-	-	-	1.9	0.3	-	-	-	-	2.6	25
26	1.7	-	0.5	-	0.2	-	-	-	-	-	-	9.4	26
27	0.1	-	0.2	2.3	-	-	-	0.1	-	-	-	1.4	27
28	-	-	6.0	-	1.5	-	0.3	-	-	-	-	2.2	28
29	1.0	X	0.8	-	7.5	-	0.3	-	-	-	-	0.4	29
30	15.4	X	-	-	0.5	-	-	-	-	-	6.3	3.0	30
31	1.1	X	-	X	0.4	X	-	-	X	-	X	-	31
TOTAL	99.0	9.9	31.6	24.7	32.8	3.5	16.3	54.6	19.4	24.5	54.5	43.3	YEAR'S TOTAL
Days with 0.2 mm. or more	21	3	20	11	14	2	8	14	5	6	11	18	133
Days with 1.0 mm. or more	17	3	9	7	7	2	2	10	3	6	10	12	88

631

AIR MINISTRY.
FORM 1091 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(former B.R.O. Form A.2).

REGISTER OF RAINFALL IN 1922

Kept at Southampton
in the County of Hants
by A. Vaughan, Jr. Director - General
of Ordnance Survey

Lat. 50° 55' Long. 1° 24' W
Time of Observation 9h
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 6.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
27	-	7.5	3.7	-	-	2.0	6.7	3.7	1.0	-	10.2	-	1
2	-	7.5	2.8	10.0	0.2	-	6.9	4.6	-	-	2.1	-	2
3	0.5	6.9	6.2	10.3	3.6	-	0.5	2.0	-	0.1	2.4	-	3
4	-	4.7	3.5	-	4.6	-	4.7	-	-	12.5	-	-	4
5	0.7	-	4.7	0.4	-	-	54.4	1.0	-	4.1	21.0	-	5
6	2.7	-	2.2	1.1	-	-	0.9	30.6	-	-	0.8	-	6
7	1.3	-	17.1	7.2	-	-	0.6	3.0	-	-	2.6	-	7
8	2.5	-	1.9	-	-	0.9	8.9	3.6	-	-	2.0	1.0	8
9	2.6	-	-	2.0	-	-	3.4	0.6	-	-	0.8	-	9
10	0.4	-	-	-	-	9.2	-	1.1	-	-	13.2	-	10
11	2.0	-	-	2.0	0.2	-	-	-	-	-	-	-	11
12	-	0.3	-	16.3	-	-	2.0	4.7	12.2	-	-	0.5	12
13	3.5	-	-	17.3	-	12.1	7.4	-	2.4	-	-	-	13
14	0.8	-	-	1.6	-	0.9	4.6	-	4.7	-	-	-	14
15	9.6	4.0	-	1.0	-	-	0.5	-	-	-	-	-	15
16	-	2.3	-	3.4	4.4	-	-	3.3	2.6	-	-	4.3	16
17	-	3.4	-	-	0.9	-	1.1	-	-	-	-	2.9	17
18	34.4	1.7	-	-	0.9	-	-	-	3.3	-	-	5.4	18
19	1.2	2.1	0.1	-	0.3	-	-	-	1.9	0.8	-	13.6	19
20	5.0	6.4	-	-	-	-	-	-	-	-	-	-	20
21	11.2	4.6	0.2	2.7	-	-	-	-	0.2	-	-	34.6	21
22	0.1	1.6	-	0.4	-	2.6	0.5	1.4	-	-	-	8.8	22
23	-	1.6	-	0.7	-	2.5	2.6	-	1.0	-	-	-	23
24	1.8	0.1	4.0	-	4.6	2.8	-	3.4	-	-	-	0.3	24
25	14.8	0.4	0.4	5.7	-	6.3	-	-	3.3	-	-	5.5	25
26	3.1	10.0	-	2.0	-	1.1	2.7	0.2	4.0	-	0.5	1.9	26
27	7.2	5.5	2.8	1.8	-	0.7	-	1.5	0.2	0.2	-	16.9	27
28	5.0	10.0	1.9	-	-	5.7	-	0.6	9.1	-	-	5.5	28
29	3.0	X	-	-	-	2.8	0.3	0.2	-	5.6	-	5.7	29
30	0.3	X	1.6	-	-	1.3	-	5.6	2.2	0.9	1.5	25.7	30
31	9.0	X	5.1	X	-	X	-	6.4	X	7.4	X	0.7	31
99	4.83	3.17	2.29	3.38	19.7	2.00	4.26	3.05	1.89	1.24	2.25	8.25	YEAR'S TOTAL
TOTAL	122.7	80.6	58.2	85.9	0.78	50.9	108.7	77.5	48.1	31.6	57.1	133.3	874.3
Days with 0.2 mm. or more	23	18	15	18	9	14	18	19	14	7	11	16	182
Days with 1.0 mm. or more	18	16	13	15	4	11	12	15	12	4	8	13	141

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Southampton
in the County of Hampshire
by Director General, Ordnance Survey

Lat. 50° 54' 38" N Long. 1° 24' 0" W
Time of Observation 9 hr.
Nearest Railway Station Soton West
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
23													
1	2.9	0.6	8.6	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.2	12.7	1
2	4.9	0.6	2.3	0.0	0.5	0.0	0.0	0.5	0.0	2.4	0.5	0.0	2
3	1.2	0.0	0.9	0.0	0.2	0.0	0.0	0.0	0.0	18.4	1.2	3.8	3
4	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	2.1	0.0	0.6	6.3	4
5	13.3	0.0	0.3	0.2	0.2	0.0	0.0	0.0	0.3	2.1	0.2	1.9	5
6	12.9	10.0	1.6	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6
7	0.6	34.1	0.2	0.0	1.4	0.0	0.0	0.0	0.0	5.4	0.0	12.3	7
8	0.5	0.9	2.8	0.0	2.1	0.0	0.0	0.0	0.0	3.8	5.7	0.0	8
9	3.1	18.3	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.4	0.2	0.0	9
10	0.0	6.5	0.0	15.2	1.3	0.0	1.5	0.0	0.0	3.5	0.0	0.5	10
11	0.2	1.7	0.0	8.9	0.3	0.0	0.0	0.0	0.0	20.3	0.0	0.0	11
12	0.0	4.8	10.6	11.6	1.7	0.0	0.0	0.0	0.0	10.8	0.2	0.4	12
13	0.2	2.5	0.6	1.8	0.0	0.0	0.0	0.0	0.0	0.0	16.0	0.4	13
14	0.3	0.0	1.2	0.3	2.8	0.0	0.0	0.1	16.1	0.0	0.3	0.0	14
15	0.0	0.3	0.4	7.7	2.3	7.7	1.1	0.0	1.2	0.0	9.5	0.0	15
16	0.0	4.6	0.0	2.2	0.3	0.0	0.0	0.1	0.0	0.0	4.7	0.0	16
17	0.3	11.7	0.0	0.0	0.3	0.0	0.0	2.7	5.3	0.2	2.1	0.0	17
18	0.6	2.5	0.0	1.3	0.1	0.4	0.0	1.5	2.1	0.2	1.7	0.0	18
19	0.3	1.4	0.0	0.0	0.0	0.0	0.0	0.1	0.9	20.0	0.0	0.0	19
20	0.2	5.4	0.1	0.0	0.6	0.0	0.0	0.0	5.0	2.4	0.3	1.0	20
21	0.0	0.2	0.0	1.1	0.0	0.2	0.0	0.0	1.2	3.2	0.0	0.0	21
22	0.6	11.4	1.5	0.0	0.0	0.0	0.0	3.4	4.5	3.2	0.2	2.3	22
23	0.2	11.8	0.6	0.0	7.2	0.0	2.5	14.5	1.5	9.4	0.0	1.5	23
24	0.0	1.6	0.0	5.1	0.0	0.0	0.0	7.5	11.1	2.1	0.0	3.1	24
25	0.0	12.3	0.2	16.2	0.7	1.6	0.0	2.4	1.0	16.7	0.0	4.2	25
26	0.0	2.8	0.0	1.3	0.0	0.3	0.0	0.2	0.0	6.0	0.0	9.7	26
27	0.0	4.2	12.3	0.0	1.2	0.0	0.0	1.6	0.0	2.8	0.0	10.4	27
28	0.0	0.4	2.4	2.6	13.4	0.0	4.9	1.0	0.0	0.0	0.8	1.5	28
29	0.4	X	0.5	0.2	7.2	0.0	2.3	20.8	0.0	0.5	0.0	0.0	29
30	0.0	X	0.8	0.2	0.0	0.0	1.5	1.8	0.2	7.1	0.2	2.3	30
31	0.0	X	0.0	X	0.0	X	9.1	0.0	X	0.4	X	6.5	31
99	169	593	189	307	173	038	092	226	207	567	176	318	YEAR'S TOTAL
TOTAL	42.8	150.6	47.9	77.9	44.0	9.6	23.3	58.2	52.5	144.0	44.6	80.8	776.2
Days with 0.2 mm. or more	18	24	18	17	19	5	8	12	14	24	18	18	195
Days with 1.0 mm. or more	6	18	9	13	10	2	7	10	11	20	7	15	128

AIR MINISTRY.
FORM 1091. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

Kept at Southampton
in the County of Hants.

by A. E. Aldous
General Observer.

Lat. 50°54'35" Long. 1°24'00"
Time of Observation 9 hr.
Nearest Railway Station Southampton Water.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 66 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Inches should be entered on Form 1090.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
24													WRB
1	4.8	0.0	3.5	0.0	0.5	10.6	3.1	2.3	0.0	0.0	21.1	5.3	1
2	1.7	0.0	4.7	0.0	0.0	0.3	0.2	0.0	0.0	7.8	0.0	0.5	2
3	0.7	0.0	1.1	0.0	0.9	1.0	3.4	6.1	4.0	3.1	0.0	0.0	3
4	0.0	0.2	0.0	0.7	2.8	21.3	0.0	4.0	0.8	4.0	0.0	9.2	4
5	0.0	0.0	2.0	0.0	2.3	0.0	1.4	0.0	4.0	3.5	0.0	0.6	5
6	0.0	0.0	0.0	0.0	1.2	0.2	0.0	1.0	1.8	8.3	0.0	0.0	6
7	1.2	0.0	0.0	0.0	9.5	6.8	0.0	0.0	10.2	6.5	0.0	0.0	7
8	4.0	2.6	0.0	0.2	0.8	2.7	4.0	0.0	2.0	2.1	0.0	0.0	8
9	2.2	0.0	0.0	0.7	2.0	3.1	0.0	0.0	2.7	0.4	0.0	0.0	9
10	2.4	0.0	0.0	6.1	16.6	5.1	0.0	0.0	1.0	0.5	0.0	0.0	10
11	1.4	0.0	0.0	6.6	10.9	5.4	0.0	0.0	0.2	3.1	7.0	0.3	11
12	1.1	0.0	0.0	6.5	4.8	1.8	0.0	3.6	2.6	0.0	0.5	0.0	12
13	1.8	0.0	0.0	17.7	6.8	0.0	0.0	1.0	10.5	0.0	4.0	9.1	13
14	0.3	0.0	0.0	3.8	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.8	14
15	0.0	0.8	0.0	0.0	0.0	0.0	0.0	3.6	2.0	0.0	0.0	32.8	15
16	1.4	0.0	0.0	0.0	0.0	0.0	0.0	10.8	0.5	0.0	0.0	0.0	16
17	8.5	0.0	0.0	0.0	0.8	0.4	22.2	1.6	1.2	0.0	0.0	0.4	17
18	13.0	0.8	0.0	0.0	4.5	0.0	0.0	3.9	0.0	2.7	0.3	0.0	18
19	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.5	0.0	0.6	19
20	0.5	0.0	0.4	0.0	6.2	9.8	1.5	1.1	6.7	6.1	0.0	0.0	20
21	12.9	0.0	1.0	0.0	4.8	0.0	0.0	0.0	4.5	18.7	0.0	0.0	21
22	7.1	0.0	14.7	0.0	0.6	0.0	0.0	7.9	7.0	0.0	0.0	0.0	22
23	0.0	0.0	7.4	0.0	6.7	0.0	0.0	3.1	2.8	0.0	0.0	18.2	23
24	10.6	2.9	1.1	6.0	1.7	0.0	0.0	0.0	6.1	0.0	0.0	18.7	24
25	0.0	0.0	1.9	2.1	1.0	0.0	2.1	0.2	53.6	2.0	2.8	3.0	25
26	0.0	0.0	1.0	11.1	0.0	0.0	3.6	1.8	3.6	6.1	12.4	9.6	26
27	0.0	1.3	0.0	18.0	0.0	0.0	19.2	0.8	0.0	3.9	2.4	28.8	27
28	0.0	0.0	0.0	0.0	0.0	0.0	24.5	7.9	0.0	0.6	12.6	0.0	28
29	0.4	0.5	0.0	3.1	3.3	0.0	7.9	8.6	2.7	20.5	0.8	13.5	29
30	0.0	X	0.0	1.5	6.3	0.0	1.0	7.7	10.7	7.8	16.2	10.4	30
31	0.0	X	0.0	X	12.1	X	0.0	0.3	X	5.5	X	1.0	31
TOTAL	76.4	10.1	38.2	84.1	106.5	68.5	90.1	75.7	133.6	113.7	76.1	155.5	YEAR'S TOTAL
Days with 0.2 mm. or more.	20	8	11	14	23	12	12	21	22	21	10	18	1028.5
Days with 1.0 mm. or more.	15	4	10	11	18	10	11	17	18	17	7	13	(40.49 in.) 193

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1091.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at OSO Southampton
in the County of Hampshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" Ground " Sea Level 66 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.
Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
25	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	29.6	—	1.9	0.9	2.6	—	—	4.4	1.2	—	20.6	—	1
2	11.5	—	—	0.9	—	—	3.0	—	—	—	19.9	—	2
3	5.4	—	—	—	6.3	—	1.0	—	0.3	—	2.3	—	3
4	1.0	0.6	—	6.4	5.5	—	—	3.4	0.5	—	3.1	—	4
5	—	8.9	—	22.9	3.6	—	—	0.9	6.7	—	2.0	0.3	5
6	—	1.0	—	0.7	2.8	—	7.6	5.8	—	—	18.7	0.3	6
7	0.3	5.1	—	—	7.1	—	—	—	—	—	2.0	4.7	7
8	2.0	0.4	0.2	—	1.4	—	—	0.4	1.6	—	—	2.7	8
9	—	1.9	—	5.4	—	—	—	2.2	0.2	—	—	—	9
10	—	2.3	1.0	—	5.9	—	—	0.2	0.3	—	0.5	—	10
11	—	2.6	—	—	1.2	—	—	9.2	0.3	—	0.3	—	11
12	0.3	17.6	—	—	—	—	—	3.2	—	1.1	—	—	12
13	1.3	71.7	1.3	1.7	—	—	—	0.3	—	—	—	1.2	13
14	9.0	7.9	—	5.1	—	—	—	—	—	—	0.2	—	14
15	2.9	0.9	—	2.4	—	—	—	—	—	1.8	—	—	15
16	2.7	—	—	—	—	—	—	—	5.8	6.2	—	—	16
17	—	—	—	0.3	1.1	—	1.3	—	1.5	—	—	—	17
18	—	—	—	0.8	14.3	—	—	—	1.5	0.6	—	0.8	18
19	—	0.7	—	5.6	0.4	—	1.8	1.4	18.1	16.5	—	12.8	19
20	—	—	0.5	—	—	—	—	8.1	15.6	19.8	—	1.1	20
21	—	1.3	0.4	—	—	—	18.0	16.9	6.2	17.5	—	9.5	21
22	0.3	4.5	—	3.7	4.7	—	8.8	1.3	12.4	21.8	—	10.2	22
23	1.8	2.9	0.9	—	2.6	—	—	45.1	—	3.0	—	1.4	23
24	6.6	8.4	2.7	1.3	11.8	—	—	3.9	0.3	—	Trace	5.6	24
25	11.9	24.0	—	0.6	—	—	1.1	—	5.7	1.0	—	1.8	25
26	7.5	12.8	—	1.2	11.7	—	10.6	2.3	—	8.4	—	2.7	26
27	4.1	0.7	—	1.1	7.6	Trace	1.7	0.7	—	—	0.3	3.5	27
28	4.5	0.7	—	4.7	—	—	0.5	—	—	—	—	10.5	28
29	3.2	~~0.7~~	—	—	4.7	—	2.1	—	—	—	1.1	17.1	29
30	—	X	1.6	1.2	—	—	9.7	—	—	2.5	2.0	6.3	30
31	2.2	X	1.5	X	—	X	1.5	—	X	1.4	X	0.5	31
99													
TOTAL	108.1	116.9	12.0	66.9	95.3	0.0	68.7	109.7	78.2	101.6	73.0	93.0	YEAR'S TOTAL 923.4
Days with 0.2 mm. or more.	20	21	10	19	18	—	14	18	17	13	13	19	182
Days with 1.0 mm. or more.	17	15	6	13	14	—	13	13	11.3.08	12	9	15	141
	4.26	4.60	0.47	2.63	3.75	—	2.71	4.32	4.80	4.00	2.47	3.66	
							(Signed)						[P.T.O.]

Kept at Ordnance Survey Office, Southampton
in the County of Hampshire
Diameter of Funnel of Gauge.....8 in.
Height of top of Gauge above Ground.....1 ft. in.
" Ground " Sea Level.....66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st. of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Inches should be entered on Form 1090.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
26	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	21.1	2.3	-	-	0.2	9.8	-	-	3.1	-	11.3	-	1
2	1.8	-	-	-	-	11.5	1.1	-	2.8	-	2.0	-	2
3	7.3	2.9	5.8	0.2	-	-	-	-	-	-	-	-	3
4	1.5	7.6	2.1	5.4	-	-	-	-	-	-	10.5	-	4
5	2.4	3.1	1.5	-	13.6	-	2.1	-	-	0.3	1.7	6.2	5
6	7.2	4.8	0.3	5.5	0.7	-	2.5	3.5	0.4	0.3	5.3	-	6
7	1.2	4.8	-	7.3	2.7	5.8	4.9	-	1.9	-	23.0	0.5	7
8	0.2	0.7	-	6.5	-	-	-	-	-	1.4	21.6	-	8
9	-	-	1.0	-	-	9.0	8.7	-	-	1.6	6.7	-	9
10	-	-	-	-	0.4	3.4	0.8	-	-	-	1.0	-	10
11	-	1.2	-	-	0.9	7.1	-	8.9	-	-	6.7	-	11
12	-	0.2	-	-	1.0	0.4	-	-	-	5.4	1.2	-	12
13	-	-	-	-	1.1	0.3	-	-	-	-	28.2	1.3	13
14	3.6	3.1	-	11.4	0.9	6.5	-	-	-	13.9	4.5	0.3	14
15	11.0	1.6	-	2.6	-	-	-	-	-	4.0	2.9	-	15
16	1.9	2.4	-	11.2	-	-	-	2.1	0.3	0.7	1.0	-	16
17	6.4	17.1	-	2.0	-	8.7	3.2	-	-	-	7.5	0.4	17
18	8.1	-	-	0.4	-	9.0	-	3.7	-	-	20.3	-	18
19	-	-	-	2.4	0.3	-	3.1	0.8	-	-	7.2	0.3	19
20	-	-	0.4	6.5	0.2	-	-	4.7	-	-	5.6	-	20
21	-	0.6	-	0.3	-	-	0.4	0.5	-	3.0	6.8	-	21
22	13.9	0.3	-	0.5	-	-	-	-	-	1.8	1.0	-	22
23	2.6	-	0.3	-	-	-	-	-	-	-	-	-	23
24	2.2	-	-	-	-	-	2.0	-	-	15.8	-	-	24
25	4.7	-	2.9	14.6	-	-	0.4	0.2	-	5.5	1.6	0.9	25
26	0.7	0.2	-	1.1	1.9	-	7.3	-	1.9	-	2.6	-	26
27	3.3	0.8	-	0.3	3.7	-	-	-	2.0	2.0	0.3	-	27
28	16.4	-	-	-	0.7	-	7.5	-	-	5.1	7.0	-	28
29	2.5	X	-	2.0	4.5	-	-	-	-	1.5	1.1	-	29
30	5.7	X	-	3.4	5.3	-	-	0.2	-	0.3	2.2	-	30
31	8.9	X	-	X	-	X	-	3.1	X	-	X	-	31
99	5.30	2.16	6.4	3.29	1.50	2.81	1.72	1.09	4.9	2.46	7.52	3.9	YEARS TOTAL
TOTAL	134.6	54.8	16.3	83.6	38.1	71.5	43.8	27.7	12.4	62.6	190.8	9.9	746.1
Days with 0.2 mm. or more.	23	18	8	19	16	11	13	10	37	216	27	27	#6175
Days with 1.0 mm. or more.	21	12	5	14	8	9	10	6	5	12	26	2	#27130

Please read the Notes and Instructions Overleaf.

For Official use.

AIR MINISTRY.

FORM 1091.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

County No.

River Div.

Station No.

Kept at Southampton

in the County of Hants

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1							26.0						1
2													2
3													3
4													4
5													5
6				13.1									6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14									51.1				14
15													15
16					2.1	9.6							16
17													17
18											20.9		18
19													19
20								17.3					20
21												23.2	21
22													22
23		18.8											23
24			13.6							16.1			24
25													25
26	9.7												26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	60.4	107.5	92.9	49.7	19.3	61.7	70.5	108.2	153.2	51.2	79.3	103.8	YEAR'S TOTAL
Days with 0.2 mm. or more.	22	17	21	11	6	18	21	19	21	12	18	14	939.7
Days with 1.0 mm. or more	15	13	18	9	11	14	11	16	13	9	11	12	200
	2.38	4.23	3.65	1.96	.76	2.43	2.77	3.94	6.03	2.02	3.12	3.69	36.98
								4.26				4.09	

meteor. Observer

REGISTER OF RAINFALL.

REGISTER OF RAINFALL IN 1927.

Kept at 0500 Southampton
in the County of Hampshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 66 ft.

gmmr

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
<u>27</u>	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.5	14.0	1.1	—	—	1.2	26.0	6.9	0.3	10.4	5.0	—	1
2	0.5	—	1.3	4.8	~~4.8~~	—	—	—	—	~~4.8~~	0.5	—	2
3	5.9	0.4	1.4	—	—	—	2.5	—	4.5	—	~~4.5~~	0.3	3
4	1.9	—	1.7	2.8	1.0	1.0	2.6	—	—	—	—	—	4
5	2.9	2.7	4.0	9.0	1.3	0.7	0.3	~~4.8~~	—	—	2.0	—	5
6	0.6	—	10.1	13.1	—	0.3	~~4.8~~	4.3	16.0	—	0.5	—	6
7	0.3	6.0	—	6.2	—	4.5	0.9	—	—	—	~~4.8~~	—	7
8	0.7	—	—	7.4	5.0	—	1.7	2.7	1.4	—	1.2	—	8
9	—	—	3.3	2.6	—	—	1.4	2.0	8.2	—	—	1.9	9
10	—	—	1.8	—	—	—	—	0.5	3.9	—	—	—	10
11	—	—	—	0.5	—	—	—	4.5	—	—	—	—	11
12	3.4	0.3	—	—	—	—	0.3	3.3	—	~~4.8~~	—	—	12
13	2.9	0.3	—	—	—	—	13.3	15.1	3.8	0.6	2.7	7.4	13
14	1.0	~~4.8~~	—	1.0	0.5	—	5.4	0.5	51.1	—	0.3	1.7	14
15	—	0.3	—	—	—	—	—	4.4	1.4	—	—	—	15
16	2.1	~~4.8~~	—	—	2.1	9.6	—	—	5.2	—	~~4.8~~	—	16
17	1.8	—	2.8	—	—	1.2	—	12.5	0.9	—	0.3	—	17
18	—	—	0.3	—	—	7.8	—	1.3	0.3	—	20.9	—	18
19	—	8.6	—	—	—	—	0.2	5.4	—	0.6	7.0	—	19
20	5.6	2.4	—	—	0.5	~~4.8~~	3.3	17.3	0.3	—	7.1	2.6	20
21	0.3	7.1	0.4	—	—	0.9	0.3	8.3	12.3	5.1	3.8	23.2	21
22	3.3	5.5	6.2	~~4.8~~	0.5	1.4	—	0.5	1.9	5.1	—	13.8	22
23	0.3	18.8	11.6	—	—	5.8	0.3	4.1	20.8	—	5.9	1.7	23
24	—	3.3	12.6	0.5	—	3.8	1.2	4.8	0.7	1.7	—	8.9	24
25	—	8.4	4.5	~~4.8~~	—	0.3	0.3	9.8	0.8	1.3	0.2	16.5	25
26	9.7	14.7	2.6	—	0.1	1.7	4.5	—	~~4.8~~	1.6	~~4.8~~	14.3	26
27	2.4	6.5	2.3	—	8.3	1.2	4.5	—	—	16.1	0.3	2.1	27
28	7.3	8.2	5.2	1.8	—	5.1	0.3	—	0.5	1.0	8.8	—	28
29	3.0	~~4.8~~	6.2	—	—	8.8	—	—	18.3	0.5	12.2	—	29
30	4.0	×	0.4	—	~~4.8~~	6.4	0.3	—	0.6	7.2	0.3	0.6	30
31	—	×	12.1	×	—	×	0.9	~~4.8~~	×	~~4.8~~	×	3.8	31
99								108.2		2		103.8	YEARS TOTAL
TOTAL	60.4	107.5	92.9	49.7	19.3	61.7	70.5	100.2	153.2	51.2	79.3	23.8	939.7
Days with 0.2 mm. or more.	7	4	3	2	4	4	10	3	8	3	7	2	57
Days with 1.0 mm. or more.	15	13	18	9	5	14	11	16	13	9	11	12	146

(144w)

40—9999.

(Signed)

4.26

H. B. Aldous

meteor. Observer.

[P.T.O.]

use mmr



FORM 1091.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

Register of Rainfall in 1928.

Kept at Souhampton
 in the County of Hampshire
 Diameter of Funnel of Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. - in.
 „ Ground „ Sea Level 66 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
28													
1	17.1	0.4	2.4	0.4	-	-	-	24.9	-	-	-	-	1
2	21.3	19.2	2.8	0.8	-	-	-	1.5	-	-	0.3	0.7	2
3	-	-	-	6.2	-	-	3.8	21.1	-	-	0.8	-	3
4	0.5	5.7	-	0.3	-	1.5	-	0.4	-	2.1	0.5	-	4
5	1.0	6.5	3.8	0.3	-	4.2	2.4	-	0.3	0.3	-	-	5
6	-	-	0.7	-	-	8.1	-	-	-	1.0	-	2.1	6
7	0.4	0.4	1.5	6.2	-	5.6	-	2.3	-	0.4	-	-	7
8	0.3	1.0	-	0.8	-	10.3	Trace	-	-	0.4	0.3	-	8
9	-	0.3	Trace	0.4	-	0.4	-	-	12.9	1.0	-	-	9
10	6.5	4.0	0.3	0.7	-	0.7	-	0.5	-	9.0	4.9	3.6	10
11	0.3	-	0.3	Trace	-	0.7	-	-	-	20.0	1.6	5.0	11
12	13.0	13.8	Trace	Trace	-	-	-	Trace	-	2.9	2.4	1.2	12
13	-	1.0	-	-	0.3	15.4	-	0.5	-	-	0.3	-	13
14	2.7	2.2	-	12.7	8.2	1.1	-	1.5	-	9.0	12.0	-	14
15	3.6	-	0.3	15.3	-	0.3	-	0.2	-	0.4	7.0	-	15
16	-	2.1	Trace	1.7	0.3	-	-	-	-	4.0	7.8	8.1	16
17	0.8	-	-	0.3	9.0	0.4	-	-	-	1.1	0.6	-	17
18	11.4	-	1.0	-	3.2	2.0	-	-	-	9.4	2.4	0.4	18
19	-	-	1.7	-	2.4	0.9	-	3.3	-	16.7	1.3	1.7	19
20	6.0	-	5.9	-	0.3	-	-	0.5	-	1.3	3.1	-	20
21	4.4	-	3.9	5.0	2.9	0.3	-	-	-	10.3	6.1	0.5	21
22	-	-	8.6	-	-	-	-	-	-	34.1	9.2	3.1	22
23	11.6	-	1.0	0.3	1.3	-	-	-	-	7.2	8.1	1.2	23
24	0.5	-	2.2	-	-	-	-	7.1	4.2	3.0	0.6	4.8	24
25	2.6	-	-	-	-	1.3	-	3.6	-	6.8	0.9	4.0	25
26	5.6	-	0.3	-	0.2	0.6	0.8	5.1	-	31.5	0.4	1.5	26
27	-	-	2.1	Trace	-	-	19.8	0.4	5.4	7.5	2.0	28.1	27
28	18.2	0.3	2.7	-	0.3	-	-	-	6.8	-	-	2.8	28
29	8.0	8.1	14.3	0.5	0.3	0.4	1.7	-	-	1.4	2.5	4.1	29
30	0.6	X	18.8	-	-	5.1	4.5	-	-	1.5	-	2.0	30
31	7.3	X	10.0	X	-	X	7.7	-	X	2.2	X	-	31
90	143.7	65.0	84.6	20.1	23.3	2.33	1.60	28.7	1.17	7.27	2.96	2.95	35.87
TOTAL	143.7	65.0	84.6	51.9	28.7	59.3	40.7	72.9	29.6	184.5	75.1	74.9	910.9
Days with 0.2 mm. or more.	23	14	52.1	16	8.12	19	7.8	8.15	8.5	8.26	8.23	8.18	199
Days with 1.0 mm. or more.	16	10	16	6	6	10	6	9	4	22	14	15	134

(Signed)

H. G. Aldous
 Meteorological Officer

(P.T.O.)

Section
FORM 1091.

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929.

Kept at Osce. Southampton
in the County of Hampshire

Diameter of Funnel of Gauge..... 8 in.
Height of top of Gauge above Ground..... 1 ft..... in.
,, Ground ,, Sea Level 66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
I	—	4.6	—	0.3	~~1.1~~	1.1	—	—	—	5.7	—	~~Trace~~	I
2	—	<u>13.1</u>	—	—	—	2.6	3.2	—	—	5.2	0.4	11.0	2
3	—	—	—	—	0.5	—	4.2	1.6	—	—	—	3.2	3
4	0.3	—	—	1.0	10.6	0.3	4.8	4.0	—	0.4	—	8.7	4
5	—	—	—	—	<u>12.6</u>	<u>8.8</u>	3.5	<u>16.2</u>	—	<u>30.9</u>	8.0	7.5	5
6	—	—	—	—	2.2	—	0.7	6.0	—	1.0	2.9	16.2	6
7	—	—	—	—	0.4	4.6	—	6.8	—	11.7	9.2	17.6	7
8	—	—	—	—	1.6	0.4	—	—	—	9.8	—	9.9	8
9	<u>2.8</u>	3.3	—	—	—	—	—	—	—	—	4.1	12.2	9
10	<u>2.9</u>	—	—	~~Trace~~	~~Trace~~	—	—	—	—	1.0	0.3	12.0	10
11	—	0.6	—	0.7	5.5	0.3	—	—	—	0.3	<u>33.1</u>	0.7	11
12	—	—	—	1.3	1.7	1.8	—	—	—	—	—	1.6	12
13	0.4	—	—	—	4.2	—	—	0.8	—	—	—	1.1	13
14	—	—	—	—	0.8	6.2	—	—	—	—	—	2.5	14
15	1.7	4.2	—	—	—	4.1	—	—	—	—	22.8	0.7	15
16	—	—	—	—	—	—	—	6.0	—	—	—	—	16
17	<u>2.0</u>	—	—	1.0	—	—	—	—	—	—	—	—	17
18	—	—	—	—	—	—	—	0.3	—	1.1	14.5	—	18
19	—	—	—	—	—	—	—	—	~~Trace~~	—	2.1	—	19
20	1.7	—	0.3	—	—	—	<u>20.7</u>	1.8	—	13.2	—	12.6	20
21	1.8	—	<u>2.1</u>	—	—	—	—	—	—	—	—	1.9	21
22	—	0.4	0.3	—	—	—	0.7	1.0	—	—	11.5	0.4	22
23	—	2.5	—	—	—	—	—	—	—	3.8	15.9	12.7	23
24	—	0.6	1.5	~~Trace~~	—	—	—	—	—	<u>25.3</u>	27.5	<u>17.8</u>	24
25	—	0.7	0.2	~~Trace~~	—	—	—	—	—	2.9	4.2	—	25
26	—	0.5	—	0.3	1.0	—	—	—	—	—	1.3	4.5	26
27	0.6	—	—	3.6	4.0	—	—	~~Trace~~	—	0.3	26.3	2.3	27
28	7.6	—	—	1.2	—	—	8.5	—	—	11.7	8.4	15.4	28
29	2.7	X	—	<u>18.4</u>	—	2.0	—	—	0.3	2.5	17.3	10.7	29
30	0.4	X	—	—	—	3.3	2.8	—	<u>10.4</u>	—	20.4	3.4	30
31	<u>15.3</u>	X	—	X	—	X	2.7	0.4	X	—	X	2.2	31
TOTAL	15.8 40.2	1.20 30.5	4.4	1.09 27.8	1.97 50.1	1.40 35.5	2.03 51.8	1.77 44.9	4.2 10.7	4.99 126.8	9.06 230.2	7.44 188.8	YEAR'S TOTAL 841.7
Days with 0.2 mm. or more.	413	510	85	89	312	812	810	811	2	817	219	325	445
Days with 1.0 mm. or more.	9	5	2	6	9	9	8	8	1	14	17	22	110

(144W)

40-9999

(Signed)

H. E. Aldous
for Director General

P.T.O.

REGISTER OF RAINFALL IN 1930

Kept at Southampton
in the County of Hants
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 64 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
30	~~in~~	~~in~~	~~in~~	~~in~~	~~in~~	~~in~~	~~in~~	~~in~~	~~in~~	~~in~~	~~in~~	~~in~~	
I	2.4	16.1	-	4.6	-	-	0.3	-	-	-	13.9	-	I
2	0.7	0.6	2.3	1.2	6.5	-	1.0	12.7	-	-	14.4	-	2
3	1.9	2.2	-	16.1	0.5	-	-	12.6	-	0.5	-	-	3
4	19.8	1.6	0.4	0.3	-	-	-	5.7	-	6.0	-	-	4
5	0.8	-	-	-	1.0	-	-	10.8	-	0.6	-	-	5
6	0.3	-	0.4	-	0.4	-	-	23.5	12.3	1.2	-	2.2	6
7	3.0	-	-	-	-	-	-	3.8	-	11.0	7.6	4.6	7
8	3.8	-	0.3	1.1	-	-	-	-	2.0	0.5	-	8.4	8
9	7.2	-	0.6	-	5.0	-	-	-	3.7	-	0.3	-	9
10	17.4	-	1.5	-	7.1	-	-	0.5	-	0.5	-	11.4	10
11	5.3	-	1.2	0.5	0.4	-	6.5	0.3	-	1.1	-	11.8	11
12	5.5	-	-	1.8	4.2	-	-	1.7	-	-	-	6.0	12
13	1.1	-	0.6	12.5	2.4	-	1.9	2.8	4.1	-	-	0.5	13
14	1.1	1.9	4.1	1.1	-	-	4.7	-	0.7	0.9	-	1.0	14
15	2.0	1.2	7.8	-	-	-	8.5	-	-	3.5	2.9	2.8	15
16	-	-	-	-	-	-	0.6	-	3.9	-	-	6.8	16
17	-	-	1.7	4.0	-	0.3	-	0.5	11.0	6.0	-	-	17
18	-	-	-	0.4	2.3	-	-	1.1	5.8	-	4.3	5.8	18
19	-	-	8.6	5.8	-	0.6	-	6.2	9.5	6.5	15.5	0.7	19
20	-	-	-	3.6	2.0	-	15.3	19.2	6.4	0.8	12.7	-	20
21	0.4	-	2.6	-	-	-	-	-	0.5	2.1	17.7	-	21
22	12.6	-	-	-	1.2	1.4	-	15.1	1.0	6.8	2.4	-	22
23	6.9	-	3.6	5.4	-	5.8	4.9	0.6	1.7	-	6.9	2.1	23
24	4.5	-	-	9.5	2.0	4.4	-	-	-	1.0	6.8	11.2	24
25	1.0	8.0	-	5.9	9.3	-	-	-	-	0.6	4.5	0.8	25
26	8.2	-	-	-	0.8	-	1.5	-	2.5	-	6.2	8.5	26
27	0.8	-	-	-	-	-	0.6	-	-	3.7	7.3	2.0	27
28	2.4	-	1.0	-	-	-	-	-	5.3	0.4	15.3	4.4	28
29	3.0	X	1.8	-	-	-	1.0	-	5.0	1.3	0.5	1.0	29
30	1.7	X	-	-	2.9	6.0	4.4	-	-	-	-	9.3	30
31	14.1	X	4.0	X	4.8	X	-	-	X	3.7	X	4.7	31
TOTAL	50.2	12.1	16.7	29.1	20.8	0.73	20.2	46.1	31.6	2.31	5.72	4.17	YEAR'S TOTAL 35.64
Days with or in. or more.	26	7	17	16	17	6	13	16	16	21	17	21	193
Days with or in. or more.	21	6	12	13	13	11	10	12	14	13	15	18	151

Kept at South Warr
in the County of Hants

Diameter of Funnel of Gauge.....
 Height of top of Gauge above Gro
 " Ground " Sea

THE MORNING MEAL

An observer who does not conform following year in the space on the
Records tak

STH WARBOROUGH
VINE COTTAGE
HANTS

1925 - 1930

FOR OFFICIAL USE.

LATION.

713 A

to read the instructions
in this form.

d fill in section C

DAY.

1st of the

Jan. 1, following.

Date	Jan.	Feb.	March	t.	Nov.	Dec.	Date
	in.	in.	in.		in.	in.	
1				-	.03	.12	1
2				-	-	-	2
3				09	-	-	3
4				-	.31	.08	4
5				-	-	.15	5
6				39	.09	-	6
7				-	-	-	7
8				-	.01	.14	8
9				-	.10	.15	9
10				-	.16	.03	10
11				-	.17	.09	11
12				-	.13	-	12
13				-	.01	-	13
14				-	-	-	14
15				-	-	-	15
16				-	-	.20	16
17				.04	-	.03	17
18				-	<u>1.38</u>	.05	18
19				-10	.02	.81	19
20				.03	.10	.45	20
21				47	.31	.30	21
22				<u>70</u>	.22	.74	22
23				.11	.96	-	23
24				-	.07	.02	24
25				-	.22	.12	25
26				.23	-	.01	26
27				.28	.02	-	27
28				.04	-	.01	28
29				.01	-	-	29
30				.21	-	-	30
31				.16	-	-	31
TOTAL				2.86	4.31	3.50	313.2
Days with .01 in. or more.				14	18	18	14
Days with .04 in. or more.				12	13	13	10

(Signed)..... [P.O.]

ATION. 713 A

Kept at South Warborough
in the County of Hants

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 12 ft.
" Ground " Sea Level about 400 ft.
not under

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							-	03	12	-	46		1
2							-	-	-	-	45		2
3							09	-	-	-	-		3
4							-	31	08	-	05		4
5							-	-	15	-	01		5
6							39	09	-	-	43		6
7							-	-	-	-	07		7
8							-	01	14	tr	-		8
9							-	10	15	tr	-		9
10							-	16	03	03	-		10
11							-	17	09	-	-		11
12							-	13	-	-	-		12
13							-	01	-	-	-		13
14							-	-	-	-	-		14
15							-	-	-	09	-		15
16							-	-	20	15	-		16
17							04	-	03	-	-		17
18							-	1.38	05	02	-	x	18
19							-10	02	81	77	-	x	19
20							03	10	45	49	-	1.50	20
21							47	31	30	37	-	x	21
22							70	22	74	83	-	x	22
23							11	96	-	08	-	x	23
24							-	07	02	04	-07	-	24
25							-	22	12	03	-	-	25
26							23	-	01	30	shows	30	26
27							28	02	-	-	-	-	27
28							04	-	01	-	-	36	28
29							01	-	-	-	12	62	29
30		X					21	-	-	09	01	85	30
31		X		X		X	16	-	X	03	X	-	31
TOTAL							2.86	4.31	3.50	3.13	2.67	3.95	YEAR'S TOTAL
Days with .01 in. or more.							14	18	18	14	9	6	
Days with .04 in. or more.							12	13	13	10	7	6	

(Signed) W. J. P. P. P. [P.F.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at *Vine Cottage, South Warburton*
in the County of *Hampshire*

Diameter of Funnel of Gauge.....*5* in.
Height of top of Gauge above Ground.....ft.....*11* in.
" Ground " Sea Level *about 4.16* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.72</i>	<i>.08</i>	-	-	-	-	-	-	<i>1.04</i>	-	<i>.15</i>	-	1
2	<i>.07</i>	-	-	-	-	<i>.40</i>	<i>.02</i>	-	-	-	<i>.13</i>	-	2
3	<i>.22</i>	<i>x</i>	<i>.09</i>	<i>.01</i>	-	-	-	-	-	-	-	<i>x</i>	3
4	<i>.03</i>	<i>x</i>	<i>.08</i>	<i>.05</i>	-	<i>.01</i>	-	-	-	-	<i>.44</i>	-	4
5	<i>.10</i>	<i>x .81</i>	<i>.13</i>	-	<i>.52</i>	-	<i>.13</i>	-	<i>.01</i>	-	<i>.02</i>	<i>.18</i>	5
6	<i>.47</i>	<i>x</i>	<i>tr</i>	<i>.12</i>	<i>.02</i>	-	<i>.07</i>	<i>.16</i>	<i>.14</i>	-	<i>.23</i>	-	6
7	<i>.10</i>	<i>.10</i>	-	-	<i>.14</i>	<i>.15</i>	<i>.03</i>	-	<i>.12</i>	-	<i>.65</i>	-	7
8	-	-	-	<i>.30</i>	<i>.01</i>	<i>.03</i>	<i>.02</i>	<i>.03</i>	-	-	<i>.40</i>	<i>.04</i>	8
9	-	<i>tr</i>	-	-	<i>.02</i>	-	-	<i>.04</i>	-	-	<i>.45</i>	-	9
10	-	-	-	-	<i>.05</i>	<i>.72</i>	-	<i>.06</i>	-	-	<i>.08</i>	-	10
11	-	<i>.10</i>	<i>.04</i>	-	<i>.12</i>	<i>.33</i>	-	<i>.08</i>	<i>tr</i>	<i>.50</i>	<i>.18</i>	-	11
12	-	<i>.02</i>	-	-	<i>.11</i>	<i>.05</i>	-	-	-	-	<i>.01</i>	-	12
13	-	<i>.06</i>	-	-	<i>.03</i>	-	-	<i>.01</i>	<i>.03</i>	<i>.30</i>	<i>.94</i>	-	13
14	<i>x</i>	<i>.06</i>	-	<i>.41</i>	<i>.67</i>	-	-	-	<i>tr</i>	<i>.0</i>	<i>.21</i>	<i>.06</i>	14
15	<i>x</i>	<i>.9</i>	-	<i>.24</i>	<i>x</i>	<i>.15</i>	-	-	-	<i>.56</i>	<i>.12</i>	-	15
16	<i>x .50</i>	<i>.53</i>	-	<i>.43</i>	<i>.03</i>	-	-	<i>.13</i>	-	<i>.36</i>	<i>.07</i>	-	16
17	<i>x</i>	-	-	<i>.24</i>	<i>.01</i>	<i>.58</i>	<i>.05</i>	-	-	-	<i>.28</i>	<i>.04</i>	17
18	-	<i>.07</i>	-	-	<i>.24</i>	<i>x</i>	-	-	-	-	<i>.78</i>	-	18
19	-	-	-	<i>.03</i>	<i>.02</i>	-	<i>.18</i>	<i>x</i>	-	-	<i>.25</i>	<i>tr</i>	19
20	-	-	<i>.01</i>	<i>.30</i>	-	-	-	<i>x .43</i>	-	-	<i>.43</i>	-	20
21	-	-	-	<i>.05</i>	<i>x</i>	-	<i>.05</i>	<i>.02</i>	-	-	<i>.20</i>	-	21
22	<i>.36</i>	<i>.06</i>	-	<i>.10</i>	-	-	-	-	-	-	<i>.01</i>	-	22
23	<i>x .10</i>	<i>.03</i>	-	<i>tr</i>	-	-	-	-	-	-	-	-	23
24	<i>.07</i>	-	<i>.35</i>	-	-	-	<i>.12</i>	-	<i>.06</i>	<i>.65</i>	-	-	24
25	<i>.13</i>	-	-	<i>.54</i>	-	-	<i>.10</i>	-	<i>.04</i>	<i>.40</i>	<i>.08</i>	-	25
26	<i>.03</i>	<i>.01</i>	<i>tr fog</i>	<i>.04</i>	<i>tr</i>	-	<i>.05</i>	-	<i>.06</i>	-	<i>.20</i>	<i>.05</i>	26
27	<i>.15</i>	-	<i>.04</i>	<i>.06</i>	<i>.09</i>	-	-	-	<i>.01</i>	<i>.11</i>	<i>.30</i>	-	27
28	<i>.46</i>	-	-	<i>.11</i>	<i>.06</i>	-	<i>.40</i>	-	-	<i>.15</i>	<i>.03</i>	-	28
29	<i>.04</i>	-	-	<i>.07</i>	<i>.17</i>	-	<i>tr</i>	-	-	<i>.09</i>	<i>.19</i>	-	29
30	<i>.13</i>	<i>x</i>	-	<i>.19</i>	<i>.12</i>	-	-	<i>.05</i>	-	-	<i>.13</i>	-	30
31	<i>.12</i>	<i>x</i>	-	<i>x</i>	<i>.56</i>	<i>x</i>	-	-	<i>x</i>	-	<i>x</i>	-	31
TOTAL	<i>3.89</i>	<i>2.02</i>	<i>.74</i>	<i>3.29</i>	<i>2.99</i>	<i>2.42</i>	<i>1.22</i>	<i>1.01</i>	<i>1.48</i>	<i>2.89</i>	<i>6.59</i>	<i>.37</i>	YEARS TOTAL
Days with ".01 in. or more.	<i>21</i>	<i>8</i>	<i>x7</i>	<i>21</i>	<i>8</i>	<i>29</i>	<i>3</i>	<i>3</i>	<i>x9</i>	<i>10</i>	<i>x26</i>	<i>5</i>	
Days with ".04 in. or more.	<i>19</i>	<i>10</i>	<i>6</i>	<i>16</i>	<i>12</i>	<i>6</i>	<i>9</i>	<i>7</i>	<i>5</i>	<i>10</i>	<i>21</i>	<i>5</i>	

Please read the Notes and Instructions Overleaf.

Thorne

Section **A** for the entry of Daily Observations.

691
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at *Vine Cottage, Southwarrabomph*
in the County of *Hampshire*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *12* ft. in.
" Ground " Sea Level *about 4 1/2* ft.

Dec 25-31
days

Dec corr by sun phn for snow.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.68	.09	.02			.75	.35		.21	.40		1
2		.21	.05	.18						.04	.03		2
3	.18	.02										.07	3
4	.18	.07		.04		.03	.15						4
5	.18	.01		.45		.03	.01					.02	5
6	.5	.32		.38	.12		.03	.10	.28				6
7	.02					.37		.06					7
8	.02							.16	.07				8
9							.05	.15	.26				9
10			1.3	.87			.95	.05	.23				10
11				.05				.10		.03			11
12	.20		.02				.04	.18					12
13	.17	.02					.20	.25	.15	.05		.26	13
14	.04						.27	.23	2.08		.34	.13	14
15					.17			.17	.11				15
16		.02			.29	.09		.10	.41		.01		16
17	.09					.25		.40	.04				17
18						.44		.02	.05		.30		18
19		.17				.01	.10	.20		.03	.70		19
20	.25	.15			.05		.11	.34			.42	.34	20
21		.20			.03	.06	.04	.31	.34		.11	.87	21
22	.25	.22	.25			.06		.01	.14	.45		.73	22
23	.02	.07	.63	.03		.44			.82		.26	.18	23
24		.12	.41	.07				.12	.08	.10		.29	24
25		.28	.23				.01	.06	.26	.05			25
26	.25	.57	.28			.07	.20		.81	.08			26
27	.02	.48	.15		.54	.07	.27		.82	.60			27
28	.44	.33	.14			.27	.05			.05	.57	1.25	28
29	.05		.23			.48			.67		1.01		29
30	.15	X	.04			.48	.03		.05	.20			30
31		X	.33	X		X	.07		X		X		31
TOTAL	2.57	4.87	3.88	2.14	1.20	3.39	3.33	3.35	6.07	1.89	4.09	4.14	YEAR'S TOTAL
Days with .01 in. or more.	17	18	18	11	16	16	18	20	21	13	12	13	28/81
Days with .04 in. or more.	13	14	15	10	5	13	14	18	17	11	9	8	141/150

W. H. Moore



for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Vine College, South Wymondbury
in the County of Hampshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 12 ft.
" Ground " Sea Level about 416 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								.03					1
2		.78	.17					.12			.03		2
3				.26	.03			.90			.06		3
4		.20				.02	.34	.10					4
5			.21		.05	.13	.13					.01	5
6			.09			.15			.04			.06	6
7	.10		.12			.18		.11					7
8	.06					.39							8
9	.04		.08			.04			.38				9
10	.36					.04		.03			.14		10
11	.01										.11		11
12	.73									.70	.05	.25	12
13		.99				.54		.11					13
14		.15		.87		.23		.04		.37	.26		14
15					.03						.17		15
16		.18		.58						.18		.15	16
17					.59								17
18					.19	.29				.31		.01	18
19					.29			.07		.40	.20		19
20								.12		.05	.07	.08	20
21				.20	.36	.10		tr		.20	.23		21
22								tr		.66	.25		22
23					.03					.08	.18	.08	23
24									.21	.13	.05	.16	24
25								.21		.18	.5	.26	25
26						.26	.05	.81		1.0		.02	26
27							.36	.01	.03	.10		.87	27
28	2.45								.72			.25	28
29	.23	.22		.03						.03		.09	29
30	.25	X	1.90			.29	.16			.07	.08	.21	30
31		X		X		X	.59		X		X		31
TOTAL	4.23	2.52	2.57	1.94	1.57	2.56	1.63	2.66	1.38	4.46	1.88	2.50	YEAR'S TOTAL
Days with .01 in. or more.	1	8	6	2	1	3	1	4	3	11			
Days with .04 in. or more.	8	6	5	9	6	10	4						

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at *Vine Cottage, South Warnborough*
in the County of *Hampshire*

Diameter of Funnel of Gauge.....*5* in.
Height of top of Gauge above Ground.....ft. *12* in.
,, Ground ,, Sea Level *about 4.16* ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I						.07		.09		.37		.05	I
2		1.01				.03	.09			.15	.01	.30	2
3								.03				.19	3
4					.22	.35	.19	.06					4
5					.56	.23		.38		1.08	x	.88	5
6					.20	.01	.18	.08		.01	x	.50	6
7					.19			.34		.36	x	.72	7
8					.18					.27		.61	8
9										.03	x	.28	9
10	.26				.04			.01				.47	10
11				.14	.07						x	.08	11
12				.14	.08	.21					1.90		12
13	.02				.09							.12	13
14					.08	.29						.22	14
15						.10					.40		15
16								.22	.27		.36		16
17								.08					17
18	.09							.03			.45		18
19								.04	.02				19
20							.96			.55			20
21												.55	21
22			.05				.01				x		22
23							tr				x	.50	23
24			.05							1.20	x	.45	24
25				.02						.01	x	.01	25
26					.07						x	.11	26
27				.11							x	.10	27
28							.20			.24	x	.46	28
29		.25		.40						.02	3.65	.38	29
30		x				.34	.03		.22		.85	.17	30
31		x		x		x	.15		x		x	-	31
TOTAL	.37	1.26	.10	.81	1.78	1.63	1.81	1.36	.51	4.29	7.62	7.15	YEAR'S TOTAL 2869
Days with ".01 in. or more.	x3	2	2	x5	11	92	28	811	3x	12x	x18	x22	106
Days with ".04 in. or more.	21	21	21	41	111	71	61	81	21	81	617	2021	7890

Section

A

for the entry of Daily Observations.

755
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Vine Cottage, S. Warburton
in the County of Hampshire

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....ft. 12 in.
,, Ground ,, Sea Level about 4.16 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<u>4.8</u>		.16	.						.52		1
2	.9	.03	.29		.08		.09	.44			.53		2
3	.3	.08		.67				.41	~~.24~~	0.4			3
4	.16			.03				.34	~~1.2~~	1.2			4
5	<u>1.16</u>			.01	.07			.25	~~.04~~	.09			5
6	.		.11		.16			.25	.38				6
7	.01							.09		.33	.45	.06	7
8	.16			.09								.23	8
9	.03		.07					~~.23~~	.15		.01		9
10	<u>2.2</u>		.18		.43			.04					10
11	<u>5.0</u>				.04							.75	11
12	<u>2.4</u>	.02			.09			.02				.25	12
13	<u>1.7</u>		.15			.17	.05	.13	31				13
14	<u>1.5</u>	.07	<u>3.0</u>				.17						14
15			.28				.30				.10		15
16									.14				16
17			.06		.06		.10	.03	.35			.42	17
18			.01				.06	.03			.13	.09	18
19								.16	65		.78		19
20							.60	61	.23		.24		20
21							.03	.08	.01	.36	.77		21
22	<u>4.0</u>							.39	.01	.21	.03		22
23	.19		.13			.25	.07		.05		.39	.06	23
24	.18			1.0				.01	5	.01		.17	24
25	.03										.64		25
26	.57				.25		.03		.10			.22	26
27	.04								.15	.06	.25	.08	27
28	.29		.11				.04				.94	31	28
29	.13						.10		.70		.03	.03	29
30	.02	x			.24	.04	.08	51				.27	30
31	.60	x	.06	x	.18	x			x		x	.12	31
TOTAL	5.31	.68	1.74	1.06	1.60	.46	1.72	3.79	3.23	1.22	5.81	3.06	29.68
*Days with or in. or more.	4	2	1				2	4			3	1	
*Days with or in. or more.	17	3	11			3	11	13	11		12	13	

40-9999

*See Instruction 2 (f) on other side.

(Signed).....

[P.T.O.]

SPARSHOLT

21.....

Kept at Sparsholt
in the County of Hampshire
by E. R. J. J. J.

HANTS

1921 - 22

Rain Gauge.....in.
above Ground.....ft.....in.
,, Sea Level.....ft.
entered to the previous day.

IMPORTANT NOTE.—Rainfall for the following year in the space provided for it at the end of the reading at 9 a.m. on 1st Jan. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	(8.0)	.9	.06					.07					1
2								.13		.14	.12	.18	2
3	(.8)				.04	.01					.19		3
4	(4.2)				.15			.09			.23		4
5					.02			.25			.40	.05	5
6	1.4		.10		.17						.29		6
7	6.1				.40								7
8	.5		.06		.09						.08		8
9													9
10	2.9								.02				10
11	4.0		.05					.01				.02	11
12	3.7		.04		.79			.22	.85				12
13			.19	.21				.11	.02			.08	13
14			.05		.29				.01			.23	14
15							.23				.15	.01	15
16	1.3			.48				.64			.67	.02	16
17			.28					.04	.07				17
18	.1			.07			.02				.01		18
19										.27			19
20			.05							.16		.22	20
21	.1										.02		21
22										.18	.04	.20	22
23				.10				.03		.23			23
24	.2			.02								.10	24
25		1.8			.02	.02	.07					.12	25
26	.2											.31	26
27				.17				.05				.03	27
28			.30				.18					.20	28
29	1.5		.12		.30							.02	29
30	6.2	X			.08			.02			.22	.07	30
31	.5	X		X	.02	X			X		X		31
TOTAL	16.4 (41.7)	.11 2.7	.130	1.05	2.37	.03	.50	1.66	.97	.98	2.42	1.86	YEAR'S TOTAL 14.89
Days with 0.2 mm. or more	15	2	11	6	12	2	4	12	6	6	12	16	102
Days with 1.0 mm. or more	10	1	11	5	9	0	3	9	2	5	10	11	76

FORM A 2. METEOROLOGICAL ORGANIZATION.
REGISTER OF RAINFALL IN 1921

Kept at Sparsholt
in the County of Hampshire
by E. R. Giddy

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	(8.0)	.9	.06					.07					1
2								.13		.14	.12	.18	2
3	(.8)				.04	.01					.19		3
4	(4.2)				.15			.09			.23		4
5					.02			.25			.40	.05	5
6	1.4		.10		.17						.29		6
7	6.1				.40								7
8	.5		.06		.09						.08		8
9													9
10	2.9								.02				10
11	4.0		.05					.01				.02	11
12	3.7		.04		.79			.22	.85				12
13			.19	.21				.11	.02			.08	13
14			.05		.29				.01			.23	14
15							.23				.15	.01	15
16	1.3			.48				.64			.67	.02	16
17			.28					.04	.07				17
18	.1			.07			.02				.01		18
19										.27			19
20			.05							.16		.22	20
21	.1										.02		21
22										.18	.04	.20	22
23				.10				.03		.23			23
24	.2			.02								.10	24
25		1.8			.02	.02	.07					.12	25
26	.2											.31	26
27				.17				.05				.03	27
28			.30				.18					.30	28
29	1.5		.12		.30							.02	29
30	6.2	X			.08			.02			.22	.07	30
31	.5	X		X	.02	X			X		X		31
TOTAL	1.64 (41.7)	.11 2.7	1.30	1.05	2.37	.03	.50	1.66	.97	.98	2.42	1.86	YEAR'S TOTAL 14.89
Days with 0.2 mm. or more	15	2	11	6	12	2	4	12	6	6	12	16	102
Days with 1.0 mm. or more	10	1	11	5	9	0	3	9	2	5	10	11	76

74

AIR MINISTRY.

640

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1922.....

Kept at Sparsholt
in the County of Hampshire
by E. W. Lidge *Leaving for his home - July*

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	20	18	04	10		25						1
2		23	12	32		07	32						2
3		25	36	40	13		03						3
4		22	31		28		19						4
5	06		38	02			2.29						5
6	16		11	01			02						6
7	09		35	24			04						7
8	16		06	01			32						8
9	13			09		06	05						9
10	01												10
11	10			05	06								11
12				72									12
13	25			68			44						13
14	01			14		31	53						14
15	47	35		08									15
16		10		15	23								16
17		22			07		12						17
18	1.14	09			04								18
19		13	01										19
20	37	48											20
21	35	21		14									21
22		02											22
23		10		12		05	21						23
24	20			18	30	14							24
25	67		19	35		13							25
26	14	43	02	17		10	13						26
27	25	19	16	13		02							27
28	19	26	04			20							28
29													29
30	12	~~XX~~	06			08							30
31	38	~~XX~~	37	~~XX~~		~~XX~~	25	~~XX~~	~~XX~~		~~XX~~		31
TOTAL	5.26	3.48	2.72	4.04	1.21	1.16	5.19						YEAR'S TOTAL
Days with 01 in. or more	21	16	15	20	8	10	15						
Days with 01 in. or more	16	15	13	17	8	9	13						

Kept at Houghton
in the County of Hants
by G Morris

IMPORTANT NOTE
previous day. If an Observer
to add the reading at 9 a.m.
this paragraph. Full instructions
particulars as to the British
on application to THE SUPPLY
Kingsway, London, W.C.2,

658

STOCKBRIDGE

HOUGHTON LODGE

HANTS

1922, 1925 - 1927
1929 - 1930

IZATION.

M.
Stockbridge

Gauge 5 in.

Ground 1 ft. - in.

Sea Level 190 ft.

and the result entered to the
most requested
it at the end of
rain gauges, and
"sent post-free"
Air Ministry,
Edinburgh.

Jan. 1, following.

Date	Jan. in.	Feb. in.								Oct. in.	Nov. in.	Dec. in.	Date
1	01	25									20		1
2		24	09	36			29				05		2
3		29	30	49	15		02	06			06		3
4		24	17		30		16			40			4
5	07		34	02			2 18			35	67		5
6	11		07	01			05	1 39			12		6
7	09		39	22		02	01	32			06		7
8	23		07	02			30	01			04	02	8
9	07			04		12	07	15			02		9
10							05	02			36		10
11	06			05	03								11
12				63		02	07	28	40			02	12
13	22			75		34	26		22				13
14	03			09			52		15				14
15	39	24		07			02		05				15
16		13		24	21			16	08			10	16
17		20					13					12	17
18	92	15			04			02	06			16	18
19	07	09							25	04		67	19
20	38	41											20
21	30	26		12								86	21
22	02	04		03		02	02	13				49	22
23		07	15	10		04	05						23
24	18			07	14		05	06				03	24
25	58	02		31					18		02	15	25
26	16	40	13	47		15		06	18			20	26
27	27	20	21	09		12	12	06	03			26	27
28	12	23				05		04				14	28
29	02	X		01		15				21		40	29
30	22	X	02			03	04	22	14	04	05	40	30
31	28	X	47	X		X	29	10	X	58	X	03	31
TOTAL	480	346	262	419	87	106	503	321	185	162	165	405	YEAR'S TOTAL
Days with 01 in. or more	23	17	13	21	6	11	21	18	12	6	11	16	34 41
Days with 04 in. or more	19	16	12	16	5	7	17	14	11	6	9	12	174

REGISTER OF RAINFALL

Kept at Houghton Lodge
in the County of Hampshire
by G Morris

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Stockbridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	25	21	—	—	—	33	13	11	—	20	—	1
2	—	24	09	36	—	—	29	—	—	—	05	—	2
3	—	29	30	49	15	—	02	06	—	—	06	—	3
4	—	24	17	—	30	—	16	—	—	40	—	—	4
5	07	—	34	02	—	—	218	—	—	35	67	—	5
6	11	—	07	01	—	—	05	139	—	—	12	—	6
7	09	—	39	22	—	02	01	32	—	—	06	—	7
8	23	—	07	02	—	—	30	01	—	—	04	02	8
9	07	—	—	04	—	12	07	15	—	—	02	—	9
10	—	—	—	—	—	—	05	02	—	—	36	—	10
11	06	—	—	05	03	—	—	—	—	—	—	—	11
12	—	—	—	63	—	02	07	28	40	—	—	02	12
13	22	—	—	75	—	34	26	—	22	—	—	—	13
14	03	—	—	09	—	—	52	—	15	—	—	—	14
15	39	24	—	07	—	—	02	—	05	—	—	—	15
16	—	13	—	24	21	—	—	16	08	—	—	10	16
17	—	20	—	—	—	—	13	—	—	—	—	12	17
18	92	1548	—	—	04	—	—	02	06	—	—	16	18
19	07	09	—	—	—	—	—	—	25	04	—	67	19
20	38	41	—	—	—	—	—	—	—	—	—	—	20
21	30	26	—	12	—	—	—	—	—	—	—	86	21
22	02	04	—	03	—	0202	02	13	—	—	—	49	22
23	—	07	15	10	—	04	05	—	—	—	—	—	23
24	18	—	—	07	14	—	05	06	—	—	—	03	24
25	58	02	—	31	—	—	—	—	18	—	02	15	25
26	16	40	13	47	—	15	—	06	18	—	—	20	26
27	27	20	21	09	—	12	12	06	03	—	—	26	27
28	12	23	—	—	—	05	—	04	—	—	—	14	28
29	02	X	—	01	—	15	—	—	—	21	—	40	29
30	22	X	02	—	—	03	04	22	14	04	05	40	30
31	28	X	47	X	—	X	29	10	X	58	X	03	31
TOTAL	480	346	262	419	87	106	503	321	185	162	165	405	YEAR'S TOTAL
Days with 01 in. or more	23	17	13	21	6	11	21	17	12	6	11	16	34.41
Days with 04 in. or more	19	16	12	16	5	7	17	14	11	6	9	12	174
													144

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Houghton Lodge, Stockbridgein the County of HantsDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.„ Ground „ Sea Level 112 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>96</u>	—	<u>04</u>	<u>03</u>	<u>07</u>	—	—	<u>23</u>	—	—	<u>35</u>	—	1
2	<u>39</u>	<u>03</u>	—	<u>32</u>	—	—	<u>31</u>	—	—	—	<u>130</u>	—	2
3	<u>13</u>	<u>03</u>	—	—	<u>15</u>	—	—	—	—	—	<u>04</u>	—	3
4	<u>04</u>	—	—	<u>35</u>	<u>22</u>	—	—	<u>12</u>	—	—	<u>16</u>	—	4
5	—	<u>37</u>	—	<u>82</u>	<u>16</u>	—	—	<u>03</u>	<u>30</u>	—	—	—	5
6	—	<u>05</u>	—	—	<u>31</u>	—	<u>44</u>	<u>22</u>	—	—	<u>40</u>	—	6
7	—	<u>23</u>	—	—	<u>50</u>	—	—	—	—	—	—	<u>36</u>	7
8	<u>25</u>	—	—	<u>13</u>	<u>12</u>	—	—	<u>02</u>	—	—	<u>05</u>	<u>12</u>	8
9	—	<u>05</u>	—	~~32~~	<u>28</u>	—	—	<u>14</u>	<u>04</u>	—	—	—	9
10	—	<u>09</u>	<u>04</u>	—	<u>17</u>	—	—	<u>04</u>	—	—	—	—	10
11	—	<u>28</u>	—	—	<u>04</u>	—	—	<u>07</u>	—	—	—	—	11
12	—	<u>83</u>	—	—	—	—	—	<u>20</u>	—	—	—	—	12
13	<u>03</u>	<u>32</u>	—	<u>28</u>	—	—	—	—	—	—	—	—	13
14	<u>34</u>	<u>38</u>	<u>06</u>	<u>22</u>	—	—	—	—	—	—	—	—	14
15	<u>07</u>	—	—	<u>13</u>	—	—	—	—	—	<u>06</u>	—	—	15
16	<u>06</u>	—	—	—	—	—	—	—	<u>11</u>	<u>20</u>	—	—	16
17	<u>01</u>	—	—	—	<u>06</u>	—	<u>02</u>	—	<u>05</u>	—	—	—	17
18	—	—	—	—	<u>30</u>	—	—	—	<u>07</u>	—	—	—	18
19	—	—	—	—	—	—	<u>07</u>	<u>11</u>	<u>85</u>	<u>81</u>	—	<u>60</u>	19
20	—	—	<u>05</u>	—	—	—	—	<u>07</u>	<u>88</u>	<u>86</u>	—	<u>05</u>	20
21	—	—	<u>05</u>	—	—	—	<u>70</u>	<u>57</u>	<u>23</u>	<u>54</u>	—	<u>30</u>	21
22	—	<u>24</u>	—	<u>16</u>	<u>09</u>	—	<u>50</u>	<u>05</u>	<u>69</u>	<u>90</u>	—	<u>52</u>	22
23	<u>11</u>	<u>15</u>	<u>08</u>	<u>01</u>	<u>15</u>	—	—	<u>38</u>	—	—	—	—	23
24	<u>35</u>	<u>43</u>	<u>02</u>	—	<u>45</u>	—	—	—	—	—	—	<u>04</u>	24
25	<u>27</u>	<u>88</u>	—	<u>06</u>	—	—	<u>05</u>	<u>02</u>	<u>26</u>	<u>05</u>	—	<u>11</u>	25
26	<u>06</u>	<u>22</u>	—	—	<u>43</u>	—	<u>30</u>	<u>23</u>	—	<u>35</u>	—	<u>07</u>	26
27	<u>06</u>	<u>03</u>	—	<u>11</u>	<u>13</u>	—	<u>19</u>	—	—	—	—	—	27
28	<u>23</u>	—	—	—	—	—	<u>05</u>	—	—	—	—	<u>20</u>	28
29	<u>06</u>	~~X~~	—	<u>12</u>	<u>18</u>	—	<u>12</u>	—	—	—	<u>09</u>	<u>78</u>	29
30	<u>02</u>	~~X~~	—	<u>30</u>	—	—	<u>39</u>	—	—	—	<u>26</u>	<u>82</u>	30
31	<u>13</u>	~~X~~	<u>05</u>	~~X~~	—	~~X~~	<u>07</u>	—	~~X~~	<u>06</u>	~~X~~	<u>04</u>	31
TOTAL	<u>357</u>	<u>461</u>	<u>39</u>	<u>304</u>	<u>381</u>	<u>000</u>	<u>321</u>	<u>250</u>	<u>348</u>	<u>383</u>	<u>265</u>	<u>423</u>	YEARS TOTAL
Days with 01 in. or more.	<u>19</u>	<u>16</u>	<u>8</u>	<u>14</u>	<u>18</u>	—	<u>13</u>	<u>16</u>	<u>10</u>	<u>9</u>	<u>8</u>	<u>14</u>	<u>146</u>
Days with 04 in. or more.	<u>16</u>	<u>13</u>	<u>7</u>	<u>12</u>	<u>18</u>	—	<u>12</u>	<u>13</u>	<u>10</u>	<u>9</u>	<u>8</u>	<u>14</u>	<u>133</u>

(Signed)

G Morris

(Gardener)

[P.T.O.]

Kept at Houghton Lodge
in the County of Hants
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft..... in.
„ Ground „ Sea Level.....112 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	68	11	—	—	02	30	—	—	10	—	43	04	1
2	39	—	—	—	—	48	09	—	42	—	44	—	2
3	08	13	10	04	—	02	—	—	—	—	—	—	3
4	07	18	30	38	—	—	02	—	—	—	49	—	4
5	14	09	02	—	32	—	41	—	02	02	09	27	5
6	48	29	06	29	03	—	12	—	07	—	141	—	6
7	14	13	—	15	16	19	08	19	26	—	108	—	7
8	01	—	03	14	03	—	—	—	—	10	110	—	8
9	—	—	—	—	—	38	02	—	—	07	35	—	9
10	—	—	—	—	08	28	04	07	01	—	22	—	10
11	—	—	—	—	03	20	—	12	—	—	—	—	11
12	—	—	—	—	17	04	—	19	—	24	—	—	12
13	—	—	—	—	05	22	—	—	—	03	91	—	13
14	—	19	—	41	25	13	—	—	01	32	—	—	14
15	20	08	—	28	—	—	—	—	04	44	08	—	15
16	24	10	—	29	—	—	04	—	—	—	07	—	16
17	17	51	—	13	—	35	03	15	—	—	39	—	17
18	37	10	—	12	—	—	08	—	—	—	94	—	18
19	—	—	—	28	08	—	—	—	—	—	36	—	19
20	—	—	—	—	—	—	02	19	—	—	10	—	20
21	—	—	—	—	03	—	10	20	—	21	07	—	21
22	46	—	15	—	—	—	02	—	—	—	—	—	22
23	19	—	—	—	—	—	—	—	—	—	—	—	23
24	10	—	—	—	—	—	15	—	—	55	—	—	24
25	04	—	—	—	—	—	—	—	05	10	16	04	25
26	07	—	—	48	10	—	26	—	03	—	12	—	26
27	34	02	—	01	12	—	—	—	10	—	02	—	27
28	30	—	—	08	04	—	16	—	—	49	—	—	28
29	08	X	—	08	20	—	—	—	—	02	25	—	29
30	26	X	—	16	06	—	—	—	—	—	26	—	30
31	46	X	—	X	—	X	—	08	X	—	X	—	31
TOTAL	527	193	66	332	177	259	164	119	111	259	934	35	YEAR'S TOTAL 3176
Days with 01 in. or more.	22	12	6	16	17	11	16	8	11	12	22	3	156
Days with 04 in. or more.	21	4	4	15	12	10	4	8	7	9	21	3	132

REGISTER OF RAINFALL IN 1927.

Kept at Houghton Lodge, Stockbridge

in the County of Hants

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

„ Ground „ Sea Level.....112.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	<u>.94</u>	<u>.07</u>	—	—	—	<u>1.25</u>	<u>.29</u>	—	<u>.26</u>	<u>.51</u>	—	1
2	<u>.03</u>	—	<u>.04</u>	<u>.10</u>	—	—	<u>.12</u>	—	—	<u>.01</u>	<u>.05</u>	—	2
3	<u>.22</u>	—	<u>.07</u>	—	—	—	<u>.15</u>	—	—	—	—	<u>.05</u>	3
4	<u>.05</u>	<u>.01</u>	<u>.10</u>	<u>.12</u>	<u>.06</u>	<u>.03</u>	—	—	—	—	<u>.04</u>	—	4
5	<u>.12</u>	<u>.08</u>	<u>.24</u>	<u>.37</u>	—	<u>.04</u>	—	—	—	—	<u>.09</u>	—	5
6	<u>.04</u>	—	<u>.32</u>	<u>.47</u>	—	—	—	<u>.20</u>	<u>.43</u>	—	<u>.02</u>	<u>.02</u>	6
7	—	<u>.28</u>	—	<u>.12</u>	—	<u>.23</u>	—	<u>.07</u>	—	—	—	—	7
8	—	—	—	<u>.38</u>	—	—	<u>.32</u>	<u>.16</u>	<u>.07</u>	—	—	—	8
9	<u>.02</u>	—	<u>.09</u>	<u>.13</u>	—	—	—	<u>.15</u>	<u>.32</u>	—	—	—	9
10	—	—	<u>.07</u>	—	—	—	—	<u>.14</u>	<u>.10</u>	—	—	<u>.11</u>	10
11	<u>.01</u>	—	—	—	—	—	—	<u>.12</u>	—	—	—	—	11
12	<u>.18</u>	—	—	—	—	—	—	<u>.42</u>	—	—	—	—	12
13	<u>.08</u>	—	—	—	—	—	<u>.40</u>	<u>.06</u>	<u>.12</u>	—	<u>.10</u>	<u>.35</u>	13
14	<u>.03</u>	—	—	<u>.10</u>	—	—	<u>.34</u>	<u>.21</u>	<u>1.67</u>	—	—	—	14
15	<u>.01</u>	—	—	—	<u>.08</u>	—	—	—	<u>.03</u>	—	—	—	15
16	<u>.10</u>	—	—	—	<u>.25</u>	<u>.43</u>	—	—	<u>.20</u>	—	—	—	16
17	<u>.12</u>	—	<u>.20</u>	—	—	<u>.24</u>	—	<u>.36</u>	<u>.02</u>	—	—	—	17
18	—	—	—	—	—	<u>.51</u>	—	<u>.14</u>	—	—	<u>.66</u>	—	18
19	<u>.17</u>	<u>.34</u>	—	—	—	—	<u>.07</u>	<u>.30</u>	—	—	<u>.52</u>	—	19
20	<u>.03</u>	<u>.16</u>	—	—	—	—	<u>.22</u>	<u>.36</u>	<u>.01</u>	—	<u>.23</u>	<u>.25</u>	20
21	<u>.02</u>	<u>.31</u>	—	—	—	<u>.07</u>	—	<u>.31</u>	<u>.43</u>	<u>.19</u>	—	<u>.97</u>	21
22	<u>.19</u>	<u>.31</u>	<u>.32</u>	<u>.01</u>	—	<u>.04</u>	—	<u>.03</u>	<u>.20</u>	<u>.37</u>	—	<u>.66</u>	22
23	<u>.05</u>	<u>.71</u>	<u>.38</u>	—	—	<u>.17</u>	—	<u>.06</u>	<u>.65</u>	—	<u>.29</u>	<u>.08</u>	23
24	<u>.07</u>	<u>.07</u>	<u>.45</u>	<u>.04</u>	—	<u>.08</u>	—	<u>.38</u>	—	<u>.07</u>	—	<u>.30</u>	24
25	<u>.13</u>	<u>.21</u>	<u>.25</u>	—	—	<u>.03</u>	<u>.09</u>	<u>.15</u>	<u>.06</u>	<u>.06</u>	—	<u>.65</u>	25
26	<u>.07</u>	<u>.62</u>	<u>.15</u>	—	—	<u>.10</u>	<u>.37</u>	—	<u>.10</u>	<u>.13</u>	—	<u>.10</u>	26
27	<u>.10</u>	<u>.37</u>	<u>.18</u>	—	—	<u>.05</u>	<u>.07</u>	—	—	<u>.50</u>	<u>.45</u>	—	27
28	~~52~~ <u>.04</u>	<u>.26</u>	<u>.09</u>	<u>.04</u>	—	<u>.20</u>	<u>.08</u>	—	<u>.08</u>	<u>.05</u>	<u>.59</u>	—	28
29	—	X	<u>.12</u>	—	—	<u>.25</u>	—	—	<u>.61</u>	—	—	—	29
30	—	X	<u>.10</u>	—	—	<u>.20</u>	<u>.06</u>	—	—	<u>.27</u>	—	—	30
31	<u>.05</u>	X	<u>.36</u>	X	—	X	<u>.04</u>	—	X	—	X	—	31
TOTAL	<u>2.45</u>	<u>4.67</u>	<u>3.60</u>	<u>1.88</u>	<u>.39</u>	<u>2.67</u>	<u>3.58</u>	<u>3.91</u>	<u>5.30</u>	<u>1.91</u>	<u>3.55</u>	<u>3.54</u>	WATER'S TOTAL <u>37.45</u>
Days with ".01 in. or more.	<u>26</u>	<u>14</u>	<u>19</u>	<u>11</u>	<u>3</u>	<u>16</u>	<u>14</u>	<u>19</u>	<u>17</u>	<u>10</u>	<u>12</u>	<u>11</u>	<u>172</u>
Days with ".04 in. or more.	<u>18</u>	<u>13</u>	<u>19</u>	<u>10</u>	<u>3</u>	<u>14</u>	<u>14</u>	<u>18</u>	<u>14</u>	<u>9</u>	<u>11</u>	<u>10</u>	<u>153</u>

REGISTER OF RAINFALL IN 1929..

Kept at Houghton Lodge, Stockbridge
in the County of Hants

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 112 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	12	—	—	—	05	—	—	—	39	—	—	I
2	—	25	—	—	—	—	18	—	—	11	—	43	2
3	—	—	—	—	—	03	06	06	—	—	—	17	3
4	—	—	—	07	35	18	14	10	—	—	—	120	4
5	—	—	—	—	58	42	07	55	—	54	31	19	5
6	—	—	—	—	03	—	06	05	—	01	—	52	6
7	—	—	—	—	—	12	—	09	—	49	41	66	7
8	—	—	—	—	—	—	—	01	—	58	—	53	8
9	14	16	—	—	—	—	—	—	—	—	18	41	9
10	11	—	—	—	—	—	—	—	—	—	—	10	10
11	—	06	—	—	12	—	—	—	—	02	105	—	11
12	—	—	—	—	—	05	—	—	—	—	—	—	12
13	—	—	—	—	15	—	—	—	—	—	—	—	13
14	—	—	—	—	—	26	—	—	—	—	—	20	14
15	07	11	—	—	—	13	—	—	—	—	53	—	15
16	—	—	—	—	—	—	—	04	—	—	08	—	16
17	05	—	—	—	—	—	—	—	—	—	87	—	17
18	—	—	—	—	—	—	—	05	—	—	—	—	18
19	—	—	—	—	—	—	—	—	—	—	35	—	19
20	—	—	—	—	—	—	23	—	—	58	—	49	20
21	10	—	06	01	—	—	—	—	—	—	—	08	21
22	—	—	—	—	—	—	—	—	—	—	31	—	22
23	—	14	—	—	—	—	—	—	—	08	88	69	23
24	—	—	—	02	—	—	—	—	—	125	102	20	24
25	—	02	—	—	—	—	—	—	—	05	10	41	25
26	—	—	—	—	18	—	—	—	—	—	09	28	26
27	—	—	—	26	04	—	—	—	—	—	105	16	27
28	26	—	—	—	—	—	40	—	—	06	32	09	28
29	10	—	—	50	—	05	—	—	10	29	75	35	29
30	—	x	—	—	—	13	08	—	20	10	74	13	30
31	65	x	—	x	—	x	25	01	x	—	x	20	31
TOTAL	148	86	06	86	145	142	147	96	30	455	904	749	2994
Days with or in. or more.	8	7	1	5	7	10	9	9	2	14	17	21	110
Days with or in. or more.	8	6	1	3	6	9	9	7	2	12	17	21	101

REGISTER OF RAINFALL IN 1930.

Kept at Houghton Lodge, Stockbridge
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 112 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	06	56	—	—	—	—	—	—	—	—	24	—	I
2	02	05	02	08	17	—	04	27	—	01	60	—	2
3	09	06	—	91	—	—	—	51	—	05	—	—	3
4	54	03	—	02	—	—	—	18	09	08	—	—	4
5	19	—	—	—	04	—	—	81	—	04	—	—	5
6	05	—	—	—	—	—	—	33	13	03	—	—	6
7	28	—	—	—	—	—	—	06	—	32	30	15	7
8	—	—	—	06	—	—	—	—	04	07	—	—	8
9	—	—	09	—	25	—	—	—	28	—	—	—	9
10	69	—	—	—	35	—	—	—	—	—	—	106	10
11	24	—	—	04	—	—	05	—	—	10	—	26	11
12	18	—	—	—	16	—	—	18	—	—	—	15	12
13	—	—	22	30	—	—	03	12	27	—	—	—	13
14	12	—	12	16	—	—	06	—	—	02	—	—	14
15	—	—	18	—	—	—	35	—	—	—	12	21	15
16	—	—	04	—	—	—	—	—	16	—	—	14	16
17	—	—	—	14	—	—	09	—	40	29	—	—	17
18	—	—	—	—	18	—	—	08	29	—	12	15	18
19	—	—	07	11	—	02	02	—	20	18	66	—	19
20	—	—	—	09	—	—	80	66	38	24	22	—	20
21	—	—	—	—	—	—	—	03	01	15	52	—	21
22	06	—	—	05	—	08	—	22	04	—	43	—	22
23	05	—	10	06	—	20	26	—	—	—	29	05	23
24	36	—	—	31	08	06	—	—	—	—	35	21	24
25	06	28	—	14	04	—	—	—	—	07	29	12	25
26	56	04	—	—	—	—	08	—	29	—	—	27	26
27	11	—	—	—	—	—	—	—	21	08	20	12	27
28	—	—	—	—	—	—	01	—	15	—	65	22	28
29	04	X	05	—	—	—	11	05	30	—	08	07	29
30	09	X	—	—	12	62	30	—	—	—	—	21	30
31	59	X	20	X	05	X	—	—	X	—	X	11	31
TOTAL	438	102	109	247	144	98	220	350	324	173	507	350	3062
*Days with or in. or more.	20	6	10	14	10	5	13	13	16	15	15	16	153
*Days with or in. or more.	19	5	9	13	10	4	10	12	15	12	15	16	140

REG

STOKE CHARITY
HANTS

ORGANIZATION.

921.....

ong.....

tion.....
of Rain Gauge.....in.

age above Ground.....ft.....in.
,, Sea Level.....ft.

result entered to the previous day.

ly requested to add
for it at the end of
lacing of rain gauges,

Jan. 1, following.

IMPORTANT NOTE.

If an Observer prefers not to enter the reading at 9 a.m. on 1st January of the following year, he should enter the reading at the end of the year. Full instructions for the measurement of rain, the selection of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W.1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	35	05	09					08	04		17	12	1
2	02				02			12		10	23	03	2
3	01				08	03	12	01			26		3
4	16				07			09			47		4
5								23			31		5
6	16		12		12						01	02	6
7	50				32						08		7
8	04		05		24								8
9				06					04				9
10	19				08			03				01	10
11	35		05						96				11
12	24		04		81			14	01			07	12
13	01		17	21				02	03				13
14			09		26			04			03	22	14
15				11			11				44	03	15
16	08			35				86				01	16
17	12		23					08	09				17
18	02									34	02		18
19			12								01	05	19
20			02							18	03	06	20
21											11		21
22	01			07						17		24	22
23				02				01		28		02	23
24	02	06										06	24
25		15				01	07					11	25
26	03				02							25	26
27				05	06							01	27
28			25		02		09					08	28
29	10		09		18		01						29
30	51				03						30	06	30
31	04				02								31
TOTAL	2.96	.25	1.32	.87	2.33	.04	.40	1.71	1.17	1.07	2.47	1.45	16.04
Days with "01 in. or more	20	3	12	7	15	2	5	12	6	5	14	18	119
Days with "04 in. or more	13	3	11	6	10	0	4	8	4	5	9	11	84

Kept at Stoke Charity
in the County of Hampshire
by C. B. Lloyd

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.05	.09					.08	.04		.17	.12	1
2	.02				.02			.12		.10	.23	.03	2
3	.01				.08	.03	.12	.01			.26		3
4	.16				.07			.09			.47		4
5								.23			.31		5
6	.16		.12		.12						.01	.02	6
7	.50				.32						.08		7
8	.04		.05		.24								8
9				.06					.04				9
10	.19				.08			.03				.01	10
11	.35		.05						.96				11
12	.24		.04		.81			.14	.01			.07	12
13	.01		.17	.21				.02	.03				13
14			.09		.26			.04			.03	.22	14
15				.11			.11				.44	.03	15
16	.08			.35				.86				.01	16
17	.12		.23					.08	.09				17
18	.02									.34	.02		18
19			.12								.01	.05	19
20			.02							.18	.03	.06	20
21											.11		21
22	.01			.07						.17		.24	22
23				.02				.01		.28		.02	23
24	.02	.06										.06	24
25		.15				.01	.07					.11	25
26	.03				.02							.25	26
27				.05	.06							.01	27
28			.25		.02		.09					.08	28
29	.10		.09		.18		.01						29
30	.51	~~XXXX~~			.03						.30	.06	30
31	.04	~~XXXX~~		~~XXXX~~	.02	~~XXXX~~			~~XXXX~~		~~XXXX~~		31
TOTAL	2.96	.25	1.32	.87	2.33	.04	.40	1.71	1.17	1.07	2.47	1.45	16.04
Days with ".01 in. or more	20	3	12	7	15	2	5	12	6	5	14	18	119
Days with ".04 in. or more	13	3	11	6	10	0	4	8	4	5	9	11	84

Kept at Micheldewen, Stoke Charity
in the County of Hampshire
by G. B. Lloyd (Rev.)

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.23	.22		.10		.24	.02	.06		.46		1
2		.23	.09	.27		.01	.22				.03		2
3	.10	.07	.28	.40	.10		.02	.14			.09		3
4		.35	.12		.22		.13			.37			4
5	.06		.31	.03			2.16			.34	.67		5
6	.10		.10	.02			.05	1.05			.06		6
7	.08		.37	.24			.04	.39			.15		7
8	.10		.07			.04	.28	.09				.02	8
9	.07			.20			.02	.12					9
10						.01		.09		.01	.31		10
11	.06			.03	.05								11
12				.73				.24	.52			.01	12
13	.19			.70		.58	.30		.25				13
14	.02			.18		.01	.95		.31				14
15	.43	.20		.10							.01		15
16		.10		.20	.18		.03	.12	.09			.12	16
17		.16			.05		.10	.02				.12	17
18	1.07	.07			.02				.09			.16	18
19	.06	.08	.03						.27	.06		.62	19
20	.14	.39											20
21	.30	.20	.02	.17			.03					.91	21
22		.01				.05		.12				.39	22
23		.04		.07			.13		.06				23
24	.17		.17	.02	.23	.15		.12					24
25	.61			.28		.04			.18			.20	25
26	.13	.36	.02	.02		.08	.11		.09		.04	.16	26
27	.25	.23	.25	.08		.01		.20	.01			.26	27
28	.17	.27	.07	.01		.21		.07	.03			.11	28
29						.09		.02		.23		.35	29
30	.15	~~XX~~	.11			.02	.02	.20	.10	.03	.03	.61	30
31	.26	~~XX~~	.28	~~XX~~		~~XX~~	.17	.11	~~XX~~	.23	~~XX~~	.07	31
TOTAL	4.54	2.99	2.51	3.75	.95	1.30	5.00	3.12	2.06	1.27	1.85	4.11	YEAR'S TOTAL 33.45
Days with ".01 in. or more	22	16	16	19	8	13	18	17	13	7	10	15	174
Days with ".01 in. or more	20	15	13	13	7	8	13	14	11	5	7	13	139

REGISTER OF RAINFALL IN 1923

Kept at Stoke Charity Rectory
in the County of Hampshire
by Rev. C. B. Lloyd M.A.

Lat. 51° 9' Long. 1° 19' W
Time of Observation 9 A.M.
Nearest Railway Station Lusson Rectory
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 221 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

1923

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.05	.33					.02	.08	.21		.69	1
2	.28	.04			.06					.08	.03		2
3	.01		.05		.01					.81	.07	.09	3
4									.11			.21	4
5	.53		.02	.07	.03					.10			5
6	.54	.38	.11	.05									6
7	.06	1.42			.02					.35		.34	7
8		.07	.15							.18	.38		8
9	.15	.63	.02				.01						9
10		.36		.45	.13		.08			.17			10
11				.31	.05					.74			11
12		.14	.57	.35	.08					.51			12
13	.01	.13	.04	.09						.03	.84		13
14			.04	.09	.05			.03	.65	.5			14
15			.01	.30	.42	.25	.03		.03		.37		15
16		.14			.04						.18	.03	16
17		.15			.01			.20	.26		.06		17
18	.05	.24				.09	.02	.22	.04	.06			18
19	.08	.04							.21	.77		.05	19
20	.01	.20	.01						.17	.07	.01		20
21		.41		.02						.22		.33	21
22		.38	.07					.16	.13	.20		.133	22
23		.27	.03		.44		.07	1.12	.05	.32		.14	23
24		.10		.08				.39	.35	.01		.11	24
25		.40		.51		.02		.05	.09	.57		.45	25
26		.10		.05						.44	.01	.35	26
27		.10	.16				.75			.17		.08	27
28		.29	.08	.24	.29		.27	.04					28
29	.04	X	.02		.32		.04	.94		.01		.08	29
30		X	.05				.17	.03		.31		.39	30
31		X	.06	X		X	.20		X		X	.19	31
TOTAL	1.86	5.74	1.82	2.61	1.95	.36	.89	3.35	2.17	6.33	1.95	3.66	32.69
Days with 01 in. or more	.12	.22	.18	.13	.14	.3	.9	.12	.12	.22	.9	.16	162
Days with 04 in. or more	.9	.22	.12	.12	.10	.2	.6	.9	.11	.19	.96	.15	133

YEAR'S TOTAL

Kept at Stoke Charity
in the County of Hampshire
by C. B. Lloyd

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03	.01	.02	.11							1
2	.04		.14			.05							2
3			.07		.12	.12							3
4					.10	.50							4
5			.15										5
6					.04								6
7	.07				.09	.47							7
8	.12	.05		.07	.07								8
9	.05	.10		.02	.03	.06							9
10	.17			.11	.66	.30							10
11	.14			.33	.31	.10							11
12	.21			.14	.12								12
13	.07			.67	.04								13
14	.01			.06									14
15		.01											15
16	.03												16
17	.23					.08							17
18	.58	.05			.23								18
19	.21				.15	.03							19
20	.04				.16								20
21	.50		.04		.14								21
22	.27		.48		.04								22
23			.20		.34								23
24	.44	.10	.06	.17	.29								24
25			.06	.19									25
26				.40									26
27		.04		.78									27
28													28
29	.01	.01		.18	.19								29
30		X		.46	.14								30
31		X		X	.48	X			X		X		31
TOTAL	3.19	.36	1.23	3.59	3.76	1.82	#						YEAR'S TOTAL
Days with ".01 in. or more	18	7	9	14	21	10							
Days with ".04 in. or more	15	5	8	12	19	9							

732

STONER HILL

Kept at...

in the Co

by

1921-30

IMP

If an Observer is requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

FALL ORGANIZATION.
IN 1921...

Long. 0-57-39 W

Observation 9 a.m.

Railway Station Peterfield

of Funnel of Rain Gauge 5 in.

Top of Gauge above Ground ft. in.

" " Sea Level ft.

and the result entered to the previous day.

earnestly requested to add

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.65	0.12	0.11	-	-	-	-	0.04	-	-	0.17	0.27	1
2	-	0.06	-	-	0.04	-	-	0.08	-	-	0.35	0.07	2
3	0.10	-	0.03	-	0.24	0.06	-	-	-	-	0.56	-	3
4	0.25	-	-	-	0.10	-	-	0.20	-	-	0.42	-	4
5	-	-	-	-	0.01	-	-	0.40	-	-	0.28	0.03	5
6	0.44	-	0.24	-	0.40	-	-	-	-	-	0.01	0.02	6
7	1.00	-	-	-	0.58	-	-	-	-	-	-	-	7
8	0.13	-	0.05	-	0.06	-	-	-	-	-	-	-	8
9	-	-	-	-	-	-	-	-	0.13	-	-	-	9
10	0.30	-	0.01	-	-	-	-	-	-	0.01	-	-	10
11	0.33	-	-	-	-	-	-	-	0.91	-	-	0.02	11
12	0.36	-	0.02	-	0.36	-	-	1.16	0.09	-	-	0.05	12
13	0.05	-	0.16	0.29	-	-	-	0.08	0.02	0.01	-	-	13
14	-	-	-	-	0.10	-	0.01	-	0.01	-	-	0.29	14
15	-	-	-	0.03	0.02	-	0.16	-	-	-	-	-	15
16	0.19	-	0.21	0.43	-	-	-	1.14	-	-	0.84	0.03	16
17	0.19	-	0.30	-	-	-	0.24	0.14	0.07	0.02	-	-	17
18	0.07	-	-	-	-	-	-	-	-	0.04	-	-	18
19	-	-	0.26	0.11	-	-	-	-	-	0.02	-	0.24	19
20	-	-	0.04	-	-	-	-	-	-	0.59	-	-	20
21	0.03	-	-	-	-	-	-	-	-	0.05	0.05	0.37	21
22	-	-	-	0.18	-	-	-	-	-	0.08	-	0.09	22
23	-	-	-	0.08	-	-	0.01	0.55	-	0.30	-	0.45	23
24	0.05	0.03	-	-	-	-	-	-	-	-	-	0.19	24
25	0.02	0.10	-	-	-	0.17	-	-	-	-	-	-	25
26	0.06	-	-	-	-	-	0.05	-	-	-	-	0.65	26
27	0.02	-	-	-	0.05	-	-	0.01	-	-	-	0.17	27
28	-	-	0.40	-	0.10	-	0.10	-	-	-	-	0.06	28
29	0.19	~~X~~	0.19	-	0.69	-	-	0.02	-	-	-	0.04	29
30	0.31	~~X~~	-	-	0.17	-	-	-	-	-	0.33	0.30	30
31	0.12	~~X~~	-	~~X~~	0.08	~~X~~	0.03	-	~~X~~	-	~~X~~	-	31
TOTAL	4.86	0.31	2.02	1.12	3.00	0.23	0.60	3.82	1.23	1.12	3.01	3.04	YEAR'S TOTAL
Days with 0.1 in. or more	21	4	13	6	15	2	7	11	6	9	9	18	24.36
Days with 0.4 in. or more	18	3	10	5	13	2	4	9	4	5	8	14	121
													95

Kept at Stoner Hill
in the County of Hampshire
by C. J. P. Cave

Lat. 51-1-22 Long. 0-57-39 W
Time of Observation 9 a.m.
Nearest Railway Station Basingstoke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.65	0.12	0.11	-	-	-	-	0.04	-	-	0.17	0.27	1
2	-	0.06	-	-	0.04	-	-	0.08	-	-	0.35	0.07	2
3	0.10	-	0.03	-	0.24	0.06	-	-	-	-	0.56	-	3
4	0.25	-	-	-	0.10	-	-	0.20	-	-	0.42	-	4
5	-	-	-	-	0.01	-	-	0.40	-	-	0.28	0.03	5
6	0.44	-	0.24	-	0.40	-	-	-	-	-	0.01	0.02	6
7	1.00	-	-	-	0.58	-	-	-	-	-	-	-	7
8	0.13	-	0.05	-	0.06	-	-	-	-	-	-	-	8
9	-	-	-	-	-	-	-	-	0.13	-	-	-	9
10	0.30	-	0.01	-	-	-	-	-	-	0.01	-	-	10
11	0.33	-	-	-	-	-	-	-	0.91	-	-	0.02	11
12	0.36	-	0.02	-	0.36	-	-	1.16	0.09	-	-	0.05	12
13	0.05	-	0.16	0.29	-	-	-	0.08	0.02	0.01	-	-	13
14	-	-	-	-	0.10	-	0.01	-	0.01	-	-	0.29	14
15	-	-	-	0.03	0.02	-	0.16	-	-	-	-	-	15
16	0.19	-	0.21	0.43	-	-	-	1.14	-	-	0.84	0.03	16
17	0.19	-	0.30	-	-	-	0.24	0.14	0.07	0.02	-	-	17
18	0.07	-	-	-	-	-	-	-	-	0.04	-	-	18
19	-	-	0.26	0.11	-	-	-	-	-	0.02	-	0.24	19
20	-	-	0.04	-	-	-	-	-	-	0.59	-	-	20
21	0.03	-	-	-	-	-	-	-	-	0.05	0.05	0.37	21
22	-	-	-	0.18	-	-	-	-	-	0.08	-	0.09	22
23	-	-	-	0.08	-	-	0.01	0.55	-	0.30	-	0.45	23
24	0.05	0.03	-	-	-	-	-	-	-	-	-	0.19	24
25	0.02	0.10	-	-	-	0.17	-	-	-	-	-	-	25
26	0.06	-	-	-	-	-	0.05	-	-	-	-	0.65	26
27	0.02	-	-	-	0.05	-	-	0.01	-	-	-	0.17	27
28	-	-	0.40	-	0.10	-	0.10	-	-	-	-	0.06	28
29	0.19	~~X~~	0.19	-	0.69	-	-	0.02	-	-	-	0.04	29
30	0.31	~~X~~	-	-	0.17	-	-	-	-	-	0.33	0.30	30
31	0.12	~~X~~	-	~~X~~	0.08	~~X~~	0.03	-	~~X~~	-	~~X~~	-	31
TOTAL	4.86	0.31	2.02	1.12	3.00	0.23	0.60	3.82	1.23	1.12	3.01	3.04	YEAR'S TOTAL
Days with 0.1 in. or more	21	4	13	6	15	2	7	11	6	9	9	18	24.36
Days with 0.4 in. or more	18	3	10	5	13	2	4	9	4	5	8	14	121
													95

REGISTER OF RAINFALL IN 1922.

Kept at Stoner Hill Petersfield
in the County of Hampshire
by Captain E. P. Bave.

Lat. 51-1-43 Long. 0-54-43W
Time of Observation 09.00
Nearest Railway Station Petersfield 1.8 miles S. 31° E
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 9 1/2 in.
" " " " Sea Level 748 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05	0.23	0.21	-	0.26	-	0.34	0.04	0.20	0.02	0.67	-	1
2	-	0.31	0.28	0.43	-	-	0.41	-	-	-	0.04	-	2
3	0.04	0.12	0.38	0.40	0.18	-	0.05	0.13	-	0.02	0.14	-	3
4	-	0.18	0.18	0.01	0.25	-	0.31	0.01	-	0.48	0.02	-	4
5	-	0.11	0.40	0.03	-	-	2.69	-	-	0.20	0.93	-	5
6	0.12	0.01	0.36	0.05	-	-	0.02	1.42	-	-	0.04	-	6
7	0.15	-	0.78	0.32	-	-	0.05	0.21	-	-	0.03	0.02	7
8	0.10	-	0.12	0.09	-	0.06	0.45	0.03	-	-	0.10	0.03	8
9	0.15	-	-	0.03	-	-	0.04	0.19	-	-	0.05	-	9
10	0.02	-	-	-	-	0.03	-	-	-	-	0.66	-	10
11	0.04	-	-	0.07	0.09	-	-	0.01	-	-	-	-	11
12	-	-	-	1.32	-	-	-	0.34	0.70	-	-	0.03	12
13	0.06	-	-	0.83	-	0.52	0.35	-	0.19	-	-	-	13
14	0.02	-	-	0.03	-	-	0.59	-	0.24	-	0.01	-	14
15	0.46	0.40	-	0.02	-	-	-	-	-	-	-	0.01	15
16	0.02	0.25	-	0.13	0.23	-	0.03	0.09	0.26	-	-	0.25	16
17	-	0.32	-	-	0.07	-	0.15	-	-	-	-	0.15	17
18	1.91	0.04	-	-	0.06	-	-	-	0.18	-	-	0.21	18
19	0.36	0.16	0.03	-	0.02	-	-	-	0.20	0.12	-	0.87	19
20	0.11	0.31	0.02	-	-	-	-	-	0.01	0.02	-	0.01	20
21	0.64	0.30	0.02	0.17	-	-	-	-	0.01	-	-	1.67	21
22	0.01	0.11	-	0.01	0.04	0.14	0.01	0.17	-	-	-	0.30	22
23	-	0.16	-	0.25	-	0.02	0.11	-	0.08	-	-	-	23
24	0.03	0.01	0.14	0.04	-	0.24	-	0.23	-	-	-	0.05	24
25	0.85	0.02	0.01	0.46	-	0.39	-	-	0.18	-	-	0.33	25
26	0.28	0.69	0.07	0.10	-	0.13	0.18	-	0.01	-	0.02	0.33	26
27	0.43	0.41	0.03	0.11	-	0.04	-	0.20	-	-	-	0.60	27
28	0.48	0.37	-	0.07	-	0.25	-	0.03	0.07	-	-	0.17	28
29	0.02	X	-	-	-	0.09	0.01	0.05	-	0.17	-	0.25	29
30	0.02	X	0.12	-	-	0.31	0.01	0.55	0.13	0.02	0.14	0.75	30
31	0.10	X	0.42	X	-	X	0.48	0.12	X	0.33	X	0.12	31
TOTAL	6.77	4.51	3.54	4.89	1.20	2.22	6.28	3.82	2.46	1.38	2.85	6.15	YEAR'S TOTAL
Days with 0.1 in. or more	25	20	14	22	9	12	19	17	14	9	13	19	196
Days with 0.1 in. or more	18	14	12	15	8	10	14	13	11	5	9	14	146

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Stones Hill
in the County of Hampshire
by C. J. P. Cave.

Lat. 51-1-43 N. Long. 0-57-43 W
Time of Observation 9.00 am.
Nearest Railway Station Petersfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 9½ ft.
" " " " Sea Level 748 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.21	0.07	0.48	-	-	-	-	-	0.04	0.09	0.06	0.86	1
2	0.31	0.05	0.04	-	0.02	-	-	0.03	-	0.13	0.06	-	2
3	0.01	-	0.01	-	-	-	-	-	0.05	0.84	0.02	0.11	3
4	0.01	-	-	-	-	-	-	-	0.09	-	-	0.23	4
5	0.61	-	0.01	0.03	-	-	-	-	-	0.10	0.13	0.07	5
6	0.71	0.36	0.11	0.14	-	0.02	-	-	-	-	-	-	6
7	0.10	1.71	0.18	-	0.08	-	-	-	-	0.43	-	0.84	7
8	0.02	0.11	0.06	-	0.10	0.01	-	-	-	0.24	0.33	-	8
9	0.10	0.52	-	-	-	-	0.16	-	-	0.03	0.02	-	9
10	-	0.64	-	0.76	0.09	-	0.04	-	-	0.29	-	0.03	10
11	0.01	0.24	-	0.77	0.02	-	-	-	-	0.78	0.01	0.05	11
12	-	0.18	0.62	0.37	0.09	0.02	-	-	-	0.75	0.01	0.02	12
13	0.01	0.15	0.17	0.16	-	-	-	-	-	0.01	0.74	0.01	13
14	-	-	0.08	0.09	0.13	-	-	0.05	0.36	-	-	-	14
15	-	0.02	0.02	0.24	0.21	0.30	0.05	-	0.11	-	0.46	-	15
16	-	0.29	-	0.26	0.02	-	-	-	-	-	0.26	-	16
17	-	0.33	-	-	0.01	-	-	0.22	0.09	0.01	0.01	0.01	17
18	0.05	0.44	-	-	-	0.03	-	0.07	0.06	0.01	-	-	18
19	0.09	0.02	-	-	-	-	0.03	-	0.15	0.93	-	-	19
20	0.01	0.29	0.02	-	0.07	-	-	0.01	0.30	0.19	0.01	-	20
21	-	0.03	-	0.11	0.02	-	-	-	0.03	0.23	-	0.38	21
22	0.01	0.54	0.09	-	-	-	0.09	0.09	0.21	0.42	-	0.14	22
23	-	0.44	0.09	-	0.56	-	0.09	1.10	0.01	0.57	-	0.14	23
24	-	0.10	-	0.12	-	-	0.07	0.30	0.46	0.05	-	0.43	24
25	-	0.61	-	0.95	-	-	0.07	0.23	0.04	0.81	-	0.45	25
26	-	0.26	-	0.11	-	0.03	0.02	0.05	-	0.38	0.04	0.40	26
27	-	0.17	0.29	-	-	-	0.02	0.21	-	0.09	-	0.12	27
28	-	0.17	0.08	0.24	0.68	-	0.50	0.03	-	0.01	0.09	-	28
29	0.10	~~X~~	0.08	0.02	0.51	-	0.14	0.94	-	0.04	-	0.14	29
30	-	~~X~~	0.02	0.03	-	0.02	0.10	0.03	-	0.26	-	0.23	30
31	0.02	~~X~~	-	~~X~~	-	~~X~~	0.23	0.04	~~X~~	0.03	~~X~~	0.13	31
TOTAL	2.38	7.74	2.45	4.40	2.61	0.43	1.43	3.40	2.00	7.72	2.25	4.49	YEAR'S TOTAL 41.30
Days with ≥0.1 in. or more	17	24	18	16	15	7	11	15	14	26	15	20	198
Days with ≥0.4 in. or more	9	21	13	13	10	1	9	11	12	20	9	16	144

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____
River Dist. _____
Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Petersfield (Stoner Hill)
in the County of Hampshire
by C. J. P. Cave.

Lat. 51-1-43N Long. 0-57-43W
Time of Observation 9 a.m. S.M.T.
Nearest Railway Station Petersfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 9 in.
" " " " Sea Level 748 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	—	—	0.08	—	0.03	0.51	0.21	0.08	—	—	1.00	0.66	1 RRR
2	0.07	—	0.34	—	—	0.16	0.04	0.04	—	0.01	—	0.02	2 WSK
3	—	—	0.07	—	0.24	0.05	0.23	0.29	0.02	0.03	—	—	3
4	0.01	—	—	0.01	0.04	0.86	—	—	0.04	0.22	—	0.55	4
5	—	—	0.14	—	0.04	—	0.04	—	0.01	0.17	—	0.02	5
6	—	—	—	—	0.01	—	—	0.06	0.06	0.61	—	—	6
7	0.09	—	—	—	0.14	0.54	—	—	0.78	0.32	—	—	7
8	0.25	0.14	—	0.03	0.11	0.01	—	—	0.07	0.11	—	—	8
9	0.07	0.24	—	0.15	0.09	0.11	—	—	0.07	0.01	—	0.01	9
10	0.28	—	—	0.17	0.84	0.59	—	—	0.12	0.09	—	0.01	10
11	0.07	—	—	0.36	0.41	0.63	—	—	0.01	0.08	0.27	0.01	11
12	0.07	—	—	0.13	0.20	0.19	—	0.10	0.34	0.01	0.14	—	12
13	0.14	—	—	0.91	0.19	—	0.06	0.03	0.59	—	0.13	0.28	13
14	0.02	—	—	0.15	—	—	—	0.16	—	—	0.01	0.05	14
15	0.01	0.01	—	—	—	—	—	0.41	0.13	—	—	1.20	15
16	0.09	—	—	—	—	—	—	0.32	0.06	—	—	0.12	16
17	0.37	—	—	—	0.02	0.19	0.93	0.11	0.09	—	—	0.01	17
18	0.79	0.04	—	—	0.03	0.16	—	0.07	—	0.10	0.03	0.03	18
19	0.15	—	—	—	—	—	—	0.10	0.03	0.08	—	0.09	19
20	0.01	—	—	—	0.05	—	0.24	0.02	0.37	0.21	—	—	20
21	0.53	—	0.05	—	0.09	—	0.04	0.02	0.28	0.70	—	—	21
22	0.31	—	0.79	—	0.01	—	0.03	1.24	0.66	—	—	—	22
23	—	—	0.61	—	0.46	—	—	0.28	0.08	—	—	1.14	23
24	0.43	0.07	0.08	0.28	0.21	—	—	—	0.26	—	—	0.20	24
25	—	0.01	—	0.09	0.29	—	0.26	0.01	1.87	0.12	0.14	0.01	25
26	—	—	0.02	0.69	—	—	0.07	0.03	0.01	0.49	0.81	0.37	26
27	—	0.05	—	1.05	—	—	0.95	—	—	0.25	0.24	1.15	27
28	—	—	—	—	—	—	1.30	0.46	—	0.08	0.60	—	28
29	—	0.02	—	0.17	0.19	—	0.10	0.27	0.13	0.91	0.04	0.48	29
30	—	X	—	0.23	0.19	—	0.01	0.18	0.29	0.36	0.38	0.44	30
31	—	X	—	X	0.58	X	0.01	0.04	X	0.22	X	0.10	31 1283
TOTAL	3.76	0.58	2.18	4.42	4.46	4.00	4.52	4.32	6.37	5.18	3.79	6.95	50.53
Days with "1 in. or more.	19	8	9	14	23	12	16	22	24	22	12	22	203
Days with "0.1 in. or more.	15	5	8	12	18	11	13	17	19	18	10	14	160

REGISTER OF RAINFALL IN 1925

Kept at STONER HILL. Petersfield.
in the County of HAMPSHIRE.
by Capt. C.J.P. CAVE. JP.

Lat. 51.1.43 N Long 0.57.43 W.
Time of Observation 9.00. GMT
Nearest Railway Station Petersfield.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 9 in.
" " " " Sea Level 748 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.29	.2	-	.03	.02	-	-	.41	.12	.2	.96	-	1
2	.73	.03	-	.08	-	-	.13	-	-	-	1.01	-	2
3	.32	.03	.01	-	.22	-	.04	-	-	-	.15	-	3
4	.04	.01	-	.15	.27	-	-	.17	.03	.01	.11	-	4
5	.2	.50	-	1.33	.24	-	-	.01	.35	-	.08	.02	5
6	.01	.12	-	.06	.21	-	.59	.28	-	-	.87	.02	6
7	.2	.33	.01	.2	.48	-	-	-	-	-	.01	.27	7
8	.11	.07	.01	-	.08	-	-	.01	.08	-	.01	.26	8
9	-	.07	-	.12	.01	-	-	.12	.16	-	-	.03	9
10	.2	.15	.04	.2	.06	-	.03	.95	.01	-	.11	-	10
11	.02	.14	-	-	.04	-	-	.12	.22	-	.11	-	11
12	.01	1.15	-	-	-	-	-	.25	-	.2	-	.2	12
13	.06	.75	.05	.14	-	-	-	.01	-	-	-	.03	13
14	.74	.08	.03	.31	-	-	-	-	-	-	-	-	14
15	.15	.09	-	.13	-	-	-	-	-	.07	-	-	15
16	.12	.2	.2	-	-	-	-	-	.33	.26	-	.01	16
17	.01	.2	.2	.03	.03	-	.80	-	.08	-	-	-	17
18	.01	.18	.2	.05	.63	-	.2	.03	.04	.04	-	.03	18
19	.2	.02	-	.16	.01	-	.10	.01	.70	1.07	-	.30	19
20	-	-	.12	-	-	-	.01	.15	.73	.85	-	.09	20
21	-	-	.01	-	-	-	.57	.22	.31	1.45	-	.59	21
22	-	.26	.06	.29	.23	-	.67	.32	.82	1.24	-	.33	22
23	.05	.14	.12	.2	.38	-	-	1.68	-	.15	-	.16	23
24	.32	.46	.07	.15	.58	-	-	.09	-	.09	.06	.26	24
25	.29	1.20	.16	.01	.2	-	.13	-	.31	.05	.02	.11	25
26	.07	.55	.2	.12	.49	.02	.79	.29	-	.65	-	.24	26
27	.20	.02	-	.14	.46	-	.58	.06	-	.2	.04	.06	27
28	.23	.01	-	.16	.2	-	.02	-	.02	-	-	.40	28
29	.22	X	-	-	.39	-	.13	-	.2	-	.13	1.00	29
30	.2	X	.10	.05	.2	-	.35	-	-	.06	.04	.35	30
31	.09	X	.11	X	-	X	.06	-	X	.08	X	.02	31
													1240
													31
TOTAL	5.09	6.36	.90	3.51	4.83	.02	4.25	5.18	4.31	6.07	3.71	4.58	YEAR'S TOTAL
Days with ".01 in. or more	22	23	14	19	19	1	16	19	16	14	15	21	48.81
Days with ".01 in. or more	17	17	9	16	15	-	13	14	13	13	12	14	199
													153

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1926.

682

Kept at Stoner Hill, Petersfield.
in the County of Hampshire.
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....9 ft. in.
" Ground " Sea Level 74.8 ft.

WVW

Corr by M.W.R. to agree with Obs totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.44	.10	—	—	tr.	.48	—	—	.09	—	.31	—	1
2	.06	.01	tr.	—	—	.50	.06	—	.39	—	.11	tr.	2
3	.49	.16	.08	—	—	—	—	—	—	—	—	—	3
4	.04	.35	.06	.06	—	—	.11	—	—	—	.48	tr.	4
5	.21	.09	.27	—	.53	—	.43	—	.02	—	.20	.24	5
6	.38	.51	—	.16	.04	.01	.05	.14	.30	.04	.15	tr.	6
7	.11	.07	—	.14	.52	.21	—	—	.41	—	.82	.03	7
8	.01	—	—	.15	.03	.06	tr.	.02	—	.14	.67	tr.	8
9	—	.01	.03	—	—	.40	.20	.06	—	.05	.56	.01	9
10	—	.01	—	—	.06	.20	.15	—	—	—	.08	—	10
11	—	.08	—	—	.10	.27	—	.14	.03	.02	.38	tr.	11
12	—	.01	—	—	.11	.10	—	—	—	.50	.03	—	12
13	.02	tr.	—	—	.04	tr.	—	—	.04	.04	1.52	.03	13
14	.07	.20	—	.59	.52	.12	—	—	—	.63	.04	—	14
15	.37	.15	—	.35	—	—	—	—	.02	.26	.23	—	15
16	.15	.24	—	.49	—	—	—	.19	—	.01	.05	—	16
17	.27	.73	—	.30	—	.58	.04	—	—	—	.33	.02	17
18	.22	.13	—	.01	.11	—	.02	.25	—	—	.77	—	18
19	—	—	—	.02	.05	—	.42	.03	—	—	.37	.02	19
20	.03	—	.03	.40	—	—	—	.35	—	—	.38	—	20
21	—	.03	—	—	—	—	.03	.02	—	—	.35	—	21
22	.78	.01	—	—	—	—	—	—	—	tr.	.05	tr.	22
23	.15	—	.02	tr.	—	—	—	—	—	—	tr.	—	23
24	.14	—	—	—	—	—	.18	—	.02	.75	—	—	24
25	.28	—	.19	.49	—	—	.09	.08	.01	.06	.15	.04	25
26	.06	.01	.06	—	.03	—	.30	—	.06	—	.02	—	26
27	.16	.05	—	.05	.18	—	—	—	.02	.15	.06	—	27
28	.98	—	—	tr.	.03	—	.43	—	—	.27	.22	.01	28
29	.06	X	—	.04	.23	—	tr.	—	—	.11	.22	tr.	29
30	.36	X	—	.17	.28	—	—	.05	—	.02	.13	—	30
31	.83	X	—	X	.01	X	tr.	.32	X	—	X	.01	31
TOTAL	7.67	2.95	0.74	3.42	2.87	2.93	2.51	1.65	1.41	3.05	8.68	0.41	YEARS TOTAL
Days with ".01 in. or more.	25	20	8	15	17	11	14	12	12	15	27	9	185.
Days with ".04 in. or more.	22	13	5	13	13	10	12	89	6	12	25	2	141.

Please read the Notes and Instructions Overleaf.

H. Bigelow

Observer.

Section **A**

for the entry of Daily Observations.

675
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Stoner Hill

in the County of Hampshire

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft..... in.

„ Ground „ Sea Level 7.47 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	1.19	0.02	0.03	-	0.07	0.69	0.31	0.01	0.47	0.51	-	1
2	0.03	-	0.10	0.23	-	-	-	-	-	0.02	0.02	-	2
3	0.26	Tr	0.06	Tr	-	-	0.13	-	-	-	-	0.05	3
4	0.08	-	0.12	0.17	0.02	-	0.09	-	-	-	-	0.01	4
5	0.21	0.15	0.55	0.61	0.08	0.07	Tr	-	-	-	0.10	-	5
6	0.02	0.01	0.43	0.45	-	Tr	0.06	0.19	0.36	-	0.04	-	6
7	0.02	0.37	0.01	0.30	-	0.21	0.01	0.07	-	-	-	-	7
8	0.04	-	0.02	0.50	0.17	-	0.09	0.12	0.15	-	0.02	0.01	8
9	Tr	-	-	0.23	0.06	-	0.18	0.14	0.53	-	-	0.01	9
10	Tr	-	0.07	-	-	-	0.08	-	0.22	-	-	-	10
11	0.02	-	-	0.01	-	-	-	0.36	-	-	-	-	11
12	0.23	-	-	-	-	-	0.12	0.05	-	0.02	Tr	-	12
13	0.14	0.02	-	-	-	-	0.21	0.72	0.29	0.02	0.10	0.22	13
14	0.03	Tr	-	0.14	0.07	-	0.26	0.06	2.72	-	0.02	0.19	14
15	-	0.02	-	-	0.01	-	-	0.28	0.08	-	Tr	-	15
16	-	-	-	-	0.17	0.31	-	Tr	0.34	-	-	-	16
17	0.36	-	0.21	-	-	0.15	-	0.44	0.03	-	-	-	17
18	0.03	-	-	-	-	0.69	-	0.22	0.06	-	0.75	-	18
19	-	0.24	Tr	-	-	0.03	0.01	0.29	-	0.03	0.73	-	19
20	0.23	0.12	-	-	Tr	-	0.19	0.89	0.04	-	0.34	0.39	20
21	0.02	0.37	0.02	-	0.01	0.06	0.03	0.61	0.64	0.45	0.15	1.55	21
22	0.29	0.29	0.35	0.07	0.02	0.11	-	0.01	0.18	0.40	0.01	1.04	22
23	0.22	0.96	0.94	-	-	0.23	0.01	0.27	0.86	-	0.51	0.25	23
24	0.01	0.19	0.60	0.02	-	0.18	0.03	0.06	Tr	0.05	0.02	0.42	24
25	0.04	0.41	0.27	0.01	-	0.05	0.02	0.01	0.07	0.13	-	1.27	25
26	0.37	0.81	0.22	-	0.04	0.02	0.26	-	0.01	0.19	0.01	0.47	26
27	0.11	0.61	0.13	-	0.42	0.22	0.50	-	-	1.04	0.01	Tr	27
28	0.36	0.30	0.11	0.09	Tr	0.19	0.06	-	-	0.12	0.54	-	28
29	0.15	+	0.29	-	-	0.89	Tr	-	0.80	Tr	0.84	-	29
30	0.16	X	0.04	-	Tr	0.41	0.18	-	0.09	0.26	-	-	30
31	0.02	X	0.71	X	-	X	0.07	0.01	X	0.05	X	0.42	31
TOTAL	3.46	6.06	5.27	2.86	1.07	3.89	3.48	4.91	7.48	3.25	4.72	6.30	YEAR'S TOTAL
Days with 0.1 in. or more.	26	16	21	14	11	17	22	20	19	14	18	14	52.75
Days with 0.4 in. or more.	16	13	17	10	7	15	16	16	16	10	11	11	212

Section



for the entry of Daily Observations.

697
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Stoner Hill

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 9½ in.

„ Ground „ Sea Level 748 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.46	-	0.14	0.03	-	-	-	1.29	-	-	-	0.01	1
2	1.22	0.75	0.13	0.02	-	-	-	0.06	-	-	0.02	0.01	2
3	-	-	0.01	0.31	-	-	0.18	0.76	-	-	0.03	-	3
4	0.03	0.36	-	-	0.11	0.02	-	0.01	-	-	-	0.01	4
5	0.08	0.32	0.19	0.01	-	0.10	0.09	-	0.02	0.01	-	0.01	5
6	0.01	-	0.07	-	-	0.19	-	-	0.01	0.01	-	0.13	6
7	0.04	0.04	0.10	0.18	-	0.29	-	0.16	-	0.02	-	-	7
8	-	0.13	0.01	0.05	-	0.69	0.03	-	-	0.20	-	-	8
9	0.03	-	0.02	0.10	-	0.10	-	-	0.37	0.12	-	0.04	9
10	0.37	0.27	-	0.07	-	0.01	-	0.02	-	0.40	0.20	0.03	10
11	0.09	-	-	0.03	-	-	-	0.01	-	0.50	0.10	0.27	11
12	0.82	0.48	0.05	-	-	-	-	-	-	0.13	0.32	0.13	12
13	0.02	0.08	0.01	0.01	-	0.97	-	0.10	-	0.01	0.08	-	13
14	0.25	0.10	-	0.28	0.10	0.26	-	0.02	-	0.60	0.90	-	14
15	0.07	-	-	0.64	0.01	-	-	-	-	0.02	0.28	-	15
16	0.02	0.24	-	0.05	0.08	-	-	-	-	0.33	0.47	0.45	16
17	0.03	-	0.01	0.03	0.97	-	-	-	-	0.15	0.01	-	17
18	0.68	-	0.11	-	0.40	0.07	-	-	-	0.49	0.17	0.01	18
19	-	-	0.01	-	0.20	0.09	-	0.20	-	0.73	0.10	0.11	19
20	0.30	-	0.19	-	0.09	-	-	0.01	-	0.11	0.25	0.01	20
21	0.20	-	0.18	0.20	0.26	0.03	-	-	-	0.40	0.43	-	21
22	-	-	0.40	-	-	-	-	0.01	-	0.95	0.49	0.20	22
23	0.73	-	0.12	-	0.05	-	-	-	-	0.33	0.37	0.02	23
24	0.04	-	0.07	-	-	-	-	0.01	0.19	0.25	0.08	0.47	24
25	0.12	-	-	-	-	0.09	-	0.11	-	0.15	-	0.42	25
26	0.26	-	0.01	-	-	0.17	0.02	0.61	-	2.41	0.02	0.12	26
27	0.01	-	0.17	-	-	-	0.75	-	0.12	0.19	0.03	1.13	27
28	1.11	-	0.15	-	-	-	-	-	0.48	-	-	0.25	28
29	0.45	0.44	0.79	0.05	-	0.02	-	-	-	0.15	0.07	0.21	29
30	0.04	0.01	0.15	-	-	0.47	0.42	-	-	0.16	-	0.16	30
31	0.38	0.01	0.26	0.01	-	0.01	0.27	-	0.01	0.05	0.01	0.01	31
TOTAL	7.84	3.21	3.32	2.04	2.27	3.56	1.76	3.37	1.19	8.84	4.41	4.15	YEAR'S TOTAL
Days with "01 in. or more.	25	11	21	14	10	15	7	14	6	23	19	19	184
Days with "04 in. or more.	20	11	17	10	9	12	5	8	4	21	15	14	146

REGISTER OF RAINFALL IN 1929 .

Kept at Stoner Hill
in the County of Hampshire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....9½ in in.
,, Ground ,, Sea Level 747 ft.


THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	0.06	-	tr	-	0.05	-	0.06	-	0.45	-	0.02	I
2	-	0.81	-	-	-	0.11	0.08	-	-	0.28	0.02	0.19	2
3	-	-	-	-	tr	0.04	0.23	0.11	-	-	-	0.28	3
4	0.01	0.01	-	0.07	0.74	0.19	0.27	0.09	-	tr	-	0.52	4
5	-	-	-	-	1.21	0.42	0.20	0.80	-	0.67	0.19	0.48	5
6	tr	-	-	-	0.05	0.03	0.05	0.37	-	0.09	0.19	0.68	6
7	-	-	-	-	0.05	0.06	-	0.20	-	0.91	0.64	0.85	7
8	-	-	-	-	0.01	0.04	-	0.01	-	0.35	-	0.42	8
9	0.11	0.14	-	-	-	-	-	-	-	-	0.18	0.63	9
10	0.29	tr	-	0.04	0.01	-	-	-	-	0.06	0.01	0.57	10
11	-	-	-	0.04	0.24	0.06	-	-	-	0.03	1.65	0.05	11
12	-	-	-	0.11	0.23	0.12	-	-	-	tr	-	-	12
13	0.05	-	-	tr	0.25	-	-	0.02	-	-	-	0.09	13
14	-	-	-	-	0.02	0.35	-	-	-	-	-	0.10	14
15	0.05	0.17	-	-	-	0.30	-	-	-	-	1.09	0.06	15
16	-	-	-	-	-	-	-	0.18	0.05	-	0.10	-	16
17	0.08	-	-	0.01	-	-	-	tr	-	-	-	-	17
18	-	-	-	-	-	-	-	0.06	-	-	0.64	-	18
19	-	-	-	-	-	-	-	-	tr	tr	0.17	-	19
20	0.08	-	0.01	-	-	-	0.30	0.10	-	0.64	-	0.58	20
21	0.06	-	0.11	-	-	-	-	-	-	-	tr	0.41	21
22	0.01	0.01	-	-	-	-	0.04	-	-	-	0.54	0.02	22
23	-	0.04	-	0.02	-	-	-	-	-	0.19	0.46	0.73	23
24	-	tr	0.04	-	-	-	-	0.03	-	0.85	1.61	0.77	24
25	-	0.06	tr	tr	-	-	-	-	-	0.26	0.24	-	25
26	-	-	-	0.01	0.05	-	-	-	-	tr	0.06	0.29	26
27	0.02	-	-	0.06	0.01	-	-	-	-	0.02	1.45	0.11	27
28	0.29	-	-	0.07	-	-	0.34	-	tr	0.56	0.59	0.88	28
29	0.20	x	-	0.37	-	0.14	-	-	tr	0.03	0.36	0.30	29
30	0.01	x	-	-	-	0.13	0.10	-	0.34	-	0.59	0.20	30
31	0.79	x	-	x	-	x	0.20	tr	x	-	x	tr	31
TOTAL	2.05	1.30	0.16	0.80	2.87	2.06	1.81	2.03	0.43	5.39	10.78	9.83	39.51
Days with or in. or more.	14	8	3	10	12	14	10	12	2	15	20	24	144
Days with or in. or more.	10	6	2	7	8	13	10	9	2	12	18	22	119



Section for the entry of Daily Observations.

738
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Stoner Hill

in the County of Hampshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 9½ in.

Ground Sea Level 748 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.13	0.50	-	0.25	-	-	-	tr	-	-	0.61	-	1
2	0.07	0.04	0.11	0.03	0.09	-	0.21	0.54	-	-	0.79	-	2
3	0.10	0.07	-	0.91	0.20	-	-	0.55	-	0.04	0.01	-	3
4	1.44	0.06	-	0.04	-	-	-	0.43	-	0.25	-	-	4
5	0.04	-	-	-	0.04	-	-	0.29	-	0.01	-	tr	5
6	0.02	-	tr	-	0.08	-	-	0.64	0.37	0.07	-	0.04	6
7	0.23	-	-	-	-	-	-	0.04	0.03	0.49	0.57	0.19	7
8	0.10	-	tr	0.05	0.01	-	-	0.02	0.08	tr	tr	0.31	8
9	0.38	-	0.01	-	0.35	tr	-	0.01	0.19	-	0.02	0.80	9
10	0.86	-	0.11	-	0.36	tr	-	0.05	-	-	-	0.80	10
11	0.21	-	-	0.05	0.05	-	0.04	-	-	0.08	-	0.61	11
12	0.32	-	-	0.11	0.14	-	-	0.02	0.01	-	-	0.39	12
13	0.08	-	0.08	0.41	0.07	-	0.11	0.28	0.60	tr	-	0.02	13
14	0.14	0.11	0.16	-	-	-	0.21	-	tr	0.01	-	tr	14
15	tr	0.01	0.24	-	-	-	0.58	0.01	-	0.21	0.21	0.13	15
16	-	-	-	0.02	-	-	0.01	-	0.18	-	-	0.14	16
17	tr	0.01	0.07	0.28	-	-	0.03	0.01	0.62	0.60	-	-	17
18	tr	-	-	0.04	0.22	-	0.05	0.04	0.25	-	0.24	0.08	18
19	-	-	0.07	0.08	-	0.01	-	0.36	0.80	0.17	0.83	0.02	19
20	-	-	-	0.36	-	0.02	1.24	0.86	0.31	0.08	0.32	tr	20
21	-	-	0.02	-	-	-	0.02	0.14	0.01	0.06	0.77	-	21
22	0.70	-	-	0.08	0.13	0.01	0.01	0.55	0.05	0.37	0.29	-	22
23	0.41	-	0.09	0.24	-	0.33	tr	0.01	0.08	-	0.27	0.10	23
24	0.32	-	-	0.18	0.09	0.06	-	-	-	-	0.62	0.22	24
25	0.04	0.30	-	0.02	0.22	-	-	-	0.02	0.08	0.26	tr	25
26	0.48	0.02	-	-	0.08	-	0.09	-	0.05	-	0.19	0.25	26
27	0.01	-	0.01	-	-	-	-	-	0.03	0.02	0.28	0.17	27
28	0.06	-	0.06	-	-	-	0.01	-	0.27	0.02	0.78	0.29	28
29	0.13	-	0.05	-	0.02	-	0.16	0.72	0.36	0.06	0.02	0.20	29
30	0.03	X	-	-	0.13	0.11	0.17	-	-	-	0.01	0.53	30
31	0.64	X	0.10	X	0.30	X	-	-	X	0.08	X	0.16	31
TOTAL	6.94	1.12	1.18	3.15	2.58	0.54	2.94	5.57	4.31	2.70	7.09	4.65	YEAR'S TOTAL
Days with "01 in. or more.	24	9	14	17	18	6	15	20	19	18	19	19	198
Days with "04 in. or more.	21	6	11	14	16	3	11	14	14	14	15	17	156

REG

STRATHFIELD SAYE

ORGANIZATION.

921

ong.

on

f Rain Gauge

e above Ground

Sea Level

ult entered to the previous day.

Kept at

in the County of

by

RECTORI

HANTS

1921 - 25

IMPORTANT NOTE.—

If an Observer prefers not to the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

requested to add

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29	.01	.07					.03	.01		.12	.17	1
2	.08				.13			.05		.07	.27	.03	2
3	.01	.01	.01		.10	.15		.07		.01	.20		3
4	.17				.01			.06			.37		4
5	.03				.02			.13			.14		5
6	.07		.29		.01						.01	.01	6
7	.50				.26						.03		7
8	.03		.02		.25	.04							8
9				.06	.03				.01				9
10	.28				.04			.02				.01	10
11	.19	.02	.02		.02				1.10				11
12	.29		.04		.21			.05	.23			.04	12
13	.10		.11	.26					.03	.06			13
14			.07	.03	.24						.07	.13	14
15				.13	.03		.01	.15			.05	.01	15
16	.06		.02	.14				1.08			.22	.02	16
17	.06		.11	.06			.10	.36	.05				17
18	.12									.42	.02		18
19	.01		.08	.02		.03	.01			.07	.01	.07	19
20						.01		.01		.10	.03		20
21											.05		21
22	.01			.02					.01	.35		.22	22
23				.03			.01	.08		.38		.08	23
24	.03	.11		.01							.01	.03	24
25		.34				.14	.03					.28	25
26	.01				.01	.03	.01					.22	26
27			.01	.26	.09						.01	.08	27
28		.01	.21		.02		.07		.01				28
29	.02		.04		.13		.01					.01	29
30	.18	X			.02				.01		.35	.06	30
31	.02	X		X	.03	X			X		X	.01	31
TOTAL	2.56	.50	1.10	1.02	1.65	.40	.25	1.94	1.46	1.46	1.89	1.48	15.71
Days with 01 in. or more	22	6	14	11	19	6	8	11	9	8	16	18	148
Days with 04 in. or more	13	2	9	6	9	3	2	8	3	7	9	10	81

REGISTER OF RAINFALL IN 1921

Kept at *Thrapfield Rectory*
in the County of *Hampshire*
by *Mr F. C. Roberts*

Lat. *51° 10' N* Long. *1° 0' W*
Time of Observation *6 a.m.*
Nearest Railway Station *Marley*
Diameter of Funnel of Rain Gauge *6* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *170* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29	.01	.07					.03	.01		.12	.17	1
2	.08				.13			.05		.07	.27	.03	2
3	.01	.01	.01		.10	.15		.07		.01	.20		3
4	.17				.01			.06			.37		4
5	.03				.02			.13			.14		5
6	.07		.29		.01						.01	.01	6
7	.50				.26						.03		7
8	.03		.02		.25	.04							8
9				.06	.03				.01				9
10	.28				.04			.02				.01	10
11	.19	.02	.02		.02				1.10				11
12	.29		.04		.21			.05	.23			.04	12
13	.10		.11	.26					.03	.06			13
14			.07	.03	.24						.07	.13	14
15				.13	.03		.01	.15			.05	.01	15
16	.06		.02	.14				1.08			.22	.02	16
17	.06		.11	.06			.10	.36	.05				17
18	.12									.42	.02		18
19	.01		.08	.02		.03	.01			.07	.01	.07	19
20						.01		.04		.10	.03		20
21											.05		21
22	.01			.02					.01	.35		.22	22
23				.03			.01	.08		.38		.08	23
24	.03	.11		.01							.01	.03	24
25		.34				.14	.03					.28	25
26	.01				.01	.03	.01					.22	26
27			.01	.26	.09						.01	.08	27
28		.01	.21		.02		.07		.01				28
29	.02		.04		.13		.01					.01	29
30	.18	~~X~~			.02				.01		.35	.06	30
31	.02	~~X~~		~~X~~	.03	~~X~~			~~X~~		~~X~~	.01	31
TOTAL	2.56	.50	1.10	1.02	1.65	.40	.25	1.94	1.46	1.46	1.89	1.48	YEAR'S TOTAL 15.71
Days with .01 in. or more	22	6	14	11	19	6	8	11	9	8	16	18	148
Days with .04 in. or more	13	2	9	6	9	3	2	8	3	7	9	10	81

FORM 1090 METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.
(formerly B.O. Form A.1).

AIR MINISTRY.
REGISTER OF RAINFALL IN 192

Kept at Trafalgar Square
in the County of Hampshire
by R. F. P. Roberts

Lat. 51° 20' N Long. 1° 0' W
Time of Observation 9 a.m.
Nearest Railway Station Bramley
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.13	.21		.24		.17	.11	.08		.33		1
2	.01	.36	.05	.17	.01	.02	.33	.01			.05		2
3	.01	.10	.11	.65	.20		.02	.23			.22		3
4		.27	.21		.23		.07	.01		.29			4
5			.22	.06			1.59	.01		.29	.32		5
6	.10		.15				.02	1.49			.10		6
7	.05		.26	.16			.41	.14				.02	7
8	.06		.06	.01		.02	.13	.02			.03	.01	8
9	.04		.01				.01	.22					9
10			.01			.15		.01			.25		10
11	.07			.02	.04								11
12		.02		.35				.14	.24				12
13	.04			.68		.40	.29		.10				13
14				.11		.01	1.40		.30		.02		14
15	.34	.19		.04			.03				.01		15
16	.01	.07		.19	.09		.03	.07	.03			.06	16
17		.10		.01	.02		.11	.02				.13	17
18	.56	.04					.01	.02	.04	.02	.12		18
19	.06	.05	.05						.30	.02/6	.47		19
20	.03	.17								.16/02			20
21	.11	.28	.03	.12			.07					.48	21
22	.02	.02		.04	.01	.08	.01	.13				.20	22
23				.02			.14		.17				23
24	.10		.06	.03	.26	.13	.01	.20	.01			.01	24
25	.44		.02	.21		.08		.01	.13			.16	25
26	.19	.16	.04	.03		.15	.07		.01		.08	.09	26
27	.20	.11	.04	.04		.01		.14	.02			.20	27
28	.20	.19	.13	.03		.29		.05	.25	.01		.03	28
29	.02		.01	.03		.05	.02	.05		.16		.21	29
30	.20	X	.22			.01	.01	.22	.10	.05	.05	.38	30
31	.09	X	.29	X		X	.05	.08	X	.15	X	.06	31
TOTAL	2.95	2.26	2.18	3.00	1.10	1.40	5.00	3.38	1.78	.95	1.46	2.63	YEAR'S TOTAL 28.09
Days with .01 in. or more	23	16	20	21	9	13	23	22	14	9	11	16	197
Days with .01 in. or more	17	14	15	13	6	8	13	14	10	6	8	12	136

AIR MINISTRY. *unforants*
 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Sept at *Thracfieldsgate Rectory*
 in the County of *Southampton*
 by *Rn & Pave Roberts*

Lat. *51° 21' N* Long. *0° 9' W*
 Time of Observation *9-06*
 Nearest Railway Station *Hambley*
 Diameter of Funnel of Rain Gauge *5* in.
 Height of top of Gauge above Ground *7* ft. in.
 " " " " Sea Level *70* ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
 An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.08	.14			.01			.02		.02	.25	1
2	.19	.02	.04		.08			.01			.01	.01	2
3	.06		.02	.01		.03	.01		.11	.08	.02	.05	3
4	.01								.01	.14	.01	.02	4
5	.31		.01	.03	.01	.04				.78	.23		5
6	.50	.14	.09	.20		.01							6
7	.01	.80	.01		.03		.10			.095		.20	7
8	.02	.11	.06								.38		8
9	.10	.18			.01		.15			.35	.03		9
10		.15		.49	.06	.01	.03			.25	.01	.01	10
11		.01		.97	.04								11
12		.16	.61	.40	.10	.06	.03			.12		.01	12
13		.21	.17	.02	.02		.01			.72	.65	.01	13
14			.07	.06	.03			.06	.63	.42	.01		14
15		.02	.06	.12	.30	.21	.01		.10	.01	.18	.01	15
16		.08		.23	.21		F				.17		16
17	.04	.26			.01	.01		.08	.05		.04	.01	17
18	.02	.18				.09		.15	.10				18
19	.09	.03	.27			.01	.03		.19	.06			19
20		.14	.05		.05				.24	.21	.02		20
21		.12	.07		.02	.02				.67	.05	.33	21
22		.32	.05		.07				.23	.04	.03	.05	22
23		.16			.44		.04	.85	.07	.16	.01	.08	23
24		.02		.08	.01		.01	.43	.17	.13		.08	24
25		.27		.35	.12	.01	.08	.03	.05	.35		.30	25
26		.08		.05	.01	.03				.02		.28	26
27		.05	.21	.01	.04		.01	.11		.61	.01	.17	27
28		.15	.17	.15	.41		.08	.03		.21	.03	.01	28
29	.05		.10	.01	.32		.01	.50		.09	.02	.08	29
30		X	.04			.02	.14			.01		.31	30
31		X	.02	X	.01	X	.41		X	.23	X	.13	31
TOTAL	1.45	3.72	2.55	3.18	2.40	.55	1.15	2.25	1.97	5.76	1.93	2.40	29.31
days with .01 in. or more	13	24	20	16	23	14	16	10	13	24	20	21	114
days with .04 in. or more	9	19	17	11	13	4	7	7	11	20	7	13	138

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922

County No. _____
River Dist. _____
Station No. _____

Kept at Shaffordage Rectory
in the County of Staffordshire
by W. F. P. Roberts

Lat. 51° 21' Long. 0° 9' W
Time of Observation 9.28
Nearest Railway Station Bramley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.01	.01	.02	.28	.05	.09		.01	.35	.19	RVV
2	.07		.13		.02	.16	.07	.14				.18	2 C
3			.02		.10	.12	.19	.30	.02			.01	3 C
4			.01	.02	.03	.74	.01	.02	.22	.03		.19	4 C
5			.04				.09			.05		.18	5
6		.01				.01	.01	.08	.04	.50			6
7	.04				.10	.31	.02		.37	.47			7
8	.13	.03		.09	.01	.01			.05	.15			8
9	.08	.03		.10	.03	.07			.11				9
10	.31			.10	.44	.20			.01	.05		.01	10
11	.07			.27	.27	.07			.01	.06	.50		11
12	.15			.34	.08	.31		.23	.12		.25	.02	12
13	.04			.37	.08		.01	.03	.37	.01	.18	.15	13
14	.02			.05				.03			.01	.02	14
15		.11							.03			.35	15
16	.03				.01			.10	.03			.03	16
17	.18				.10	.21	1.00	.08	.07				17
18	.31	.05			.07	.06	.01			.19	.02	.01	18
19	.08				.01				.03	.04		.01	19
20	.06		.04		.03		.42	.23	.25	.23			20
21	.56		.05		.02		.09	.01	.10	.49			21
22	.23		.20		.17		.12	.43	.27				22
23			.07	.02	.10		.01	.08	.02			.56	23
24	.35	.13	.12	.11				.03	.10			.33	24
25		.01	.03	.07			.38	.01	.99	.11	.07	.24	25
26				.32			.02	.08	.10	.15	.72	.31	26
27		.06		.53			.57			.24	.12	.40	27
28				.05	.76		.55	.25	.01	.01	.19		28
29	.02	.01		.17	.28		.09	.33	.02	.32	.01	.34	29
30	.01	X		.61	.63			.09	.33	.37	.15	.33	30
31		X	.01	X		X		.01	X	.11	X	.11	31 846
TOTAL	2.75	.44	.73	3.23	3.36	2.55	3.71	2.65	3.67	3.59	2.57	4.07	YEAR'S TOTAL 33.32
Days with .01 in. or more.	20	9	12	17	22	13	19	21	24	20	12	21	210
Days with .04 in. or more	15	4	7	14	13	11	12	14	15	16	9	14	144

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at *Shafesbury Rectory*
in the County of *Dorset*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" Ground " Sea Level *179* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	89		10			02		01	09		41	04	1
2	21	03		28	02		20		01		43		2
3	05	01			15		25	02			05		3
4				08	23			27	02		14		4
5	03	29		50	15				16	03	03		5
6		02		07	22		43	07	01		32		6
7		09	05	13	22		01		02		27	15	7
8	18	01			30			01	06			22	8
9		03		14	05			08	24		06		9
10		01	10	09	37			04	03				10
11		19	01		01			24	04				11
12	02	52	01					08		02			12
13	04	31	05	05				02		02		05	13
14	23	29	03	15									14
15	08			06						15			15
16	01			02					10	08			16
17		02					01		01				17
18		07		07	58			07	06	04		03	18
19		02			01		05		54	80		40	19
20							10	12	42	27		08	20
21		01	13				63	28	17	41		28	21
22		11			48		81	18	49	58		53	22
23	02	06	07	15	45		04	135	02	14	02	03	23
24	07	33	01	18	18			15	02	06	05	15	24
25	05	44		04	01		08		12	03		06	25
26	05	20		02	14	02	21	25	02	12		14	26
27	12	12		25	11		18	02			06	07	27
28	20			01				01	02			23	28
29	13			02	10		07				06	59	29
30	01	X		02	04		27			04		78	30
31	11	X	06	X	20	X	03		X	09	X	04	31
TOTAL	2.50	3.18	.62	2.27	4.02	04	3.37	3.27	2.67	2.88	1.90	3.89	30.61
Days with .01 in. or more.	19	22	11	20	21	2	16	19	22	16	12	18	198
Days with .04 in. or more.	14	13	7	13	17		13	13	12	12	10	16	141

(Signed) *F. Paul* [Signature]

[P.T.O.]

REG

Kept at Stratfield
in the County of Hants

Diameter of Funnel of Gauge....
Height of top of Gauge above G
Ground " Se

THE MORNING MI

An observer who does not confc
year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

FOR OFFICIAL USE.

GANIZATION.

926.

e

after this return

DAY.

Jan. 1, following

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48	.07			.02	.50			.15		.11		1
2	.06					.47	.03		.28		.12		2
3	.19	.08	.24	.03									3
4	.03	.09	.05	.18	.03		.74				.50		4
5	.12	.06	.12		.38		.15				.11	.25	5
6	.19	.43		.17	.02		.14	.12	.06	.03	.50		6
7	.02	.15		.16	.03	.27	.01		.03		.65	.03	7
8				.22	.01	.01		.05		.13	.43		8
9			.03	.01		.33	.03	.02			.26		9
10					.05	.16	.03	.08			.18		10
11		.05			.12	.24		.03		.05	.09		11
12					.52	.02		.02		.19	.05	.03	12
13	.03				.07	.09		.05	.02	.28	.98		13
14	.14	.10		.32	.38	.38				.50	.05	.05	14
15	.54	.04		.09					.04	.44	.07		15
16	.14	.18		.36		.04		.08			.21		16
17	.16	.46		.03		.60	.04				.55	.03	17
18	.10	.05			.05		.02	.05			.08		18
19	.01			.04	.10		.08			.01	.26	.02	19
20				.23		.02		.07		.03	.27		20
21	.02			.07	.04		.11	.04			.05		21
22	.20	.06		.11							.04		22
23	.06	.03											23
24	.04					.03	.18		.01	.37			24
25	.09		.25	.56			.10			.07	.09	.05	25
26	.02	.03	.03	.06			.02		.07		.02		26
27	.12	.04	.17	.07	.03				.03	.10			27
28	.33			.12			.35			.30	.25		28
29	.08			.20	.14		.05			.05	.08		29
30	.06	X		.21	.05			.07			.27		30
31	.25	X		X		X		.17	X		X		31
TOTAL	3.48	1.92	.89	3.24	2.04	3.16	2.08	.85	.69	2.55	6.27	.46	YEARS TOTAL
Days with '01 in. or more.	25	16	7	20	17	14	16	13	9	14	26	7	184
Days with '04 in. or more.	19	14	5	17	11	10	10	10	5	11	25	3	140

Please read the Notes and Instructions Overleaf.

late Rev. F. Page Roberts.

REGISTER OF RAINFALL IN 1926.

709

Kept at Stratfield Turgis
in the County of Hampshire

9 moved 1 1/2 mls
Observer died
Station T after this return

Diameter of Funnel of Gauge.....5.....in. uniruin
Height of top of Gauge above Ground.....8.....ft. 8.....in.
" Ground " Sea Level.....2.18.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48	.07			.02	.50			.15		.11		1
2	.06					.47	.03		.28		.12		2
3	.19	.08	.24	.03									3
4	.03	.09	.05	.18	.03		.74				.50		4
5	.12	.06	.12		.38		.15				.11	.25	5
6	.19	.43		.17	.02		.14	.12	.06	.03	.50		6
7	.02	.15		.16	.03	.27	.01		.03		.65	.03	7
8				.22	.01	.01		.05		.13	.43		8
9			.03	.01		.33	.03	.02			.26		9
10					.05	.16	.03	.08			.18		10
11		.05			.12	.24		.03		.05	.09		11
12					.52	.02		.02		.19	.05	.03	12
13	.03				.07	.09		.05	.02	.28	.98		13
14	.14	.10		.32	.38	.38				.50	.05	.05	14
15	.54	.04		.09					.04	.44	.07		15
16	.14	.18		.36		.04		.08			.21		16
17	.16	.46		.03		.60	.04				.55	.03	17
18	.10	.05			.05		.02	.05			.08		18
19	.01			.04	.10		.08			.01	.26	.02	19
20				.23		.02		.07		.03	.27		20
21	.02			.07	.04		.11	.04			.05		21
22	.20	.06		.11							.04		22
23	.06	.03											23
24	.04					.03	.18		.01	.37			24
25	.09		.25	.56			.10			.07	.09	.05	25
26	.02	.03	.03	.06			.02		.07		.02		26
27	.12	.04	.17	.07	.03				.03	.10			27
28	.33			.12			.35			.30	.25		28
29	.08			.20	.14		.05			.05	.08		29
30	.06	X		.21	.05			.07			.27		30
31	.25	X		X		X		.17	X		X		31
TOTAL	3.48	1.92	.89	3.24	2.04	3.16	2.08	.85	.69	2.55	6.27	.46	27.63
Days with 01 in. or more.	25	16	7	20	17	14	15	13	9	14	26	7	184
Days with 04 in. or more.	19	14	5	17	11	10	10	10	5	11	25	3	140

Please read the Notes and Instructions Overleaf.

late Rev. F. Page Roberts.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

700 A

Hants 8

Kept at BYLANDS COTTAGE STRATFIELD
in the County of HAMPSHIRE TURGIS

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....ft.....8.....in.
Ground Sea Level.....2.18.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.90	.13	.02		.01	1.30	.34			.20		1
2			.09	.14			.02				.02		2
3	.13	.02	.04	.02			.04		.01			.05	3
4	.04		.03	.05			.17						4
5	.28	.08	.29	.46	.07	.04	.02	.11			.11		5
6		.01	.19	.41	.07	.01	.03	.05			.02	.04	6
7	.02	.31	.02	.22		.27	.04	.21			.02		7
8	.01		.03	.29		.01	.54	.02				.02	8
9			.03	.04			.04	.06	.25				9
10			.12	.04			1.62	.05	.66				10
11				.04			.02						11
12	.21		.05	.01			.07	.22		.15			12
13	.09	.03	.01	.07			.10	.18	.15	.07	.03	.24	13
14	.04			.01	.05		.38	.18				.27	14
15		.02			.05		.01	.31	1.81				15
16					.24	.20			.15		.05		16
17	.18		.05			.41		.39	.45		.02	.02	17
18			.01			.34		.06			.19		18
19		.28				.03	.08	.30	.07	.02	.54		19
20	.25	.15			.01	.02	.38	.14			.41	.25	20
21		.12			.06	.04	.02	.13		.12	.07	.59	21
22	.17	.17	.16		.01	.04		.05	.51	.19	.01	.42	22
23	.03	.67	.47			.09		.06		.02	.20	.12	23
24		.10	.34	.02		.09	.01	.07	.75	.04		.33	24
25	.03	.22	.34	.01		.07				.08	.03	.37	25
26	.13	.47	.10		.21	.20	.31			.15	.02	.15	26
27	.04	.34	.07		.36	.39	.10		.01	.35	.02		27
28	.57	.27	.23	.03		.21	.08			.05	.68		28
29	.02	X	.30			.44				.03	.79		29
30	.12	X	.03		.01	.43	.03	.02		.30	.01		30
31		X	.16	X	.07	X	.06		X	.10	X	.62	31
TOTAL	2.36	4.16	3.14	1.88	2.13	3.34	5.47	2.95	4.82	1.67	3.44	3.49	37.93
Days with '01 in. or more.	18	17	24	17	12	20	24	20	11	14	20	14	215
Days with '04 in. or more.	13	13	17	10	9	15	16	18	9	11	10	12	153

Please read the Notes and Instructions Overleaf.



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Bylands Cottage Stratfield Turgis
in the County of Hampshire.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 8 ft. 8 in.
Ground Sea Level 218 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

None.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26		.05	.02	h			.02					1
2	.37	.45	.08	.07	h			.05				.03	2
3	.02	.02		.17	.21		.42	.83			.08		3
4		.06		.04	.04	.08		.02					4
5	.04	.19	.16	.04		.28	.06						5
6			.08			.19			.04			.06	6
7	.02	.02	.09	.09		.07		.07					7
8		.03				.33	.05			.07			8
9	.04		.05	.08		.07			.58	.13			9
10	.21	.24	.01	.04		.04				.27	.12	.04	10
11		.08	.04	.24		.03		.03		.27	.10	.25	11
12	.51	.39	.06	.02						.03	.06	.06	12
13		.03	.03	.02		.28		.11			.05		13
14	.05	.16		.22		.55				.41	.39		14
15	.05	.02		.57	.05	.04				.02	.19		15
16		.15		.04	.04					.08	.43	.14	16
17	.03				.10					.09			17
18	.34		.09	.02	.47	.15			.03	.22	.05		18
19	.07				.07	.03		.14		.45	.06	.14	19
20			.07		.24			.40		.10	.06		20
21	.15		.21	.06	1.10	.03				.10	.33		21
22		.03	.24							.70	.25	.08	22
23	.21		.07		.02					.14	.14		23
24	.11		.11		.08	.05			.55	.11	.03	.19	24
25	.10					.19		.14		.11		.15	25
26	.26				.02		.05	.51		1.10	.04	.05	26
27	.02		.18	.02			.68	.21	.04	.20		.88	27
28	.31		.06		.03	.02			.61			.19	28
29	.33	.17	.35	.02		.04			.02	.03	.07	.07	29
30		X	.12			.09	.34					.20	30
31	.10	X	.30	X		X	.16		X	.11	X	.02	31
TOTAL	3.60	2.04	2.45	1.78	2.47	2.56	1.76	2.53	1.87	4.74	2.45	2.55	30.80
Days with ".01 in. or more.	22	15	21	18	13	19	7	12	7	21	17	16	188
Days with ".04 in. or more.	18	6	19	12	10	15	7	9	5	18	16	14	153

FOR OFFICIAL USE

REGISTER OF RAINFALL IN 1929

July 1/2

accept ~~decline~~ from no card

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

40-9999

(Signed)

Sorothy Psychoberle P.T.O.

A

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1930Kept at Bylands Cottage Stratfield Turgis
in the County of HampshireDiameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....ft.....8.....in.
,, Ground ,, Sea Level 2.18.....ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.41		.14		.02		.03			.20		1
2		.04	.02	.01	.04		.05	.47			.28		2
3	.11	.12		.48				.48		.02	.03		3
4	.73			.04	.10			.05	.15	.07			4
5	.01			.12	.18			.25		.11			5
6	.01	.01	.09	.01	.15		.01	.09	.25	.03			6
7	.05		.02					.14	.03	.19	.32	.05	7
8	.02			.14				.01		.05	.02	.21	8
9	.23	.12	.06		.30		.04		.16		.01	.01	9
10	.37		.08		.15			.04				.32	10
11	.26	.01	.02	.05	.09		.04			.05		.29	11
12	.10		.04	.03	.12			.02				.20	12
13	.04		.06	.06	.07	.18	.05	.10	.27	.01		.01	13
14	.14	.10	.18	.01	.01		.40			.01	.01	.07	14
15	.02	.10	.22				.24			.04	.11	.13	15
16			.02	.03		.01	.01		.05			.11	16
17		.03	.04	.18		.03	.15		.22	.10	.01		17
18			.01	.08	.07	.07	.02	.06	.10	.08	.12	.05	18
19			.12	.27	.01			.12	.21	.18	.47	.02	19
20			.04	.18		.01	.30	.45	.25	.02	.18		20
21								.05	.10	.01	.44		21
22	.18			.05	.18	.02	.15	.25	.02	.23	.10	.01	22
23	.15		.09	.19	.02	.11	.07		.04	.02	.13	.03	23
24	.14	.12		.15	.08	.02					.42		24
25	.02	.08		.02	.04				.02	.03		.45	25
26	.59	.03			.28				.20		.23		26
27	.06		.02						.03	.04	.18	.05	27
28	.02		.05				.04		.10	.02	.02		28
29	.22		.17		.03		.80	.20	.19	.01	.03		29
30	.02	X	.01		.15	.21	.16		.01	.12	.01	.15	30
31	.32	X	.04	X	.17	X			X	.11	X	.11	31
TOTAL	3.85	.93	1.28	2.24	2.24	.68	2.53	2.81	3.40	1.43	4.32	2.49	28.20
Days with 01 in. or more.	24	10	20	20	20	10	16	17	19	22	21	22	221
Days with 04 in. or more.	17	6	13	14	16	4	13	14	14	12	14	17	154

Please read the Notes and Instructions Overleaf.

J. W. Page Roberts

Section

FORM 1091

Kept at

in the

Diameter

Height of

"

An observer who does not enter in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

FOR OFFICIAL USE.
7. Correspondence re Swainskill
file 688336/26
FALL ORGANIZATION.
1925.

ers are requested to read the instructions
leaf before filling in this form.

Observer should fill in section C

THE PREVIOUS DAY.

Jan. 1. following.

g made on January 1st of the

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.98	-	.08	.08	-	hil	-	.05	.09	-	.40	-	1
2	.34	-	.13	.13	-	-	.18	.83?	-	-	.15	-	2
3	.13	-	-	-	.15	-	-	-	-	-	.44	-	3
4	-	-	.20	.20	.19	-	-	.15	-	-	.13	-	4
5	-	.44	.43	.43	.26	-	-	-	.20	-	.03	-	5
6	-	.08	.08	.08	.40	-	.46	.05	-	-	.42	-	6
7	-	.11	.05	.05	.40	-	-	.03	-	-	-	.33	7
8	.14	.11	-	-	-	-	-	-	-	-	.04	.18	8
9	-	.03	.13	.13	.15	-	-	.08	.14	-	-	-	9
10	-	.05	.28	.28	-	-	-	.26	.05	-	-	-	10
11	-	.32	-	-	-	-	-	.06	-	-	-	-	11
12	-	.89	.06	.06	-	-	-	.10	-	-	-	-	12
13	-	.85	.36	.36	-	-	-	-	-	-	-	-	13
14	.60	.14	-	-	-	-	-	-	-	-	-	-	14
15	.19	-	-	.20	-	-	-	-	-	-	-	-	15
16	.04	-	-	-	-	-	-	-	.32	.23	-	-	16
17	-	-	-	.03	-	-	-	-	.03	.03	-	-	17
18	-	.06	.18	-	.33	-	-	.45	-	-	-	-	18
19	-	-	.03	-	-	-	.16	.03	.95	.10?	-	.49	19
20	-	-	-	-	-	-	-	.13	.31	.62	-	.15	20
21	-	-	-	-	-	-	.40	-?	.25	.52	-	.26	21
22	-	.28	-	.20	.44	-	.75	.20	.35	1.01	-	.60	22
23	.10	-	.21	.03	.35	-	-	.98	-	.10	-	.45	23
24	.14	.52	-	.18	.30	-	-	.08	-	-	-	-	24
25	.13	.80	-	.04	-	-	.10	-	.15	.03	-	-	25
26	.10	.50	-	.13	.24	-	.19	.23	-	.40	-	.40	26
27	.29	.03	-	-	.26	-	.63	-	-	-	-	.05	27
28	.04	.14	-	.04	.23	-	-	-	-	-	-	.41	28
29	.23	-	-	-	-	-	.05	-	-	-	-	.75	29
30	-	X	-	.06	-	-	.44	-	-	-	-	.44	30
31	.13	X	-	X	-	X	.03	-	X	-	X	.04	31
TOTAL	3.40	5.44	.42	3.04	3.46	hil	3.39	4.41?	2.84	3.04?	1.91	4.88	YEARS TOTAL 34.13?
Days with .01 in. or more.	15	14	3	19	13	hil	11	16	11	9	4	13	134
Days with .04 in. or more.	15	15	2	14	13	hil	10	14	10	4	6	13	122

(Signed)

DISTRICT WATER COMPANY.

P.T.O.

Register of Rainfall in 1925.

Kept at Swains Hill

in the County of Hampshire (8)

Diameter of Funnel of Gauge

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.98	-	.08	.08	-	Nil	-	.05	.09	-	.40	-	1
2	.34	-	.13	.13	-	-	.18	.83?	-	-	.15	-	2
3	.13	-	-	-	.15	-	-	-	-	-	.44	-	3
4	-	-	.20	.20	.19	-	-	.15	-	-	.13	-	4
5	-	.44	.73	.73	.26	-	-	-	.20	-	.03	-	5
6	-	.08	.08	.08	.40	-	.46	.05	-	-	.42	-	6
7	-	.11	.05	.05	.40	-	-	.03	-	-	-	.33	7
8	.14	.11	-	-	-	-	-	-	-	-	.04	.18	8
9	-	.03	.13	.13	.15	-	-	.08	.14	-	-	-	9
10	-	.05	.28	.28	-	-	-	.26	.05	-	-	-	10
11	-	.32	-	-	-	-	-	.06	-	-	-	-	11
12	-	.89	.06	.06	-	-	-	.10	-	-	-	-	12
13	-	.85	.36	.36	-	-	-	-	-	-	-	-	13
14	.60	.14	-	-	-	-	-	-	-	-	-	-	14
15	.19	-	-	.20	-	-	-	-	-	-	-	-	15
16	.04	-	-	-	-	-	-	-	.32	.23	-	-	16
17	-	-	-	.03	-	-	-	-	.03	.03	-	-	17
18	-	.06	.18	-	.33	-	-	.45	-	-	-	-	18
19	-	-	.03	-	-	-	.16	.03	.95	.10?	-	.49	19
20	-	-	-	-	-	-	-	.13	.31	.62	-	.15	20
21	-	-	-	-	-	-	.40	-?	.25	.52	-	.26	21
22	-	.28	-	.20	.44	-	.75	.20	.35	1.01	-	.60	22
23	.10	-	.21	.03	.35	-	-	.98	-	.10	-	.45	23
24	.14	.52	-	.18	.30	-	-	.08	-	-	-	-	24
25	.13	.80	-	.04	-	-	.10	-	.15	.03	-	-	25
26	.10	.50	-	.13	.24	-	.19	.23	-	.40	-	.40	26
27	.29	.03	-	-	.26	-	.63	-	-	-	-	.05	27
28	.04	.14	-	.04	.23	-	-	-	-	-	-	.41	28
29	.23	-	-	-	-	-	.05	-	-	-	-	.75	29
30	-	X	-	.06	.2	-	.44	-	-	-	-	.44	30
31	.13	X	-	X	.2	X	.03	-	X	-	X	.04	31
TOTAL	3.70	5.44	.42	3.04	3.76	Nil	3.39	4.41?	2.84	3.04?	1.91	4.88	YEARS TOTAL 37.73?
Days with .01 in. or more.	15	14	3	19	13	Nil	11	16	11	9	4	13	134
Days with .04 in. or more.	15	15	2	14	13	Nil	10	14	10	4	6	13	122

(Signed)

DISTRICT WATER COMPANY.

P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Swainshill
in the County of Hampshire
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....in.
„ Ground „ Sea Level as before ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.89	.09				.44			.02		.29		1
2	.15					.35			.50		.09		2
3	.18	.05	.15										3
4	.04	.19		.12							.45		4
5	.04	.13	.28		.24		.21				.04	.19	5
6	.45	.63		.14	.11		.10	.15	.22		.25		6
7	.13	.05		.19	.22	.15					.60		7
8		.03		.06					.12	.30	.36		8
9					.04	.55		.10			.41		9
10					.11	.08				.03	.08		10
11		.13				.22		.13			.14		11
12		.03			.22	.08						.08	12
13					.04					.12	<u>1.02</u>		13
14		.10		.50	.46	.14				.63			14
15		.26		.14						.14	.11		15
16				.45				.10			.04		16
17	.95	.66		.10		.60	.06	.03			.36		17
18		.02		.04	.50		.19	.12			.45		18
19		.15									.45		19
20				.30				.29			.19		20
21				.05							.30		21
22	.46			.10									22
23	.12	.03											23
24	.14			.58			.20			.54			24
25	.14		.34	.03			.12			.08	.10		25
26			.05				.08		.09				26
27	.25				.18								27
28	.23			.11			.45				.24		28
29	.42			.14	.22						.18		29
30	.22	X		.15							.32		30
31	.54	X		X		X		.43	X		X		31
TOTAL	5.41	2.55	.82	3.26	2.64	2.94	1.41	1.35	.95	1.84	6.86	.24	YEARS TOTAL 30.60
Days with "01 in. or more.	14	15	4	14	11	9	8	8	5	4	22	2	125
Days with "04 in. or more.	14	11	4	16	11	9	8	4	4	6	22	2	114

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

689
FOR OFFICIAL USE.

FORM 1090,

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Swanhill
in the County of Hampshire
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....3 ft. 0 in.
" Ground " Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.38	.10				.83	.24		.34	.55		1
2			.08							.03	.02		2
3			.04				.09					.13	3
4			.09				.10						4
5	.36		.32	.62		.03	.05				.14	.05	5
6			.05	.60	.20		.03	.13	.33		.04		6
7		.42		.11		.55	.04	.12					7
8				.59				.23					8
9	.03			.11				.11	.41				9
10			.49	.01	.29		.41	.09	.29				10
11							.03	.14					11
12	.16								.14				12
13	.11			.09			.22	.25			.14	.10	13
14							.24	.06	1.34			.36	14
15					.14			.14	.04				15
16									.44				16
17						.15		.40	.10				17
18						.55			.04		.40		18
19							.13	.03			.49		19
20		.24					.16	.59			.46	.35	20
21	.78	.25			.08		.03	.31	.46	.30	.19	1.03	21
22		.23	.51			.10			.18	.29		.80	22
23		.90	.50			.34			.90		.32	.26	23
24		.20	.26					.15		.11	.02	.30	24
25		.04	.42			.14		.02	.06	.08			25
26	.24	.88	.29				.24		.01	.06			26
27		.55			.50	.09				.59			27
28	.42	.41	.29			.24			.02	.04	.50		28
29	.14		.14			.43	.32		.84		1.13		29
30		X	.13			.51				.18	.03		30
31		X	.30	X		X	.04		X	.09	X	.12	31
TOTAL	2.24	5.53	4.01	2.13	1.21	3.49	2.99	3.04	5.66	2.14	4.49	4.50	YEAR'S TOTAL 41.49
Days with ".01 in. or more.	8	11	16	4	5	11	16	16	16	11	14	10	144
Days with ".04 in. or more.	4	11	16	6	5	10	13	14	14	10	11	10	124

REGISTER OF RAINFALL IN 1928.

Kept at Swainhall
in the County of Hampshire
Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground before ft. in.
" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.81		.19							.04			1
2	.24	.60	.03				.34	.08					2
3				.26				1.06					3
4		.22								.09			4
5		.24	.34			.14	.04	.12					5
6		.02	.15			.16							6
7			.02	.14		.14							7
8		.09				.44							8
9	.22		.04	.09		.02			.42				9
10		.31								.09	.31		10
11		.01		.12						.60	.12	.12	11
12	.64	.52									.05	.43	12
13						.41		.24					13
14	.14	.18		.40		.14				.48	.49		14
15	.03												15
16		.14		.55	.13					.13		.30	16
17				.04	.61					.18			17
18	.54				.31	.40				.44	.11		18
19					.42	.04		.18		.62			19
20	.16				.11	.02		.13		.13	.10	.08	20
21			.43		.20					.10	.54		21
22	.22		.15		.03					.24	.42		22
23	.41		.28	.08						.54	.05	.20	23
24	.05								.28	.31	.23	.13	24
25								.15		.09		.25	25
26	.44					.12		.89		1.58			26
27	.03		.05				.48		.12	.18	.04	.96	27
28	.61								.56	.05		.29	28
29	.30	.22	.41									.12	29
30		X	.23			.16	.64			.13		.20	30
31	.45	X	.25	X		X	.23		X	.01	X		31
TOTAL	5.32	2.55	2.93	1.41	1.81	2.58	1.49	2.85	1.38	6.06	2.82	3.08	YEAR'S TOTAL
Days with ".01 in. or more.	16	11	13	8	4	12	5	8	4	20	11	11	126
Days with ".04 in. or more.	14	9	11	8	6	10	5	8	4	14	11	11	116

REGISTER OF RAINFALL IN 1929.

Kept at Swanhill
in the County of Hampshire
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

Feb 1 1929
[Signature]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I						.03				.42		.56	I
2		.14					.08			.14		.28	2
3								.05				1.04	3
4				.06	.49	.31						.32	4
5					.54	.23		.45		.89	.12	.22	5
6					.22		.13	.16			.14	1.03	6
7					.25		.14	.35		.42	.39	.44	7
8		.09			.04					.24		.54	8
9	.21									.04	.14	.66	9
10											.31		10
11					.21						.84	.04	11
12				.20	.01								12
13					.19	.38					.39	.24	13
14						.04							14
15	.16					.14							15
16								.23	.19		.32		16
17													17
18	.06							.04					18
19	.04										.42	.66	19
20							1.04			.62	.11	.05	20
21		.16											21
22											.39		22
23											.83	.64	23
24			.04							.92	1.18	.64	24
25											.35		25
26					.04							.14	26
27				.11							1.03		27
28	.14						.23			.32	.55	.66	28
29	.24			.41					.04	.05	.39		29
30		X				.33	.04		.13		.84	.11	30
31	.43	X		X		X	.23		X		X	.05	31
TOTAL	1.64	.39	.04	.48	2.02	1.49	1.92	1.28	.39	4.39	9.10	8.44	YEAR'S TOTAL 31.914
Days with .01 in. or more.	4	3	1	4	9	7	7	6	3	10	18	19	94
Days with .04 in. or more.	4	3	1	4	8	6	4	6	3	10	18	19	92

Section

A

for the entry of Daily Observations.

753
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Swanhill

in the County of Hampshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.

„ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.50		.14							.45		1
2		.15			.04		.14	.44					2
3	.05	.13		.42				.41					3
4	1.20			.04				.12		.23			4
5	.04				.04			.39		.04			5
6			.19					.24	.50				6
7	.22				.16			.10	.11	.29	.24		7
8	.06			.11	.32							.42	8
9	.26		.03		.23								9
10			.24					.11				.42	10
11	.53			.05			.02						11
12	.25											.43	12
13	.06		.21	.14		.16		.15	.31				13
14	.04		.30										14
15	.08		.32				.42			.14	.16		15
16							.08		.23			.35	16
17				.32				.03	.30	.10		.04	17
18				.10					.05				18
19				.03					.51		.45		19
20							.82	.95	.26		.28		20
21								.03			.09		21
22	.46							.41			.13		22
23	.53		.18	.29			.03		.05	.45	.24		23
24				.14	.30	.26				.05	.54	.25	24
25		.38			.05						.18	.04	25
26	.62										.32	.11	26
27									.54		.10	.10	27
28			.05						.23		.95	.36	28
29	.16						.14	.41	.21	.03	.03	.40	29
30	.03	X			.21		.28					.06	30
31	.51	X	.03	X	.30	X			X	.04	X	.02	31
TOTAL	4.61	1.16	1.55	2.14	1.68	.42	1.96	3.82	3.30	1.43	4.56	3.36	30.02
*Days with or in. or more.	18	4	9	11	9	2	8	13	12	9	14	13	122
*Days with or more.	14	4	4	10	9	2	6	11	12	8	13	12	111

40-9999

*See Instruction 2 (f) on other side.

(Signed) FRIMLEY & FARNBOROUGH [P.T.O.]
DISTRICT WATER COMPANY.

#698

RAINFALL ORGANIZATION.

1923.

Long. 1° 10'

Station Wickham

Height of Rain Gauge 5 in.

Height of Gauge above Ground 1 ft. — in.

" " Sea Level 175 ft.

(Greenwich Time) and the result entered to the

table, he is earnestly requested

provided for it at the end of

and placing of rain gauges, and

"Rules for Rainfall Observers." sent post-free

on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry,

Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15	04	35	—	—	02	—	—	04	08	02	35	1
2	19	04	11	—	04	—	—	02	—	07	04	01	2
3	—	—	02	03	—	—	—	—	—	69	—	09	3
4	—	—	—	—	—	—	—	—	13	—	—	08	4
5	45	—	02	—	—	—	—	—	—	10	02	03	5
6	72	23	06	08	—	—	—	—	—	—	—	—	6
7	—	115	06	—	08	—	—	—	—	41	—	44	7
8	05	04	02	—	08	—	—	—	—	20	31	—	8
9	07	45	—	—	—	—	—	—	—	09	02	—	9
10	02	38	—	57	09	—	10	—	—	19	—	02	10
11	—	08	—	48	05	—	—	—	—	73	—	—	11
12	—	22	48	42	11	03	—	—	—	45	—	01	12
13	—	11	04	07	—	—	—	—	—	—	55	02	13
14	—	—	09	04	07	—	—	02	24	—	02	—	14
15	03	—	01	24	11	37	08	—	09	—	28	—	15
16	—	25	—	19	08	—	—	—	02	01	15	—	16
17	—	51	—	—	01	—	—	09	21	01	06	—	17
18	05	12	—	02	—	02	—	07	02	—	03	—	18
19	04	25	04	02	01	—	—	02	11	90	—	04	19
20	09	02	—	—	02	—	—	—	15	17	—	—	20
21	—	—	—	06	01	—	—	—	16	19	—	34	21
22	—	46	10	—	—	—	—	12	28	17	02	46	22
23	—	66	03	—	40	—	12	72	02	38	—	11	23
24	—	07	—	08	—	—	—	11	28	22	—	12	24
25	—	49	—	71	07	02	—	18	12	64	—	33	25
26	—	07	—	13	—	—	—	01	—	28	—	37	26
27	—	13	38	—	01	—	—	09	—	02	—	12	27
28	—	04	09	07	59	—	31	02	—	—	06	—	28
29	04	—	14	20	46	—	14	74	—	03	—	12	29
30	—	X	03	03	—	—	06	08	01	25	—	32	30
31	—	X	—	X	—	X	23	03	X	04	X	20	31
TOTAL	1.90	5.81	2.07	3.44	2.29	4.61	1.04	2.32	1.88	6.32	1.58	3.58	YEAR'S TOTAL
Days with 01 in. or more	12	22	18	18	18	5	7	15	15	24	13	20	32.69
Days with 04 in. or more	10	21	12	14	13	1	7	9	11	20	7	15	187 140

REGISTER OF RAINFALL IN 1923.

Kept at Holywell, Seawmore
in the County of Hants
by F. Hains (Gardener)

Lat. 50° 58' Long. 1° 10'
Time of Observation 9-9-11
Nearest Railway Station Wickham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 175 ft.

703
4 JAN 1924

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	15	04	35	—	—	02	—	—	04	08	02	35	1
2	19	04	11	—	0.4	—	—	02	—	07	04	01	2
3	—	—	02	03	—	—	—	—	—	69	—	09	3
4	—	—	—	—	—	—	—	—	13	—	—	08	4
5	45	—	02	—	—	—	—	—	—	10	02	03	5
6	72	23	06	08	—	—	—	—	—	—	—	—	6
7	—	1.15	06	—	08	—	—	—	—	41	—	44	7
8	05	04	02	—	08	—	—	—	—	20	31	—	8
9	07	45	—	—	—	—	—	—	—	09	02	—	9
10	02	38	—	57	09	—	10	—	—	19	—	02	10
11	—	08	—	48	05	—	—	—	—	73	—	—	11
12	—	22	48	42	11	03	—	—	—	45	—	01	12
13	—	11	04	07	—	—	—	—	—	—	55	02	13
14	—	—	09	04	07	—	—	02	24	—	02	—	14
15	03	—	01	24	11	37	08	—	09	—	28	—	15
16	—	25	—	19	08	—	—	—	02	01	15	—	16
17	—	51	—	—	01	—	—	09	21	01	06	—	17
18	05	12	—	02	—	02	—	07	02	—	03	—	18
19	04	25	04	02	01	—	—	02	11	90	—	04	19
20	09	02	—	—	02	—	—	—	15	17	—	—	20
21	—	—	—	06	01	—	—	—	16	19	—	34	21
22	—	46	10	—	—	—	—	12	28	17	02	46	22
23	—	66	03	—	40	—	12	72	02	38	—	11	23
24	—	07	—	08	—	—	—	11	28	22	—	12	24
25	—	49	—	71	07	02	—	18	12	64	—	33	25
26	—	07	—	13	—	—	—	01	—	28	—	37	26
27	—	13	38	—	01	—	—	09	—	02	—	12	27
28	—	04	09	07	59	—	31	02	—	—	06	—	28
29	04	—	14	20	46	—	14	74	—	03	—	12	29
30	—	X	03	03	—	—	06	08	01	25	—	32	30
31	—	X	—	X	—	X	23	03	X	04	X	20	31
TOTAL	1.90	5.81	2.07	3.44	2.29	2.46	1.04	2.32	1.88	6.32	1.58	3.58	YEAR'S TOTAL
Days with 01 in. or more	12	22	18	18	18	5	7	15	15	24	13	20	32.69
Days with 04 in. or more	10	21	12	14	13	1	7	9	11	20	7	15	187 140

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No.

River Dist.

Station No.

Kept at Holywell. Swanmorein the County of Hampshireby Mrs M. PORTAL

Lat. Long.

Time of Observation 9 a.m.Nearest Railway Station WickhamDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground one ft. - in.

" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.09	-	-	.43	.14	.05	-	-	.87	.08	1 WVV
2	.07	-	.18	-	-	.16	.02	.02	-	.23	-	.17	2 W8
3	.02	-	.10	-	.07	.07	.10	.26	-	.14	-	-	3 C 20
4	-	-	-	-	.19	.79	-	.01	.05	.03	-	.36	4
5	-	-	.12	-	-	-	.02	-	-	.13	-	.02	5
6	-	-	-	-	.02	-	-	.04	.04	.29	-	-	6
7	.05	-	-	-	.42	.37	-	-	.44	.26	-	-	7
8	.28	.06	-	.01	.09	.09	-	-	.07	.11	-	-	8
9	.09	.15	-	.12	.07	.12	-	-	.06	.03	-	-	9
10	.14	-	-	.22	.63	.29	-	-	.06	.05	-	-	10
11	.03	-	-	.28	.41	.31	-	-	.08	.04	.33	-	11
12	.03	.02	-	.17	RV	.43	-	.13	.09	-	.04	-	12
13	.04	-	-	.61	.05	-	-	.02	.63	-	.08	.23	13
14	-	-	-	.16	-	-	-	.07	-	-	.01	.06	14
15	-	RV	-	-	-	-	-	.11	.10	-	-	1.05	15
16	.06	-	-	-	-	-	-	.46	.02	-	-	.03	16
17	.33	.04	-	-	-	.15	1.03	.10	.07	-	-	.01	17
18	.56	-	-	-	-	.08	-	.05	-	.12	-	.01	18
19	.03	-	-	-	.04	.04	-	.07	.01	.03	-	.09	19
20	-	-	-	-	.03	-	.16	.02	.24	.19	-	-	20
21	.64	-	.04	-	.06	-	.11	-	.28	.50	.02	-	21
22	.25	-	.65	-	-	-	-	.26	.36	-	-	-	22
23	-	-	.33	-	.27	-	.06	.18	(.06)	-	-	.77	23
24	.42	.19	.07	.19	.29	-	-	-	.35	-	-	.20	24
25	-	.02	.02	-	.16	-	.10	.03	2.90	.17	.09	.01	25
26	-	-	.64	.67	-	-	-	.12	-	.45	.54	.35	26
27	-	.03	-	.64	-	-	.80	.01	-	.29	.09	.74	27
28	-	.01	-	-	-	-	1.30	.31	-	.06	.43	-	28
29	-	-	-	.17	.22	-	.21	.41	.07	.76	.02	.38	29
30	-	X	-	.07	.12	-	.02	.18	.23	.30	.34	.28	30
31	-	X	-	X	.39	X	-	.02	X	.27	X	.07	31 1037
TOTAL	3.04	0.54	1.64	3.31	3.69	3.33	4.01	2.93	6.21	4.43	2.86	4.82	YEAR TOTAL 40.81
Days with .01 in. or more.	16	9	10	12	19	13	13	23	21	21	12	19	188
Days with .04 in. or more	12	4	9	11	17	13	10	16	19	18	9	14	153

Register of Rainfall in 1925.

660

Kept at Holywell
in the County of Hampshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 0.4 ft. in.
" Ground " Sea Level 175 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	m.	m.	m.	m.	m.	m.	m.	m.	m.	m.	m.	m.	
1	1.17	-	01	03	02	-	-	06	-	-	15	09	1
2	59	-	-	08	01	-	-	39	07	-	87	-	2
3	30	05	-	06	-	-	08	-	-	-	76	-	3
4	02	-	-	-	23	-	03	-	-	-	6	-	4
5	-	39	-	15	30	-	-	19	-	-	24	-	5
6	-	-	-	65	23	-	-	01	25	-	15	-	6
7	-	30	-	02	21	-	41	38	-	-	77	-	7
8	09	02	-	-	48	-	-	-	-	-	12	14	8
9	-	06	01	-	21	-	-	-	04	-	02	17	9
10	-	07	-	15	-	-	-	15	-	-	-	-	10
11	-	10	09	02	08	-	01	26	-	-	01	-	11
12	-	65	-	-	02	-	-	25	-	-	28	-	12
13	03	76	2	-	-	01	-	24	-	-	-	-	13
14	45	12	2	05	13	-	-	01	-	-	-	06	14
15	11	05	2	01	25	-	-	-	-	-	-	-	15
16	12	-	-	12	-	-	-	-	-	08	-	-	16
17	-	-	-	-	-	-	-	-	21	34	-	-	17
18	-	-	-	02	-	-	03	-	06	-	-	-	18
19	-	15	-	02	28	-	-	-	06	4	-	05	19
20	-	-	2	11	02	-	-	-	55	77	-	44	20
21	-	05	2	03	-	-	-	15	80	79	-	08	21
22	-	17	2	01	-	-	68	25	24	78	-	47	22
23	03	23	2	02	20	25	56	17	62	112	-	40	23
24	32	28	2	07	02	12	-	175	-	12	-	19	24
25	38	88	2	18	55	49	-	03	-	1	02	30	25
26	14	45	2	20	-	-	06	-	28	8	-	10	26
27	20	02	-	08	23	-	82	20	-	52	-	11	27
28	13	-	-	06	53	-	11	06	-	-	-	18	28
29	10	X	-	14	-	-	-	-	-	-	-	37	29
30	-	X	2	-	24	-	17	-	-	-	10	80	30
31	10	X	2	05	X	X	42	-	X	10	X	23	31
			05	02	-	-	42	-	-	15	09	23	
TOTAL	428	480	76	286	305	01	336	454	318	475	355	418	4019
Days with .01 in. or more.	17	19	13	20	17	1	13	16	11	13	13	16	169
Days with .04 in. or more.	14	17	6	14	14	0	10	13	11	12	10	16	138

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

645

Kept at 300ywell
in the County of Hampshire
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level ft.

Cor for April

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.80	.06	—	—	—	.65	—	—	—	—	.30	—	1
2	.15	.01	.01	—	—	.25	.12	—	.34	—	.05	—	2
3	.21	.09	.25	—	—	—	—	—	—	—	—	—	3
4	.07	.35	.14	.01	—	—	—	—	—	—	.43	—	4
5	.18	.08	.10	—	.36	—	.23	—	—	.03	.13	.28	5
6	.29	.46	.01	.27	.05	—	.12	.17	.03	—	.12	—	6
7	.05	.33	—	.23	.57	.20	—	—	.06	—	.60	.04	7
8	.01	.03	—	.44	—	.09	—	.04	—	.12	.51	—	8
9	—	—	—	—	—	.29	.35	.03	—	.05	.48	—	9
10	—	—	—	—	—	.12	.02	—	—	—	—	—	10
11	—	.07	—	—	.12	.25	—	.27	—	—	.45	—	11
12	—	—	—	—	.09	.098	—	—	—	.29	.04	—	12
13	—	—	—	—	.04	—	—	—	—	—	<u>1.45</u>	.04	13
14	.07	.11	—	.45	.27	.25	—	—	—	.56	.14	—	14
15	.61	.06	—	.17	—	—	—	—	.02	.12	.15	—	15
16	.17	.18	—	.31	—	—	—	.15	—	.02	.02	—	16
17	.09	.59	—	.10	—	.45	.06	—	—	—	.25	—	17
18	.33	.11	—	—	—	.02	—	.12	—	—	.76	—	18
19	—	—	—	.05	.05	—	.21	.04	—	—	.31	.03	19
20	—	—	.06	.31	—	—	—	.24	—	—	.20	—	20
21	—	—	—	.01	—	—	.05	.02	—	.06	.29	—	21
22	.48	—	—	.03	—	—	—	—	—	—	.02	—	22
23	.09	—	.05	—	—	—	—	—	—	—	—	—	23
24	.05	—	—	—	—	—	.11	—	—	.81	—	—	24
25	.22	—	.11	.54	—	—	.02	—	—	.42	.08	.03	25
26	.03	—	.01	.04	—	—	.59	—	.09	—	.06	—	26
27	.13	.03	—	—	.15	—	—	—	.12	.12	.11	—	27
28	.64	—	—	—	—	—	.37	—	—	.26	.25	—	28
29	.04	—	—	.13	.18	—	—	—	—	.05	.04	—	29
30	.23	X	—	.10	.24	—	—	.03	—	.02	.12	—	30
31	.38	X	—	X	—	X	—	.18	X	—	X	—	31
TOTAL	5.32	2.55	.74	3.19	2.15	2.65	2.25	1.29	.66	2.53	7.36	.42	YEAR'S TOTAL 31.08
Days with "01 in. or more.	23	15	9	16	11	11	12	11	6	14	26	5	21.15
Days with "04 in. or more.	21	12	6	13	4	10	10	8	4	10	24	3	132

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

639
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Holywell
in the County of Hants
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft..... in.
Ground Sea Level 17.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.3	.65	.	.	.	.	.80	.32	.	.41	.32	.	1
2	.4	.	.6	.18	.	.	.	.	.	.2	.3	.	2
3	.27	.	.4	.	.	.	.14	.	.5	.	.	.	3
4	.9	.	.6	.11	.4	.3	.8	.	.	.	.	.	4
5	.15	.9	.20	.48	.5	.8	.1	.	.	.	.9	.	5
6	.3	.	.45	.43	.	.1	.2	.17	.20	.	.6	.	6
7	.2	.32	.	.35	.	.13	.10	.3	.	.	.	.	7
8	.2	.	.	.23	.7	.	.18	.86	.11	.	.	.	8
9	.	.	.4	.3	.	.	.11	.10	.37	.	.	.1	9
10	.	.	.12	.1	.	.	.4	.4	.12	.	.	.	10
11	.	.	.	.2	.	.	.	.34	.	.	.	.	11
12	.15	.	.	.	.1	.	.	.66	.	.	.1	.	12
13	.11	.1	.	.	.	.	.45	.70	.24	.2	.11	.28	13
14	.2	.	.	.8	.6	.	.21	.2	2.73	.	.	.19	14
15	.	.1	.	.	.4	.	.	.40	.5	.	.4	.	15
16	.5	.	.	.	.12	.34	.	.8	.31	.	.	.	16
17	.34	.	.15	.	.	.6	.	.31	.4	.	.	.	17
18	.3	.	.	.	.	.38	.	.5	.62	.	.86	.	18
19	.	.26	.	.	.	.	.10	.30	.	.1	.33	.	19
20	.23	.19	.	.	.	.	.18	.93	.2	.	.36	.29	20
21	.	.30	.	.	.	.5	.1	.33	.30	.39	.12	.85	21
22	.18	.14	.14	.	.5	.9	.7	.2	.11	.25	.	.62	22
23	.1	.90	.50	.	.	.21	.	.46	.96	.	.34	.12	23
24	.	.18	.26	.	.	.11	.2	.10	.8	.8	.	.38	24
25	.1	.33	.14	.	.	.3	.	.1	.6	.8	.	.90	25
26	.24	.56	.9	.	.	.2	.44	.	.1	.6	.	.53	26
27	.6	.26	.4	.	.38	.13	.16	.	.	.75	.	.83	27
28	.19	.13	.14	.28	.	.28	.6	.	.	.9	.36	.	28
29	.14	.	.21	.	.	.51	.2	.	.66	.2	.58	.	29
30	.17	X	.13	.	.2	.33	.7	.	.7	.20	.2	.32	30
31	.2	X	.39	X	.	X	.11	.1	X	.	X	.	31
TOTAL	2.60	4.43	3.26	2.02	.84	2.74	3.38	4.79	6.61	2.38	3.63	5.32	YEAR'S TOTAL 42.05
Days with '01 in. or more.	24	15	18	11	10	17	22	22	13	15	12	19	199
Days with '04 in. or more.	15	13	18	8	8	13	20	15	9	12	11	15	159

REGISTER OF RAINFALL IN 1928.

Kept at Holwell
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 5 in.
" Ground " Sea Level 175.180 ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	.02	.05	.01	—	—	—	.31	—	—	—	—	1
2	.73	.45	.14	.02	—	—	—	.05	—	—	.02	.03	2
3	—	—	—	.22	—	—	.14	.88	—	—	.02	—	3
4	.04	.20	—	—	—	.03	—	—	—	—	—	—	4
5	.06	.20	.09	—	—	.10	.11	—	—	.02	—	—	5
6	—	—	—	—	—	.16	—	—	—	.04	—	.11	6
7	.02	.04	.06	.27	—	.25	—	.13	—	.04	—	—	7
8	.03	.06	—	.03	—	.42	.03	—	.01	.11	—	—	8
9	—	.01	—	.03	—	.09	—	—	.48	.06	—	.03	9
10	.22	.21	—	.06	—	.02	—	.02	—	.29	.18	.08	10
11	.05	—	—	.02	—	.07	—	—	—	.70	.10	.21	11
12	—	.48	.04	.01	—	—	—	—	—	.16	.14	.05	12
13	—	.08	—	—	—	.91	—	.10	—	—	.05	—	13
14	.14	.09	—	.33	.13	.17	—	.10	—	.40	.60	—	14
15	.13	—	—	.55	—	.07	—	—	—	.02	.28	—	15
16	—	.15	—	.04	.05	—	—	—	—	.22	.28	.29	16
17	.02	—	—	.13	.70	.02	—	—	—	.07	—	—	17
18	.59	—	.08	—	.30	.09	—	—	—	.42	.08	.02	18
19	—	—	.02	—	.10	.06	—	.19	—	.80	.05	.12	19
20	.31	—	.16	—	.07	—	—	—	—	.12	.15	—	20
21	.09	—	.12	.14	.29	.04	—	—	—	.26	.22	—	21
22	—	—	.33	—	—	—	—	—	—	.66	.46	.16	22
23	.66	—	.09	—	.04	—	—	—	—	.18	.34	.02	23
24	.04	—	.19	—	—	—	—	.03	.15	.19	.05	.25	24
25	.08	—	.01	—	—	.09	—	—	—	.15	.04	.19	25
26	.13	—	.08	—	.02	—	.04	.65	—	1.54	.04	.06	26
27	—	—	.14	.01	—	—	1.01	—	.14	.33	—	1.15	27
28	.66	—	—	—	—	—	—	—	.26	—	—	.18	28
29	.30	.27	.41	.04	—	.03	.05	—	—	.09	.07	.21	29
30	.14	X	.28	—	—	.22	.27	—	—	.14	—	.12	30
31	.30	X	.22	X	—	X	.34	—	X	.05	X	—	31
TOTAL	5.51	2.26	2.71	1.91	1.70	2.82	1.99	2.46	1.04	7.06	3.19	3.29	YEAR'S TOTAL
Days with .01 in. or more.	23	13	20	16	9	18	8	10	5	25	19	18	184
Days with .04 in. or more.	20	11	16	9	8	14	7	8	4	23	17	14	151

REGISTER OF RAINFALL IN 1929.

Kept at Holywell
in the County of Hants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
Ground Sea Level 180 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	13	—	—	—	·05	—	—	—	·26	—	03	I
2	—	·90	—	—	—	·13	·11	—	—	·21	—	·44	2
3	—	—	—	—	—	·02	12	06	—	·01	—	·24	3
4	—	—	—	04	·41	·16	·01	05	—	·01	—	·22	4
5	—	—	—	—	·86	39	·25	75	—	·65	·30	·41	5
6	—	—	—	—	05	02	·05	35	—	·11	·10	·62	6
7	—	—	—	—	09	09	—	63	—	·29	·48	·70	7
8	—	—	—	—	—	02	—	—	—	·31	—	·46	8
9	·14	·22	—	—	—	—	—	—	—	—	·29	·35	9
10	·22	—	—	—	—	—	—	—	—	06	—	·52	10
II	—	—	—	06	·25	05	—	—	—	—	1·27	02	II
12	—	—	—	04	·12	09	—	—	—	—	—	05	12
13	·02	—	—	—	·19	—	—	—	—	—	—	11	13
14	—	—	—	—	·04	17	—	—	—	—	—	·06	14
15	·02	<i>14</i>	—	—	—	29	—	—	—	—	1·12	—	15
16	—	—	—	—	—	—	—	·17	—	—	06	—	16
17	·08	—	—	04	—	—	—	—	—	—	—	—	17
18	—	—	—	—	—	—	—	06	—	—	·43	—	18
19	—	—	—	—	—	—	—	—	—	—	·12	—	19
20	0·7	—	—	—	—	—	·33	17	—	59	—	·30	20
21	·04	—	16	—	—	—	—	—	—	—	—	·11	21
22	—	—	—	—	—	—	05	03	—	—	30	01	22
23	—	07	—	·01	—	—	—	—	—	·12	35	63	23
24	—	—	04	—	—	—	—	—	—	·72	90	40	24
25	—	05	—	—	—	—	—	—	—	·10	09	01	25
26	—	—	—	03	04	—	—	—	—	—	04	13	26
27	·04	—	—	08	09	—	—	—	—	03	1·18	10	27
28	·22	—	—	—	—	—	36	—	—	·53	·34	53	28
29	12	—	—	·9	—	14	—	—	02	04	26	26	29
30	·02	×	—	—	—	09	10	—	32	—	87	18	30
31	48	×	—	×	—	×	10	—	×	—	×	02	31
TOTAL	1·48	1·31	·20	1·00	2·12	1·65	1·48	229	·32	4·13	8·48	6·96	31·40
Days with or in. or more.	12	6	2	8	10	14	10	9	2	16	18	27	134
Days with or in. or more.	9	6	2	6	10	11	9	8	1	13	18	22	115

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Holywell
in the County of Hants

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 21 ft. 6 in.
,, Ground ,, Sea Level 175 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	13	75	—	24	—	—	—	—	—	—	62	—	I
2	03	03	06	09	06	—	14	45	—	—	80	—	2
3	04	11	—	61	17	—	—	57	—	04	—	—	3
4	92	03	—	04	—	—	—	27	—	17	—	—	4
5	03	—	—	04	06	—	—	21	—	03	—	—	5
6	—	—	02	—	03	—	—	98	32	04	—	—	6
7	13	—	—	—	—	—	—	19	—	47	33	25	7
8	13	—	—	06	—	—	—	05	11	—	—	24	8
9	21	—	01	06	31	—	—	02	19	—	—	—	9
10	58	—	08	—	27	—	—	04	—	—	—	63	10
11	20	—	—	06	03	—	18	—	—	08	—	32	11
12	15	—	02	05	15	—	—	09	01	—	—	28	12
13	03	—	04	31	08	—	15	33	39	—	—	—	13
14	09	12	15	04	01	—	18	—	06	03	—	01	14
15	01	02	27	—	—	—	36	—	—	12	14	15	15
16	—	—	—	04	—	—	02	—	19	—	—	16	16
17	—	—	12	22	—	—	—	02	41	31	—	—	17
18	—	—	—	03	14	—	04	03	30	—	23	21	18
19	—	—	22	03	—	—	—	30	45	18	81	03	19
20	—	—	—	16	—	—	89	54	17	14	28	—	20
21	—	—	04	—	—	—	—	03	03	09	1.05	—	21
22	34	—	—	10	06	03	—	60	08	34	26	—	22
23	26	—	14	15	—	33	04	02	04	—	20	09	23
24	23	03	—	35	12	04	—	—	—	02	26	44	24
25	06	37	—	05	17	—	—	—	—	06	31	04	25
26	24	—	—	—	02	—	08	—	11	—	13	26	26
27	01	—	—	—	—	—	02	—	01	04	20	06	27
28	07	—	04	—	—	—	—	—	38	02	45	13	28
29	15	—	09	—	03	—	04	37	10	05	01	15	29
30	08	X	—	—	10	08	14	—	—	—	—	36	30
31	48	X	14	X	14	X	—	—	X	12	X	12	31
TOTAL	4.60	1.46	1.44	2.63	1.95	.48	2.26	5.11	3.35	2.35	6.18	3.93	35.74
* Days with or in. or more.	24	8	15	18	18	4	13	19	18	10	16	19	191
* Days with or in. or more.	19	4	12	16	13	3	11	14	15	15	15	17	154

Kept at Swanmorein the County of Hantsby W. H. May762
SWANMORE HOUSE

HANTS

1923, 1925 - 1930

709
5 JAN 19249 in.
1 ft. 2 in.
390 ft.

Result entered to the

sted

d of

and

Jan. 1, following.

IMPORTANT NOTE.

previous day. If an Observer is to add the reading at 9 a.m. on this paragraph. Full instructions

particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	.04	.40	.	.	.	.	.	.04	.11	.04	.63	1
2	.29	.05	.04	-	.02	-	-	.03	.	.09	.06	-	2
3	.02	-	.05	.	.02	.	.	.	-	.88	.02	.23	3
4	.02	-	-	-	-	-	-	-	.16	-	-	.14	4
5	.52	-	.	.	.	.	.	.	-	.15	.	.05	5
6	.49	.30	.09	.11	-	-	-	-	.	.	-	.	6
7	.04	1.50	.05	-	.09	.01	.	.	-	.49	.46	.42	7
8	.02	.09	.02	.	.11	.	-	-	.	.25	.	-	8
9	.12	.55	-	-	.06	-	.	.	-	.03	-	.	9
10	.02	.48	.	.68	.04	.	.09	-	.	.30	.	-	10
11	.02	.03	-	.53	.02	-	-	.	-	.91	-	.04	11
12	-	.21	.60	.53	.10	.	.	-	.	.60	.	.02	12
13	.02	.10	.04	.11	.	-	-	.	-	.	.49	.	13
14	.02	.02	.08	.02	.10	.02	.	.04	.	.	.02	-	14
15	-	-	.02	.34	.20	.41	.14	-	.39	.03	.50	.	15
16	.	.26	-	.09	.08	.	-	.	.09	.02	.28	-	16
17	-	.50	.	.	-	-	.	.18	-	.02	.04	.	17
18	.08	.24	-	-	.	.04	-	.25	.20	-	.12	-	18
19	.04	.08	.	.	-	.	.02	-	.04	1.11	-	.	19
20	.06	.34	.03	-	.04	-	.	.	.04	.18	.	-	20
21	-	.02	-	.04	.03	.	-	-	.23	.24	-	.40	21
22	.	.53	.04	.	.	-	.	.26	.16	.22	.	.48	22
23	-	.40	.09	-	.42	.	.14	.46	.24	.55	-	.13	23
24	.	.15	.	.09	-	-	-	.24	.03	.15	.	.15	24
25	-	.60	-	1.06	.	.03	.02	.18	.33	.46	-	.44	25
26	.	.18	.	.08	-	.	.	.05	.04	.24	.	.48	26
27	-	.15	.39	.	.04	-	.02	.22	.	.02	-	.11	27
28	.	.02	.16	.20	.64	.	.19	.03	-	.	.08	-	28
29	.02	X	.25	.03	.58	-	.16	.80	.	.04	.	.14	29
30	-	X	.02	.04	.	.	.08	.04	.02	.30	-	.48	30
31	.01	X	-	X	-	X	.21	.03	X	.05	X	.25	31
TOTAL	2.34	4.44	2.43	3.98	2.68	.51	1.04	3.14	2.13	4.80	2.44	4.92	YEAR'S TOTAL
Days with ".01 in. or more	18	24	14	15	14	5	10	14	14	25	11	14	184
Days with ".04 in. or more	9	20	13	13	13	2	4	11	12	20	9	16	145

REGISTER OF RAINFALL IN 1924

Kept at Swanmore House
in the County of Hants
by W. H. Myers Esq.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Brixford
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	.04	.40	.	.	.	.	.	.04	.11	.04	.63	1
2	.29	.05	.04	.	.02	.	.	.03	.	.09	.06	.	2
3	.02	.	.05	.	.02	.	.	.	.	.88	.02	.23	3
4	.02	.	.	.	.	.	.	.	.16	.	.	.14	4
5	.52	.	.	.	.	.	.	.	.	.15	.	.05	5
6	.49	.30	.09	.11	.	.	.	.	.	.	.	.	6
7	.04	1.50	.05	.	.09	.01	.	.	.	.49	.46	.42	7
8	.02	.09	.02	.	.11	.	.	.	.	.25	.	.	8
9	.12	.55	.	.	.06	.	.	.	.	.03	.	.	9
10	.02	.48	.	.68	.04	.	.09	.	.	.30	.	.	10
11	.02	.03	.	.53	.02	.	.	.	.	.91	.	.04	11
12	.	.21	.60	.53	.10	.	.	.	.	.60	.	.02	12
13	.02	.10	.04	.11	.	.	.	.	.	.	.49	.	13
14	.02	.02	.08	.02	.10	.02	.	.04	.	.	.02	.	14
15	.	.	.02	.34	.20	.41	.14	.	.39	.03	.50	.	15
16	.	.26	.	.09	.08	.	.	.	.09	.02	.28	.	16
17	.	.50	.	.	.	.	.	.18	.	.02	.04	.	17
18	.08	.24	.	.	.	.04	.	.25	.20	.	.12	.	18
19	.04	.08	.	.	.	.	.02	.	.04	1.11	.	.	19
20	.06	.34	.03	.	.04	.	.	.	.04	.18	.	.	20
21	.	.02	.	.04	.03	.	.	.	.23	.24	.	.40	21
22	.	.53	.04	.	.	.	.	.26	.16	.22	.	.48	22
23	.	.40	.09	.	.42	.	.14	.46	.24	.55	.	.13	23
24	.	.15	.	.09	.	.	.	.24	.03	.15	.	.15	24
25	.	.60	.	1.06	.	.03	.02	.18	.33	.46	.	.44	25
26	.	.18	.	.08	.	.	.	.05	.04	.24	.	.48	26
27	.	.15	.39	.	.04	.	.02	.22	.	.02	.	.11	27
28	.	.02	.16	.20	.64	.	.19	.03	.	.	.08	.	28
29	.02	X	.25	.03	.58	.	.16	.80	.	.04	.	.14	29
30	.	X	.02	.04	.	.	.08	.04	.02	.30	.	.48	30
31	.01	X	.	X	.	X	.21	.03	X	.05	X	.25	31
TOTAL	2.34	4.44	2.43	3.98	2.68	.51	1.04	3.14	2.13	4.80	2.44	4.92	YEAR'S TOTAL
Days with ".01 in. or more	18	24	14	15	14	5	10	14	14	26	11	14	184
Days with ".04 in. or more	9	20	13	13	13	2	4	11	12	20	9	16	145

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

665

Register of Rainfall in 1925.

Kept at Swanmore Housein the County of HantsDiameter of Funnel of Gauge 9 in.Height of top of Gauge above Ground 1 ft. 2 in.Ground „ Sea Level 390 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.30	—	—	.04	.04	—	—	.50	.12	—	1.03	—	1
2	.65	.02	—	.04	—	—	.04	—	—	—	.93	—	2
3	.31	.05	—	—	.33	—	.05	—	—	—	.09	—	3
4	.12	—	—	.25	.28	+	—	.30	—	—	.14	—	4
5	.02	.44	—	1.05	.30	—	—	—	—	—	.04	—	5
6	—	.06	—	.05	.32	+	.44	.34	1.30	—	1.04	—	6
7	—	.33	—	—	.41	—	—	—	—	—	.04	.30	7
8	.11	.04	—	—	.18	—	—	—	—	—	—	.21	8
9	—	.08	—	.20	—	—	—	.15	—	—	—	.02	9
10	—	.11	—	—	.10	+	—	.25	—	—	.10	—	10
11	—	.11	.11	—	—	—	—	.03	—	—	.10	—	11
12	.04	.94	—	—	—	—	—	.35	—	—	—	—	12
13	.05	.80	.04	—	—	—	—	—	—	—	—	.09	13
14	.44	.15	.02	.19	—	+	—	—	—	—	—	—	14
15	.16	.15	—	.34	—	—	—	—	—	.09	—	.02	15
16	.16	—	—	.10	—	+	—	—	.28	.53	—	—	16
17	.03	—	—	—	—	—	.04	—	.04	.03	.09	—	17
18	—	—	—	.04	.46	+	.06	—	—	—	—	—	18
19	—	.16	—	.09	—	—	.04	.05	.44	.93	—	.54	19
20	—	—	—	—	.03	+	—	.16	.86	.83	—	.25	20
21	—	snow .03	snow .08	.22	—	—	.86	.16	.29	.62	—	.34	21
22	—	.33	—	—	.29	+	.64	.26	.41	1.08	—	.39	22
23	—	.26	.10	—	.20	—	—	1.55	—	.10	—	.14	23
24	.38	.44	.03	.46	.56	+	—	.05	—	—	—	.32	24
25	.40	.96	.12	.02	—	—	.11	—	.30	.09	.10	.12	25
26	.12	.50	—	.10	.25	.04	.58	.20	—	.44	—	.19	26
27	.28	—	—	.04	.61	—	.13	—	—	—	—	.10	27
28	.26	.11	—	.14	.12	+	—	—	—	—	—	.51	28
29	.10	—	—	—	.33	—	.09	—	—	—	—	.83	29
30	—	X	.08	—	—	+	.58	—	—	.10	.21	.30	30
31	.11	X	.06	X	—	X	.04	—	X	.11	X	—	31
TOTAL	5.04	6.10	.64	3.52	5.11	.04	3.82	4.38	3.40	4.98	4.00	4.40	46.09
Days with .01 in. or more.	19	21	9	14	14	1	14	14	9	12	12	14	162
Days with .04 in. or more.	14	19	4	16	16	1	14	13	9	11	12	15	150

(Signed)

W. H. Taylor

P. 10

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Swanmore House Gardens
in the County of Hants

Diameter of Funnel of Gauge 9 in.
Height of top of Gauge above Ground 1 ft. 2 in.
Ground Sea Level 390 ft.

Gled Gauge

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.92	-	-	-	-	.54					.41		1
2	.04	.08	-	-	-	.33	.15		.36		.03		2
3	.34	.10	.18	-	-	-							3
4	.04	.43	.04	.02	-	-	.02				.33		4
5	.19	.08	.26	-	.33	-	.22				.11	.29	5
6	.35	.52	-	.30	-	-	.10	.16	.12	.02	.13		6
7	.09	.20	-	.18	.26	.24	.03		.10		.65	.03	7
8		.02	-	.40	-	.06		.05		.14	.42		8
9			.03	-	-	.27	.20	.01		.07	.37		9
10	.02		-		.04	.10	.03				.02		10
11		.06	-		.04	.28		.24			.15		11
12			-		.04	.08				.31			12
13			-		.06	-					1.28	.04	13
14		.14	-	.48	.23	.20				.49	.07		14
15	Snow .60	.08	-	.20	-	-				.24	.18		15
16	Snow .12	.11	-	.36	-	-		.13		.02	.05		16
17	Snow .16	.75	-	.12	-	.46	.07				.25		17
18	.34	.10	-	-	-	.03	.04	.17			.69		18
19		-	-	.03	.03	-	.20	.03			.24		19
20	.03		.03	.40		-		.24			.38		20
21		-	-	.10	-	-	.02			.03	.29		21
22	.54		-	.04	-	-					.08		22
23	.04	-	.04	-	-	-		.01					23
24	.06		-	-	-	-	.11			.77			24
25	.28	-	.02	.60	-	-				.12	.10	.07	25
26	.04	.02	.09	.03	-	-	.88		.07		.04		26
27	.14	.02	-	.01	.15	-			.13	.10	.10	.01	27
28	.41	-	-	-	-	-	.37			.22	.13		28
29	.06	-	-	.11	.19	-			.04	.05	.06		29
30	.33	X	-	.10	.22	-		.04	.17		.12		30
31	.54	X	-	X		X		.17	X		X		31
TOTAL	6.10	2.41	.69	3.48	1.65	2.59	2.44	1.25	.99	2.58	6.68	.44	YEARS TOTAL 31.60
Days with '01 in. or more.	23	15	8	14	11	11	14	11	7	13	26	5	161
Days with '04 in. or more.	21	12	5	13	10	10	10	8	7	10	24	3	133

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

644
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Swanmore House

in the County of Hants

Diameter of Funnel of Gauge.....6 in.

Height of top of Gauge above Ground.....1 ft. 2 in.

„ Ground „ Sea Level.....390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.81	-	-	-	.08	1.03	.40	-	.49	.38	-	1
2	.01	-	.06	.26	-	-	-	-	-	-	.02	-	2
3	.29	-	.03	-	-	-	.11	-	-	-	-	-	3
4	.10	-	.08	.14	.02	-	.08	-	.01	-	-	-	4
5	.14	.12	.39	.52	.24	.11	.01	-	-	-	.10	-	5
6	.02	-	.45	.53	-	-	.04	.20	.24	-	.03	-	6
7	.03	.29	-	.28	-	.20	.12	.01	-	-	-	-	7
8	.02	-	-	.28	.04	-	.11	.04	.13	-	-	-	8
9	-	-	.04	-	-	-	.16	.19	.22	-	-	.04	9
10	-	-	.06	-	-	-	-	-	.42	-	-	-	10
11	-	-	-	.02	-	-	-	.21	-	-	-	-	11
12	.14	-	.05	-	.03	-	-	.04	-	-	-	-	12
13	.12	.03	-	-	-	-	.69	.68	.26	.04	.13	.25	13
14	.01	-	-	.08	.04	-	.26	.01	2.43	-	.02	.14	14
15	-	-	-	-	.04	-	-	.42	.03	-	.01	-	15
16	.03	-	-	-	.16	.21	-	-	.30	-	-	-	16
17	.33	-	.20	-	-	.21	-	.39	.04	-	.01	-	17
18	.04	-	-	-	-	-	-	.05	.01	-	.96	-	18
19	-	.29	-	-	-	.54	-	.25	-	-	.42	-	19
20	.22	.14	-	-	.01	-	.26	.84	-	-	.35	.32	20
21	-	.36	-	-	-	.06	.01	.64	.45	.40	.15	1.09	21
22	.20	.19	.44	-	.09	.08	-	.01	.11	.34	-	.64	22
23	.01	1.13	.20	-	-	.21	-	.46	1.01	-	.33	.14	23
24	-	.18	.45	.04	-	.16	-	.10	-	.09	-	.34	24
25	.01	.36	.21	-	-	.05	-	-	.04	.10	-	.88	25
26	.31	.60	.13	-	-	.01	.68	-	.04	.12	-	.48	26
27	.10	.45	.19	-	.34	.24	.21	-	-	.48	-	-	27
28	.28	.23	.15	.12	-	.36	.03	-	-	.08	.34	-	28
29	.14	-	.20	-	-	.45	-	-	.48	.02	.59	-	29
30	.18	X	.10	-	.01	.20	.05	-	.02	.34	-	-	30
31	-	X	.39	X	-	X	.01	-	X	.01	X	.31	31
TOTAL	2.84	5.21	4.15	2.24	1.11	3.14	2.86	4.94	6.93	2.81	3.84	4.69	YEARS TOTAL
Days with ".01 in. or more.	23	14	19	10	11	16	14	18	18	12	15	11	184
Days with ".04 in. or more.	14	13	14	9	4	15	13	15	14	10	10	11	145

Section



for the entry of Daily Observations.

667
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Swanmore House

in the County of Hants

Diameter of Funnel of Gauge.....5 1/2 ins

Height of top of Gauge above Ground.....1 ft.....in.

„ Ground „ Sea Level.....390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41	.01	.15	.01	—	—	—	.58	—	—	—	—	1
2	.91	.61	.19	.02	—	—	—	.08	—	—	.02	—	2
3	—	—	—	.25	—	—	.19	.85	—	—	—	—	3
4	.04	.28	—	—	—	—	—	.04	—	—	—	—	4
5	.07	.22	.16	—	—	.10	.12	—	.02	—	—	—	5
6	—	—	.03	—	—	.15	—	—	—	.10	—	—	6
7	.01	.02	.06	.29	—	.24	—	.14	—	.05	—	.13	7
8	—	.07	—	.05	—	.45	.03	—	—	.08	—	—	8
9	.02	—	—	.04	—	.07	—	—	.47	.11	—	.03	9
10	.17	.24	—	.05	—	.05	—	—	—	.35	.21	.05	10
11	.12	—	—	—	—	—	—	—	—	.76	.12	.19	11
12	.50	.53	.06	.02	—	—	—	—	—	.14	.15	.04	12
13	—	.08	—	—	—	.87	—	.13	—	—	.06	—	13
14	.18	.11	—	.33	.20	.11	—	—	—	.49	.51	—	14
15	.10	—	—	.37	—	.14	—	—	—	—	.27	—	15
16	—	.16	—	.14	.05	—	—	—	—	.26	.53	.39	16
17	.02	—	—	.20	.69	.02	—	—	—	.09	—	—	17
18	.59	—	.05	—	.36	.11	—	—	—	.45	.12	—	18
19	—	—	.03	—	.16	.06	—	.21	—	.67	.04	.15	19
20	.32	—	.16	—	.04	—	—	—	—	.22	.21	—	20
21	.13	—	.15	.14	.15	.06	—	—	—	.37	.27	—	21
22	—	—	.48	—	—	—	—	—	—	.71	.41	—	22
23	.67	—	.11	—	—	—	—	—	—	.27	.40	.22	23
24	.03	—	.12	—	—	—	—	.05	.18	.18	.08	.28	24
25	.09	—	.01	—	—	.07	—	.24	—	.18	.08	.24	25
26	.15	—	—	—	.07	—	.05	.54	—	.61	.03	.07	26
27	—	—	.18	.01	—	—	.81	—	.06	.37	—	.12	27
28	.83	—	.12	—	—	—	—	—	.33	—	—	.18	28
29	.34	.30	.54	.05	—	.03	.01	—	—	.08	.06	.20	29
30	.07	X	.28	—	—	.09	.31	—	—	.13	—	.12	30
31	.29	X	.29	X	—	X	.31	—	X	.08	X	.01	31
TOTAL	6.06	2.63	3.17	1.97	1.72	2.62	1.83	2.86	1.06	7.75	3.57	3.42	YEARS TOTAL
Days with "01 in. or more.	23	12	19	15	8	16	8	10	5	23	18	16	173
Days with "04 in. or more.	19	10	16	11	8	14	6	10	4	23	16	14	151

REGISTER OF RAINFALL IN 1929. .

Kept at *Swanmore House Sth*
in the County of *Hants*

Diameter of Funnel of Gauge *6* in.
Height of top of Gauge above Ground *1* ft. in.
,, Ground ,, Sea Level *395* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.12	—	—	—	.03	—	.02	—	.32	—	—	I
2	—	.85	—	—	—	.16	.13	—	—	.30	.02	.54	2
3	—	—	—	—	—	.02	.08	.08	—	.02	—	.25	3
4	—	—	—	—	.39	.23	.13	.10	—	—	—	.42	4
5	—	—	—	—	.86	.42	.23	.48	—	.81	.24	.48	5
6	—	—	—	—	.09	.01	.08	.42	—	.09	.11	1.02	6
7	—	—	—	—	—	.15	—	.36	—	.63	.56	.73	7
8	—	—	—	—	.16	.03	—	.01	—	.24	—	.41	8
9	.11	.25	—	—	—	—	—	—	—	—	.22	.51	9
10	.20	—	—	—	.02	—	—	—	—	.04	—	.44	10
II	—	—	—	.03	.23	—	—	—	—	—	1.34	.02	II
12	—	—	—	.04	.15	.12	—	—	—	—	—	—	12
13	—	—	—	—	.24	—	—	.01	—	—	—	.05	13
14	—	—	—	—	.06	.22	—	—	—	—	—	.15	14
15	—	<i>Trace</i> .15	—	—	—	.28	—	—	—	—	1.15	.06	15
16	—	—	—	—	—	—	—	.19	—	—	.05	—	16
17	—	—	—	—	—	—	—	—	—	—	—	—	17
18	<i>Trace</i> .13	—	—	—	—	—	—	.01	—	—	.53	—	18
19	—	—	—	—	—	—	—	—	—	.80	.09	—	19
20	.09	—	—	—	—	—	.28	.19	—	—	—	.38	20
21	.05	—	.16	—	—	—	—	—	—	—	—	.20	21
22	—	—	—	—	—	—	—	.01	—	—	.28	—	22
23	—	.10	—	—	—	—	—	—	—	.25	.36	.74	23
24	—	—	.04	.03	—	—	—	—	—	—	1.12	.54	24
25	—	—	—	—	—	—	—	—	—	.09	.14	—	25
26	—	—	—	—	.03	—	—	—	—	—	.12	.19	26
27	—	—	—	.11	.14	—	—	—	—	.03	1.24	.13	27
28	.34	—	—	.01	—	—	.44	—	—	.56	.45	.74	28
29	.14	—	—	.58	—	.04	—	—	—	.03	.40	.36	29
30	—	×	—	—	—	.21	.06	—	.29	—	.96	.10	30
31	.65	×	—	×	—	×	.20	—	×	—	×	—	31
TOTAL	1.41	1.44	.20	.80	2.34	1.92	1.63	2.18	.29	4.24	9.44	8.55	YEAR'S TOTAL 34.83
Days with or in. or more.	8	5	2	6	11	13	9	12	1	14	19	22	122
Days with or in. or more.	8	5	2	3	9	9	9	4	1	11	18	21	103

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Swanmore House
in the County of Hants

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 395 ft.

Snowdon Gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.60	—	.28	~	~	~	~	~	~	.60	~	1
2	.02	.02	.06	.08	.10	~	.13	.45	~	~	.41	~	2
3	.06	.09	—	.46	.46	~	~	.53	~	.03	~	~	3
4	1.04	.03	—	.05	~	~	~	.11	~	.21	~	~	4
5	.02	—	—	~	.04	~	~	.29	~	.01	~	~	5
6	—	—	.03	~	.03	~	~	.88	.30	.02	~	~	6
7	.15	—	—	~	~	~	~	.16	~	~	.36	.21	7
8	.14	—	—	.06	~	~	~	.01	.09	~	~	.24	8
9	.38	—	—	~	.34	~	~	~	.44	~	.01	~	9
10	.65	—	.10	—	.28	~	~	.02	~	~	~	.46	10
11	.16	—	—	.05	.03	~	.19	~	~	.06	~	.58	11
12	.22	—	—	.05	.16	~	~	.26	~	~	~	.29	12
13	.04	—	.06	.32	.10	~	.13	.36	.40	~	~	~	13
14	.10	.10	.28	.03	—	~	.24	~	.11	~	~	.02	14
15	.05	.03	.24	—	~	~	.39	~	~	.15	.16	.13	15
16	—	—	~	—	~	~	.03	~	.21	~	~	.21	16
17	—	—	.10	.29	~	~	.04	.01	.50	.24	~	~	17
18	—	—	~	.02	.09	~	.06	.02	.24	~	.23	.20	18
19	—	—	^{snow} .29	.06	~	.02	~	.42	.54	.23	.44	.03	19
20	—	—	~	.19	~	~	.98	.68	.16	.05	.36	~	20
21	—	—	~	~	~	~	~	~	.02	.08	.92	~	21
22	.40	—	~	.06	.09	.05	~	.60	.08	.35	.33	~	22
23	.34	—	.16	.25	~	.36	.05	.02	.04	~	.24	~	23
24	.24	—	~	.36	.11	.04	~	~	~	.01	.48	.60	24
25	.08	.39	~	.04	.14	~	~	~	~	.08	.13	.08	25
26	.26	.01	~	~	.03	~	.10	~	.10	~	.24	.22	26
27	—	—	.01	~	~	~	.02	~	.09	.04	.18	.14	27
28	.08	—	.06	~	~	~	~	~	.10	.02	.43	.14	28
29	.18	×	.04	~	~	~	.04	.32	.25	.04	.04	.08	29
30	.13	×	~	~	.14	.10	.25	~	~	~	.01	.46	30
31	.43	×	.16	×	.16	×	~	~	×	.15	×	.14	31
TOTAL	5.61	1.24	1.62	2.95	2.36	.60	2.68	5.14	3.46	1.86	6.14	4.59	38.61
* Days with or in. or more.	23	8	13	14	16	5	14	14	14	14	18	18	183
* Days with .04 in. or more.	21	4	11	15	13	4	12	12	16	12	16	16	152

NIZATION.

599A

ed to read the instructions
ng in this form.

ould fill in section C

US DAY.

Jan. 1, following.

uary 1st of the

THE MORNING

An observer who does not
following year in the spa

Records taken in

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	X	-	.02	.07	.04	-	-	.02	.10	-	.87	-	1
2	X	-	-	.04	-	-	.08	-	-	-	.83	-	2
3	X	-	-	-	.36	-	.21	-	-	-	.11	-	3
4	✓	-	-	.30	.34	-	-	.14	-	-	.28	-	4
5		.44	-	.53	.15	-	-	.03	.09	-	.15	-	5
6		-	-	-	.14	-	.32	.23	-	-	.60	-	6
7		.24	-	-	.26	-	-	-	-	-	.30	.21	7
8	X (2.50)	.01	-	-	.04	-	-	.03	.03	-	-	.12	8
9		.09	-	.26	-	-	.04	.14	-	-	-	-	9
10		.07	.01	.12	.18	-	-	.01	.04	-	-	-	10
11		.17	-	-	.04	-	-	.23	-	-	.03	-	11
12	-	.59	-	-	-	-	-	.28	-	-	-	-	12
13	X-	.35	.09	.19	-	-	-	.02	-	-	-	-	13
14	X-	.33	-	.26	-	-	-	-	-	-	.02	.02	14
15	X-	.07	-	.07	-	-	-	-	-	.02	-	-	15
16	X-	-	-	-	-	-	-	-	.23	.27	-	-	16
17	-	-	-	.01	.07	-	.09	-	.08	-	-	-	17
18	-	-	-	.09	.27	-	-	-	.08	.02	-	.07	18
19	-	-	-	.22	-	-	.07	.13	.80	.92	-	.70	19
20	-	-	-	-	-	-	-	.26	.67	.90	-	.06	20
21	-	.03	.02	-	-	-	.83	.57	.37	.49	-	.40	21
22	-	.29	-	.25	.21	-	.16	.13	.30	.76	-	.48	22
23	-	.10	.06	-	.08	-	-	.84	-	.18	-	.08	23
24	.60	.41	.03	.08	.46	-	-	.11	-	.05	-	.41	24
25	.45	.96	-	-	.01	-	.06	-	.49	.09	-	.09	25
26	.43	.29	-	.09	.44	-	.45	.12	-	.28	-	.22	26
27	.30	.05	-	.08	.42	-	.08	.10	-	-	.02	.04	27
28	.05	.07	-	.07	-	-	.06	-	.01	-	-	.38	28
29	.19	-	-	-	.29	-	.13	-	-	-	.12	.71	29
30	-	X	.02	.01	-	-	.60	-	-	.06	.01	.27	30
31	.09	X	.06	X	-	X	.09	-	X	.07	X	.02	31
TOTAL	(4.61)	4.56	.31	2.84	3.50	-	3.27	3.39	3.29	4.11	3.34	4.29	37.81
Days with 0.1 in. or more.	(16)	18	8	18	18	-	15	18	13	13	12	17	166
Days with 0.4 in. or more.	(15)	16	3	16	17	-	15	13	11	11	8	15	140
YEAR'S TOTAL													960

(Signed) James W. Dixon [P.T.O.]

Section

for the en

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

599A

Kept at *Tway Wood Tway*in the County of *Hampshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *—* in.Ground *—* Sea Level *180* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	X	—	02	07	04	—	—	02	10	—	87	—	1
2	X	—	—	04	—	—	08	—	—	—	83	—	2
3	X	—	—	—	36	—	21	—	—	—	11	—	3
4	✓	—	—	30	34	—	—	14	—	—	28	—	4
5	—	44	—	53	15	—	—	03	09	—	15	—	5
6	—	—	—	—	14	—	32	28	—	—	60	—	6
7	—	24	—	—	26	—	—	—	—	—	30	21	7
8	X (2.50)	01	—	—	04	—	—	03	03	—	—	12	8
9	—	09	—	36	—	—	04	14	—	—	—	—	9
10	—	07	01	12	18	—	—	01	04	—	—	—	10
11	—	17	—	—	04	—	—	23	—	—	03	—	11
12	—	59	—	—	—	—	—	28	—	—	—	—	12
13	X	35	09	19	—	—	—	02	—	—	—	—	13
14	X	33	—	26	—	—	—	—	—	—	02	03	14
15	X	07	—	07	—	—	—	—	—	02	—	—	15
16	X	—	—	—	—	—	—	—	23	27	—	—	16
17	—	—	—	01	07	—	09	—	08	—	—	—	17
18	—	—	—	09	27	—	—	—	08	02	—	07	18
19	—	—	—	22	—	—	07	13	80	92	—	70	19
20	—	—	—	—	—	—	—	26	67	90	—	06	20
21	—	03	02	—	—	—	83	57	37	49	—	40	21
22	—	29	—	25	21	—	16	13	30	76	—	48	22
23	—	10	06	—	08	—	—	84	—	18	—	08	23
24	60	41	03	08	46	—	—	11	—	05	—	41	24
25	45	96	—	—	01	—	06	—	49	09	—	09	25
26	43	29	—	09	44	—	45	12	—	28	—	22	26
27	30	05	—	08	42	—	08	10	—	—	02	04	27
28	05	07	—	07	—	—	06	—	01	—	—	38	28
29	19	—	—	—	29	—	13	—	—	—	12	71	29
30	—	X	02	01	—	—	60	—	—	06	01	27	30
31	09	X	06	X	—	X	09	—	X	07	X	02	31
TOTAL	(4.61)	4.56	3.31	2.84	3.50	—	3.27	3.39	3.29	4.21	3.34	4.29	37.81
Days with 01 in. or more.	(16)	18	8	18	18	—	15	18	13	13	12	17	166
Days with 04 in. or more.	(15)	16	3	16	17	—	15	13	11	11	8	15	140

YEAR'S
TOTAL

(Signed)

James Wilson

[P.T.O.]

REGISTER OF RAINFALL IN 1926.

Kept at Sway Wood Sway
in the County of Hampshire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....2 ft.....in.
,, Ground ,, Sea Level.....100 ft.

*Is not above the ground
height above sea level*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.65	.14	-	-	.02	.82	-	-	.25	-	.48	-	1
2	.12	.01	-	-	-	.66	-	-	.24	-	.14	-	2
3	.22	.15	.10	-	-	-	-	-	.04	-	-	.01	3
4	.09	.41	.15	.10	-	-	-	-	-	-	.33	-	4
5	.08	.06	.02	-	.33	-	.35	-	-	-	.03	.29	5
6	.23	.19	.03	.26	.01	-	.17	.09	-	-	.34	-	6
7	.02	.10	-	.12	.18	.18	.01	-	.09	-	1.23	.02	7
8	-	.03	-	.47	-	.02	-	-	-	.10	1.26	-	8
9	-	-	-	-	-	.45	-	-	-	-	.42	-	9
10	-	-	-	-	.04	.08	.03	-	-	.03	.04	-	10
11	-	.03	-	-	.08	.26	-	.27	-	-	.26	-	11
12	-	-	-	-	.11	-	-	-	-	.30	.06	-	12
13	-	-	-	-	.05	-	-	.06	-	-	1.22	.08	13
14	.15	.22	-	.43	.13	.58	-	-	-	.66	.09	.09	14
15	.20	.02	-	.09	-	-	-	-	-	.15	.11	-	15
16	.10	.13	-	.64	-	-	-	.04	-	.06	.03	-	16
17	.36	.62	-	.29	-	.60	.18	-	-	-	.24	-	17
18	.27	.10	-	.06	-	.27	-	.15	-	-	1.18	-	18
19	-	-	.05	.04	.12	-	.20	.05	-	-	.47	.02	19
20	-	-	-	.25	-	-	-	.28	-	-	.18	-	20
21	-	-	-	.05	-	-	-	.02	-	.65	.37	-	21
22	.64	-	-	.05	-	-	-	-	-	.03	-	-	22
23	.14	-	.03	-	-	-	-	-	-	-	-	-	23
24	.18	-	-	-	-	-	.14	-	-	.60	-	-	24
25	.17	-	.11	.41	-	-	-	-	-	.16	.05	.04	25
26	-	-	-	.01	.16	-	.32	-	.04	-	.12	-	26
27	.19	.03	.01	-	.18	-	-	-	.06	.17	.02	-	27
28	.52	-	-	-	-	-	.12	-	-	.37	.65	-	28
29	.10	-	-	.03	.25	-	-	-	-	.11	.13	-	29
30	.33	X	-	.18	.35	-	-	-	-	.00	.28	-	30
31	.39	X	-	X	-	X	-	.05	X	-	X	-	31
TOTAL	5.15	2.24	1.00	3.48	2.01	3.92	1.52	1.01	1.75	3.40	9.73	.55	YEARS TOTAL
Days with 0.1 in. or more.	21	15	8	17	14	10	9	9	6	14	26	17	152
Days with 0.4 in. or more.	20	10	4	15	12	9	7	8	6	11	23	14	129

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

580
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Sway Wood Sway

in the County of Hampshire

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft..... in.

„ „ Ground „ Sea Level about 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.42	.01	—	—	—	1.22	.23	—	.24	.37	—	1
2	.03	—	.05	.21	—	—	—	—	—	.07	.03	—	2
3	.29	.02	.08	—	—	.10	.08	—	.02	—	—	—	3
4	.05	—	.06	.17	.11	.02	.25	—	—	—	—	—	4
5	.11	.19	.19	.38	—	.10	.02	—	—	—	.10	—	5
6	.01	—	.54	.60	—	.03	—	.26	.30	—	.05	—	6
7	.02	.28	.01	.16	—	.11	.02	—	—	—	—	—	7
8	.02	—	.02	.55	.18	.07	.10	.10	.13	—	.14	.04	8
9	—	—	.08	.46	.03	—	.03	.09	.29	—	—	.15	9
10	—	—	.07	—	—	—	.14	.06	.27	—	—	—	10
11	—	—	—	—	—	—	—	.15	—	—	—	—	11
12	.10	—	—	—	—	—	—	.19	—	—	—	—	12
13	.15	.01	—	—	—	—	.08	.62	.20	.02	.11	.40	13
14	.05	—	—	.04	.04	—	.34	—	1.90	—	—	.14	14
15	—	—	—	—	—	—	—	.05	.05	—	—	—	15
16	.11	—	—	—	.09	.53	—	—	.21	—	—	—	16
17	.09	—	.18	—	—	.01	—	.46	—	—	.03	—	17
18	—	—	.02	—	—	.31	—	.20	.04	—	.92	—	18
19	—	.35	—	—	—	.07	—	.07	—	—	.65	—	19
20	.26	.02	—	—	—	—	.19	.96	.03	—	.30	.50	20
21	—	.40	—	—	—	.02	.01	.55	.64	.33	.11	.92	21
22	.15	.24	.23	—	—	—	—	.02	.06	.29	—	.49	22
23	—	.72	.28	.03	—	.14	—	—	.81	—	.30	.24	23
24	—	.16	.49	.06	—	.15	.03	.22	—	.05	—	.51	24
25	—	.31	.14	—	—	.03	—	.13	.10	.13	—	.77	25
26	.26	.38	.05	—	—	.08	.20	—	.03	.02	—	.14	26
27	—	.21	.01	—	.30	—	.14	—	—	.93	.01	—	27
28	.26	.15	.11	.11	—	.27	.06	—	—	.04	.35	—	28
29	.09	—	.12	—	—	.32	—	—	.56	.02	.53	—	29
30	.15	X	.01	—	—	.30	.08	—	.10	.30	.01	.07	30
31	.03	X	.45	X	—	X	.09	—	X	—	X	.20	31
TOTAL	2.23	3.86	3.20	2.77	.75	2.66	3.08	4.36	5.74	2.48	4.01	4.51	YEAR'S TOTAL
Days with ".01 in. or more.	19	15	22	11	6	18	18	17	18	12	16	13	39.65
Days with ".04 in. or more.													185
													146



Section

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Tway Wood Tway
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" Ground " Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.88	.02	.07	.01	-	-	-	-	-	-	-	-	1
2	.57	.54	.12	.04	-	-	-	.12	-	-	.02	-	2
3	-	-	-	.30	-	-	.13	.87	-	-	.25	-	3
4	.01	.26	-	.08	-	.04	-	.02	-	.20	.12	-	4
5	.08	.13	.09	-	-	.04	.07	-	-	.02	-	-	5
6	-	-	.06	-	-	.25	-	-	-	-	-	.07	6
7	.01	-	.04	.20	-	.20	-	.10	-	.02	.01	-	7
8	-	.04	-	.06	-	.43	-	-	-	.05	-	-	8
9	-	.01	.01	.02	-	-	-	-	.41	.09	-	.03	9
10	.25	.14	-	.03	-	-	-	.07	-	.30	.07	.06	10
11	-	-	.01	-	-	.13	-	-	-	.76	.03	.05	11
12	.70	.72	.02	-	-	-	-	.08	-	.65	.14	.03	12
13	-	-	-	-	-	.68	-	.07	-	-	.03	-	13
14	.06	.10	-	.46	.26	.05	-	-	-	.58	.46	-	14
15	.20	-	-	.86	-	.04	-	-	-	-	.41	-	15
16	-	.06	.03	.06	.04	-	-	-	-	.28	.10	.31	16
17	.03	-	-	-	.45	.02	-	-	-	.03	-	-	17
18	.68	-	-	-	.12	.03	-	-	-	.34	.14	-	18
19	-	-	.06	-	.04	.12	-	.13	-	.67	.01	.11	19
20	.32	-	.51	-	.02	-	-	-	-	.39	.10	-	20
21	.12	-	.36	.17	.13	.04	-	-	-	.28	.19	.02	21
22	-	-	.30	-	-	-	-	-	-	.59	.39	.12	22
23	.58	-	-	-	.11	-	-	-	-	.25	.45	.06	23
24	.01	-	.06	-	-	-	-	-	.19	.11	.02	.27	24
25	.05	-	-	-	-	.08	-	.09	-	.17	-	.07	25
26	.24	-	-	-	-	.01	.03	.40	-	1.16	-	.09	26
27	-	-	.08	.03	-	-	.83	-	.18	.24	-	1.09	27
28	1.11	-	.16	-	-	-	-	-	.60	-	-	.17	28
29	.41	.24	.43	-	.02	.02	.04	-	-	.13	.07	.21	29
30	.03	X	.37	-	-	.11	.24	-	-	.18	-	.06	30
31	.26	X	.27	X	-	X	.35	-	X	.02	X	-	31
TOTAL	6.57	2.28	3.05	2.32	1.19	2.39	1.69	1.95	1.38	6.91	3.01	2.82	YEAR'S TOTAL
Days with .01 in. or more.	21	11	19	13	9	17	7	10	19	24	19	17	35.56
Days with .04 in. or more.	16	9	15	9	7	13	6	9	4	20	13	14	171
													135

REGISTER OF RAINFALL IN 1929 .

Kept at Sway Wood - Sway
in the County of Hampshire

Diameter of Funnel of Gauge. 5 in.
Height of top of Gauge above Ground. 1 ft. - in.
,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.33	-	-	-	-	-	.03	-	.27	-	-	I
2	-	.30	-	-	-	.12	.16	-	-	.28	-	.31	2
3	-	-	-	.01	-	-	.29	-	-	-	-	.12	3
4	-	-	-	.06	.55	-	-	.08	-	.10	-	.67	4
5	-	-	-	-	.78	.40	.39	.93	-	1.14	.88	.20	5
6	.02	-	-	-	.14	.01	-	.27	-	.05	.03	.63	6
7	-	-	-	-	.03	-	-	.19	-	.50	.63	.59	7
8	-	-	-	-	-	.06	-	.03	-	.20	-	.41	8
9	.14	.17	-	-	-	-	-	-	-	-	.18	.29	9
10	.06	-	-	-	-	-	-	-	-	.04	-	.31	10
11	-	.08	-	.14	.25	-	-	-	-	.01	1.07	.03	11
12	-	-	-	.18	.05	.20	-	-	-	.02	.04	.24	12
13	-	-	-	-	.13	-	-	-	-	-	-	.06	13
14	-	-	-	-	.20	.17	-	-	-	-	-	.08	14
15	.01	.23	-	-	.01	.25	-	-	-	-	1.09	.08	15
16	-	-	-	-	-	-	-	.32	.26	-	.01	-	16
17	.06	-	-	-	-	-	-	-	-	-	-	-	17
18	.01	-	-	-	-	-	-	.08	-	.02	.54	-	18
19	-	-	-	-	-	-	-	-	-	-	.05	-	19
20	.02	-	.02	-	-	-	.99	.09	-	.81	-	.42	20
21	.07	-	.08	-	-	-	-	-	-	-	-	-	21
22	-	-	-	-	-	-	.03	.06	-	-	.28	-	22
23	-	.11	-	.02	-	-	-	-	-	.16	.44	.53	23
24	-	-	.11	-	-	-	-	-	-	.55	.89	.76	24
25	-	.01	-	.05	-	-	-	-	-	.07	.10	.01	25
26	-	-	-	-	.25	-	-	-	-	-	.12	.18	26
27	-	-	-	.21	.26	-	-	-	-	-	1.40	.04	27
28	.31	-	-	.02	-	-	.55	-	-	.51	.27	.42	28
29	.15	-	-	.54	-	.14	-	-	.03	.03	.67	.43	29
30	-	×	-	-	-	.13	.66	-	.30	-	1.49	.04	30
31	.44	×	-	×	-	×	.05	-	×	-	×	.05	31
TOTAL	1.29	1.23	.21	1.24	2.75	1.48	2.50	2.08	.59	4.71	10.18	6.90	35.16
Days with or in. or more.	11	7	3	9	11	9	8	10	3	17	19	24	131
Days with .04 in. or more.	7	6	2	6	9	8	7	8	2	13	17	22	107

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Sway Wood - Sway
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.30	-	.15	-	-	-	-	-	-	.61	-	1
2	-	.01	.11	.10	.05	-	.05	.40	-	-	.38	-	2
3	.05	.09	-	.65	.12	-	-	.48	-	.04	-	-	3
4	.41	.06	-	-	-	-	-	.14	-	.26	-	-	4
5	-	-	-	.13	.06	-	-	.21	-	.01	.01	-	5
6	-	-	.01	-	-	-	-	.20	.62	.04	-	-	6
7	.11	-	-	-	-	-	-	.08	.12	.81	.29	.20	7
8	.20	-	-	-	-	-	-	.05	.14	-	-	.22	8
9	.35	-	.04	-	.23	-	-	.03	.15	-	-	-	9
10	.47	-	.05	-	.26	-	-	.01	-	-	-	1.03	10
11	.21	-	.02	-	.06	-	.14	-	-	.10	-	.13	11
12	.26	-	-	.08	.16	-	-	.04	~~0~~	-	-	.24	12
13	.06	-	-	.34	.17	-	.08	.15	.37	-	-	-	13
14	.03	.04	.20	.06	-	-	.07	-	.05	.08	-	.03	14
15	.09	.02	.16	-	.01	-	.32	-	-	.06	.10	.24	15
16	-	-	-	-	-	-	-	-	.24	-	-	.26	16
17	-	-	.13	.11	-	-	-	.02	.42	.26	-	-	17
18	-	-	.22	-	.15	.09	-	.05	.31	.08	.30	.23	18
19	-	-	.24	.34	-	-	-	.12	.18	.21	.82	.02	19
20	-	-	-	.02	-	.01	.69	.60	.20	.07	.53	-	20
21	-	-	.04	-	-	-	-	-	.02	.09	.55	-	21
22	.46	-	-	.05	.05	.11	-	.70	.07	.31	.35	-	22
23	.33	-	.05	.27	-	.35	.18	.04	.16	.02	.40	.15	23
24	.19	-	-	.28	.07	.02	-	-	-	.12	.12	.36	24
25	.09	.20	-	.23	.72	-	-	-	.11	-	.11	.02	25
26	.52	-	-	-	.18	-	.21	-	.09	-	.26	.22	26
27	.03	-	-	-	-	-	.02	-	-	.15	.38	.05	27
28	.07	-	.07	-	-	-	.02	-	.20	.02	.60	.16	28
29	.18	-	-	-	-	-	-	-	.15	.04	.01	.04	29
30	.12	X	-	-	.16	.22	.14	.09	-	-	-	.48	30
31	.57	X	.31	X	.06	X	-	-	X	.16	X	.21	31
TOTAL	4.86	.72	1.65	2.51	2.60	.80	1.92	3.41	3.54	2.93	5.85	4.29	YEAR'S TOTAL 35.38
* Days with or in. or more.	22	7	14	14	16	6	11	18	18	20	17	19	182
* Days with .04 in. or more.	20	5	12	13	15	4	9	15	17	17	15	16	158

Kept at Sway
in the County of Hants
Diameter of Funnel of Gauge..
Height of top of Gauge above
Ground

THE MORNING
An observer who does not come
year in the space on the right

Date.	Jan. in.	Feb. in.
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		X
31		X
TOTAL		
Days with 01 in. or more.		
Days with 04 in. or more.		

SWAY
"GORDLETON"
HANTS
1926, 1929-30

US DAY.
the following
Jan. 1, following

Oct. in.	Nov. in.	Dec. in.	Date.
X	43		1
	06		2
			3
	24		4
	19	28	5
	20		6
	88	01	7
	87		8
	29		9
	02		10
	32		11
	02		12
	1.41	04	13
	07	27	14
	08		15
	02		16
	22	04	17
	1.22		18
	64	01	19
	11		20
	28		21
	02		22
			23
			24
	07		25
	15	02	26
	03		27
	48		28
	18		29
	21		30
	X		31
			YEAR'S TOTAL
	8.71	67	
	27	7	
	22	4	

Section **A**

for the entry

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

583 A? Circ H

Kept at Sway, Portsmouth
in the County of Hampshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										X	43		1
2											06		2
3													3
4											24		4
5											19	28	5
6											20		6
7											88	01	7
8											87		8
9											29		9
10											02		10
11											32		11
12											02		12
13											141	04	13
14											07	27	14
15											08		15
16											02		16
17											22	04	17
18											122		18
19											64	01	19
20											11		20
21											28		21
22											02		22
23													23
24													24
25											07		25
26											15	02	26
27											03		27
28											48		28
29											18		29
30		X									21		30
31		X		X		X			X		X		31
TOTAL											871	67	YEAR'S TOTAL
Days with '01 in. or more.											27	7	
Days with '04 in. or more.											22	4	

Please read the Notes and Instructions Overleaf.

(Signed) W. F. Knight

57

Section



for the entry of Daily Observations.

622
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Sway, Gordleton

in the County of Hampshire

Diameter of Funnel of Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

„ Ground „ Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		26				03		03		26		03	1
2		35				08	14			26	01	24	2
3				01			10	03		02		08	3
4				06	40	02	02	09		11		15	4
5					77	43	12	85		123	77	22	5
6	01				11	01		34		08	04	109	6
7					10	02		20		70	54	50	7
8								02		20		38	8
9	15	17									17	32	9
10	10				02					04	01	39	10
11		03		12	38	02				02	78	03	11
12				17	03	15				02	02	24	12
13	01				12							03	13
14					23	16						05	14
15		20				20					131	04	15
16								21	30				16
17	07												17
18	02			01				02		02	41		18
19											03		19
20	03		01				76	14		51		38	20
21	06		05									03	21
22		01					02	06			62		22
23		07		01						11	57	37	23
24			12							54	78	52	24
25		02		04						05	16		25
26					30				02		19	13	26
27	01			16	21				28	03	123	11	27
28	27						50			44	22	46	28
29	13			46		13				06	69	38	29
30		X				12	07				114	12	30
31	40	X		X		X	03	02	X		X	03	31
TOTAL	126	111	18	104	267	137	176	201	60	470	969	632	3271
Days with 01 in. or more.	12	8	3	9	11	12	9	12	3	19	20	25	143
Days with 04 in. or more.	7	5	2	6	9	7	6	7	2	14	16	20	101

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Sway, Gosport
in the County of Hampshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.07	.30		.17							.62		I
2			.07	.10			.05	.47			.38		2
3	.09	.07		.56	.13			.55		.03			3
4	.56	.09	.01	.12				.13	.01	.18			4
5	.06				.06			.09			.02		5
6					.03			.17	.53	.02		.05	6
7	.08							.14	.09	.75	.28	.11	7
8	.13							.07	.12			.26	8
9	.30		.02		.19			.01	.11				9
10	.44		.10		.24			.01				.94	10
11	.16		.01	.02	.04		.14			.07		.17	11
12	.19			.03	.15			.02				.17	12
13	.03			.26	.20		.34	.12	.32				13
14	.03	.05	.13	.08			.04	.04	.05			.01	14
15	.13	.01	.14				.21			.14	.09	.18	15
16							.01		.26			.25	16
17			.13	.10		.09		.02	.36	.26			17
18			.06		.04			.04	.29		.27	.24	18
19			.20	.41				.02	.17	.25	.70	.01	19
20							.50	.49	.09	.08	.40		20
21			.02						.02	.20	.59		21
22	.37			.03	.02	.09		.55	.05	.32	.57	.01	22
23	.39		.03	.17		.36	.20		.07	.01	.35	.19	23
24	.17			.28	.02	.08				.15	.22	.35	24
25	.05			.20	.89				.12		.21	.01	25
26	.41	.18			.15		.10		.10	.18	.20	.21	26
27	.04	.01					.01				.31	.04	27
28	.07		.07				.02		.15	.02	.55	.17	28
29	.10				.02			.03	.22	.04		.14	29
30	.19	X			.16	.40	.11					.28	30
31	.52	X	.25	X	.04	X			X	.15	X	.23	31
TOTAL	4.58	.71	1.24	2.53	2.38	1.02	1.73	2.93	3.12	2.90	5.76	4.02	82.92
Days with ".01 in. or more.	23	7	14	14	16	5	12	17	19	18	16	21	182
Days with ".04 in. or more.	21	5	9	11	12	5	9	11	17	14	15	17	146

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1930

At Sway (Dordilton)
In the County of Hants
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft 6 in.
Height of Ground above Sea Level 105 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ".01 in. or more or more
JAN.	4.58	.56	4	23 21
FEB.	.71	.30	1	7 5
MAR.	1.24	.25	31	14 9
APRIL	2.53	.56	3	14 11
MAY	2.38	.89	25	16 12
JUNE	1.02	.40	30	5 5
JULY	1.73	.50	20	12 9
AUG.	2.93	.55	22	17 11
SEPT.	3.12	.53	6	19 17
OCT.	2.90	.75	11	18 14
NOV.	5.76	.70	19	16 15
DEC.	4.02	.94	10	21 17
Total	32.92			182 146

Signature W. Fred Wright

*See Instruction 2 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. Fred Wright
Reston, Sway, Hants
Hour of observation by the clock—in Winter 9.6 in Summer 9 am
Nearest Railway Station Sway Distance 2 miles Direction from gauge N
Nearest Parish Church at Fordle Distance 1 1/2 miles Direction from gauge W

Nature of objects nearest to gauge

Heights of objects

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not "00"). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

TICHBORNE
RECTORY
HANTS

666
FOR OFFICIAL USE.
ORGANIZATION.
1925.

Kept at Tichborne Rectory
in the County of HANTS

Diameter of Funnel of Gauge.....5
Height of top of Gauge above Ground.....
" Ground " Sea Level

1925 - 27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

TICHBORNE RECTORY Records taken in Millimetres should be entered on Stations Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.95	.05	—	—	—	.76						1
2	.05	—	.08	.22	—	—	—						2
3	.26	—	.07	.18	—	—	.19						3
4	—	—	.14	.10	—	—	—						4
5	.21	.14	.26	.38	—	.10	.24						5
6	.01	—	.39	.57	.19	—	.04						6
7	—	—	—	—	—	.20	+23						7
8	.03	.24	—	.27	.05	—	—						8
9	—	—	.01	.16	—	—	—						9
10	—	—	.12	—	—	—	—						10
11	.02	—	—	.04	—	—	—						11
12	.12	—	—	—	.02	—	—						12
13	.14	—	—	—	—	—	—						13
14	.04	—	—	.17	.06	—	—						14
15	—	—	—	—	—	—	—						15
16	—	—	—	—	.23	.38	—						16
17	.22	.03	.12	—	—	.15	—						17
18	—	—	—	—	—	.53	—						18
19	—	.24	—	—	—	.01	—						19
20	.25	.20	—	—	—	—	—						20
21	—	.35	—	—	—	.09	—						21
22	.26	.24	.38	.05	.06	.09	—						22
23	.02	.99	.72	—	—	.26	—						23
24	—	.11	.72	—	—	.04	—						24
25	.04	.28	.23	—	—	.03	—						25
26	.27	.58	.14	—	.05	.04	—						26
27	.27	.52	.02	—	.38	.14	—						27
28	.37	.30	.32	.09	—	.19	—						28
29	.13	X	—	—	—	.38	—						29
30	.18	X	.13	—	—	.44	—						30
31	.03	X	.38	X	—	X	—		X		X		31
TOTAL	2.92	5.17	4.28	2.23	1.04	3.07							YEAR'S TOTAL
Days with 01 in. or more.	20	14	19	12	8	16							
Days with 04 in. or more.	15	8.13	16	12	7	14							

Please read the Notes and Instructions Overleaf.

(144ws) 28 Harry Gask in Hants

19.23 (Signed) 19.24

[P.T.O.]

Section **A** for the entry of Daily Observations.

666
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

Kept at Titchborne Rectory

in the County of HANTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 242 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

TITCHBORNE RECTORY Records taken in Millimetres should be entered on the following page.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.95	.05	—	—	—	.76						1
2	.05	—	.08	.22	—	—	—						2
3	.26	—	.07	.18	—	—	.19						3
4	—	—	.14	.10	—	—	—						4
5	.21	.14	.26	.38	—	.10	.24						5
6	.01	—	.39	.57	.19	—	.04						6
7	—	—	—	—	—	.20	+.23						7
8	.03	.24	—	.27	.05	—	—						8
9	—	—	.01	.16	—	—	—						9
10	—	—	.12	—	—	—	—						10
11	.02	—	—	.04	—	—	—						11
12	.12	—	—	—	.02	—	—						12
13	.14	—	—	—	—	—	—						13
14	.04	—	—	.17	.06	—	—						14
15	—	—	—	—	—	—	—						15
16	—	—	—	—	.23	.38	—						16
17	.22	.03	.12	—	—	.15	—						17
18	—	—	—	—	—	.53	—						18
19	—	.24	—	—	—	.01	—						19
20	.25	.20	—	—	—	—	—						20
21	—	.35	—	—	—	.09	—						21
22	.26	.24	.38	.05	.06	.09	—						22
23	.02	.09	.72	—	—	.26	—						23
24	—	.11	.72	—	—	.04	—						24
25	.04	.28	.23	—	—	.03	—						25
26	.27	.58	.14	—	.05	.04	—						26
27	.27	.52	.02	—	.38	.14	—						27
28	.37	.30	.32	.09	—	.19	—						28
29	.13	X	—	—	—	.38	—						29
30	.18	X	.13	—	—	.44	—						30
31	.03	X	.38	X	—	X	—		X		X		31
TOTAL	2.92	5.17	4.28	2.23	1.04	3.07							YEAR'S TOTAL
Days with 01 in. or more.	20	14	19	12	8	16							
Days with 04 in. or more.	15	8.13	16	12	7	14							

Please read the Notes and Instructions Overleaf.

A

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

671

Kept at Titchborne Rectory
 in the County of HANTS
 Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft.
 „ Ground „ Sea Level 24.2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.27	.04	—	—	—	.42	—	—	—	—	.38	—	1
2	.14	tr	—	—	—	.20	.42	—	.71	—	.08	—	2
3	.30	.40 ¹⁰	.07	—	—	—	—	—	—	—	tr	—	3
4	.10	.32	.07	.03	—	—	.06	—	.02	—	.54	—	4
5	.15	.08	.20	—	.49	—	.33	—	tr	.05	.05	.27	5
6	.39	.37	—	.24	.01	—	.10	.09	.17	—	.31	.04	6
7	.11	.20	—	.11	.36	.21	.03	—	.42	—	.62	—	7
8	tr	—	—	.16	.04	.03	—	.02	—	.29	.56	—	8
9	—	tr	.04	—	—	.34	.16	—	—	.02	.67	—	9
10	—	—	—	—	.07	.14	.04	.01	—	—	.15	—	10
11	—	—	—	—	.15	.33	—	.27	.02	.06	.31	—	11
12	—	.04	—	—	.05	.08	—	—	—	.35	.35	—	12
13	.01 ³	—	—	—	—	.02	—	—	.02	.01	.85	.03	13
14	.11 ³	.14	—	.49	.17	.14	—	—	.02	.59	.02	—	14
15	.32 ⁶	—	—	.15	—	—	—	—	—	.26	.21	—	15
16	.21 ³	.27	—	.35	—	—	—	.13 ⁷	—	.01	.06	—	16
17	.19 ³	.53	—	.09	—	.39	.06	—	—	—	.41	—	17
18	.29	.10	—	.02	.03	tr	.10	.20	—	—	.72	.02	18
19	—	—	—	.05	—	—	.27	—	—	—	.40	—	19
20	—	—	—	.40	tr	—	—	.50	—	—	.29	—	20
21	—	.02	—	.01	.06	—	—	.02	—	—	.23	.03	21
22	.62	.01	—	.09	—	—	—	—	—	—	—	—	22
23	.16	tr	.01	—	—	—	—	—	—	—	—	—	23
24	.07	—	—	—	—	—	.21	—	.01	.66	—	—	24
25	.19	—	.10	.51	—	—	.10	.01	—	.12	.13	.04	25
26	.04	.01	—	.07	.01	—	.46	—	.10	—	.03	—	26
27	.13	—	tr	.02	.16	—	—	—	—	.08	.73	—	27
28	.63	—	—	.06	.03	—	.42	—	—	.14	.21	.01	28
29	.09	—	—	.16	.25	—	—	—	—	.05	.20	—	29
30	.22	X	—	.11	.14	—	—	.05	—	—	.20	—	30
31	.52	X	—	X	—	X	—	.29	X	—	X	—	31
TOTAL	6.24	2.23	.49	3.12	2.02	2.30	2.36	1.59	1.49	2.69	8.11	0.44	YEARS TOTAL 33.08
Days with ".01 in. or more.	23	14	6	19	15	11	14	11	9	14	26	7	189 169
Days with ".04 in. or more.	22	11	5	15	11	9	12	7	4	11	24	83	134 134

Please read the Notes and Instructions Overleaf.

Charles H. Longbrake

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Register of Rainfall in 192 .

Kept at Titchborne Rectory,

in the County of Hants.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 242 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.37	—	.21	.11	.01	—	—	.38	.04	—	.86	tr.	1
2	.54	—	—	.14	tr.	—	.19	—	—	—	.69	—	2
3	.15	.02	—	—	.19	—	.03	—	—	—	.14	—	3
4	—	.01	—	.36	.26	—	—	.14	.11	—	.09	.02	4
5	—	.46	—	.96	.19	—	—	.06	.27	—	.04	—	5
6	—	.05	—	.01	.28	—	.48	.14	—	—	.66	.03	6
7	—	.34	—	—	.68	—	—	—	—	—	.01	.32	7
8	.18	.04	.03	—	.06	—	—	.01	.03	—	—	.14	8
9	—	.06	—	.13	.07	—	—	.10	.14	—	—	.01	9
10	—	.11	.06	—	.28 ^T	—	—	.04	.01	—	—	—	10
11	—	.15	—	—	.01	—	—	.29 ^T	—	—	—	—	11
12	—	.91	—	—	—	—	—	.20	—	.02	—	—	12
13	—	.52	.08	.10	—	—	—	.01	—	—	—	.05 ^s	13
14	.49	.47	.03	.23	—	—	—	—	—	—	—	—	14
15	.10	—	—	.14	—	—	—	—	—	.10	—	tr.	15
16	.05	.03	—	—	—	—	—	—	.32	.15	—	.02	16
17	—	—	—	.02	—	—	.05	—	.03	tr.	—	—	17
18	—	.10	—	.01	.78 ^T	—	tr.	—	—	.02	—	.08	18
19	—	.07	—	.05	.01	tr.	.15	tr.	.74	.68	—	.31	19
20	—	—	.07	—	—	—	—	.39	.69	.75	—	.03	20
21	—	tr.	.02 ^s	—	—	—	1.03 ^T	.17	.15	.55	—	.30	21
22	—	.31	—	.20	.12	—	.53	.13	.81	.83	—	.49	22
23	.05	.12	.16	.01	.20	—	—	1.04	tr.	.12	—	.07	23
24	.35	.33	.06	.10	.39	—	—	.05	.02	.08	.05	.18 ^s	24
25	.31	1.05	—	.09	.01	—	.13	—	.20	.09	—	.06	25
26	.05	.58	—	.13	.34	.02	.25	.20	—	.49	—	.17	26
27	.12	.01	—	.09	.37	—	.62 ^T	.03	—	—	.02 ^s	.06	27
28	.26	.14	—	.08	—	—	—	—	.01	—	—	.39	28
29	.16	X	—	tr.	.22	—	.07	—	—	—	.05	.89	29
30	—	X	—	.10 ^T	—	—	.29	—	—	.10	.16	.40	30
31	.08	X	.10	X	—	X	.05	—	X	.06	X	tr.	31
TOTAL	4.26	5.88	.82	3.06	4.47	.02	3.87	3.38	3.57	4.04	2.75	4.02	40.14
Days with .01 in. or more.	15	22	10	20	19	1	13	17	15	14	11	20	177
Days with .04 in. or more.	15	18	7	16	15	—	12	14	10	12	9	15	143

T in top line corner = Thunder. "Tr." = Traces less than .01 —

S = Melted snow.

(Signed) Charles H. Compton

P.T.O.

TISTED

ORGANIZATION.

21.....

Long.....

9 a.m.

tion TISTED

of Rain Gauge..... 5 in.

age above Ground..... 1 ft. 1 in.

Sea Level..... 560 ft.

result entered to the previous day.

requested to add

for it at the end of

ing of rain gauges,

Jan. 1, following.

Kept at Colmer
in the County of Hen
by Rev. A. C. Nes

COLMER RECTORY
HANTS

1921 - 24

IMPORTANT NOTE.—R

If an Observer prefers not to c
the reading at 9 a.m. on 1st Ja
this paragraph. Full instructions for the measurement of rain, and
and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.56		.11								.15	.34	1
2					.04						.15	.03	2
3	.18		.02		.15						.52		3
4	.32				.18	.09		.23			.36		4
5			.01		.36			.33			.35		5
6	.48		.15		.50							.02	6
7	.73				.08								7
8	.08		.03										8
9				.09									9
10	.26		.02						.10			.01	10
11	.41	.02	.01					.85	.90				11
12	.42		.18						.07				12
13				.29	.08			.02	.01				13
14			.12		.12			.02				.30	14
15							.15				.35		15
16	.21		.08	.49				1.04			.20		16
17	.14		.19						.06			.02	17
18												.01	18
19			.22					.12		.08		.16	19
20			.05							.42	.01		20
21											.02		21
22				.20						.15			22
23				.03				.29		.28		.34	23
24	.05	.02										.08	24
25		.14											25
26	.01											.60	26
27	.03												27
28			.35		.04		.16					.27	28
29	.09		.07		.47							.02	29
30	.26			.01	.12						.35	.23	30
31	.08						.01						31
TOTAL	4.31	.18	1.61	1.11	2.4	.09	.32	2.90	1.14	.93	2.46	2.43	19.62
Days with ".01 in. or more	17	3	15	6	11	1	3	8	5	4	10	14	92
Days with ".04 in. or more	15	1	10	4	11	1	2	6	4	4	8	8	74

REGISTER OF RAINFALL IN 1921

Kept at Colmer Rectory
in the County of Hampshire
by Rev. A. C. Herapem. LL.D.

Lat. _____ Long _____
Time of Observation 9 a.m.
Nearest Railway Station LISTED
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 580 ft.

JAN 1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.56		.11								.15	.34	1
2					.04						.15	.03	2
3	.18		.02		.15						.52		3
4	.32				.18	.09		.23			.36		4
5			.01		.36			.33			.35		5
6	.48		.15		.50							.02	6
7	.73				.08								7
8	.08		.03										8
9				.09									9
10	.26		.02						.10			.01	10
11	.41	.62	.01					.85	.90				11
12	.42		.18						.07				12
13				.29	.08			.02	.01				13
14			.12		.12			.02				.30	14
15							.15				.35		15
16	.21		.08	.49				1.04			.20		16
17	.14		.19						.06			.02	17
18												.01	18
19			.22					.12		.08		.16	19
20			.05							.42	.01		20
21											.02		21
22				.20						.15			22
23				.03				.29		.28		.34	23
24	.05	.02										.08	24
25		.14											25
26	.01											.60	26
27	.03												27
28			.35		.04		.16					.27	28
29	.09		.07		.47							.02	29
30	.26	~~X~~		.01	.12						.35	.23	30
31	.08	~~X~~		~~X~~		~~X~~	.01		~~X~~		~~X~~		31
TOTAL	4.31	.18	1.61	1.11	2.4	.09	.32	2.90	1.14	.93	2.46	2.43	YEAR'S TOTAL 19.62
Days with ".01 in. or more	17	3	15	6	11	1	3	8	5	4	10	14	87
Days with ".04 in. or more	15	1	10	4	11	1	2	6	4	4	8	8	74

AIR MINISTRY.
FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1922.

Kept at Colmer Rectory
in the County of Hants
by Rev A.P. Hervey LLD

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station TESTED
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 560 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.18	.30		.07		.41	.06			1.00		1
2		.19	.66	.74			.30				.06	.08	2
3		.06	.35		.18		.07	.20					3
4		.20	.22		.29		.21			.45			4
5			.32				2.55			.26			5
6			.27				.06	1.71			.91		6
7	.25		.72	.30			.06	.14				.02	7
8	.13		.06			.07	.34	.01					8
9	.16						.01	.14			.52		9
10													10
11								.01					11
12				1.12	.06	.48		.50	.54				12
13				.79			.38						13
14	.14			.05			.75		.24				14
15	.45	.30		.05			.01						15
16		.21		.16			.05		.14			.25	16
17		.27			.25		.18		.04			.37	17
18	1.37	.06	.03						.20			.16	18
19	.35	.06			.05				.20			.70	19
20	.09	.41											20
21	.39	.19										1.72	21
22		.06		.15	.11	.06		.72				.28	22
23		.12		.15			.22		.07				23
24			.12	.05	.20	.25		.28					24
25	.59	.02		.35		.14			.14			.40	25
26	.23	.52		.05								.12	26
27	.47	.25	.09	.08		.20		.14	.04			.55	27
28	.35	.38				.36			.02			.12	28
29	.02	~~X~~				.01		.08		.30		.24	29
30	.04	~~X~~						.42	.10			.68	30
31	.12	~~X~~	.53	~~X~~		~~X~~	.11	~~X~~	~~X~~		~~X~~	.12	31
TOTAL	5.21	3.45	3.17	4.04	1.21	1.57	5.71	3.81	1.73	1.01	2.49	5.81	39.21
Days with ".01 in. or more	17	17	12	13	8	8	15	13	11	3	4	15	136
Days with ".04 in. or more	16	16	11	13	8	7	14	11	10	3	4	14	126

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Colmer Rectory
in the County of Hants
by Rev A. C. Hervey L.L.D.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station TISTED
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 560 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.08	.38								.35	.55	1
2	.40	.05	.52					.05		.30	.04		2
3	.02		.02							.58	.05	.12	3
4			.01						.14			.07	4
5	.53									.15	.07	.10	5
6	.72	.27	.09	.14									6
7		1.18	.23		.09	.05				.44		.53	7
8	.09	.13			.08					.25	.32		8
9		.38					.24			.04	.02		9
10		.26		.68						.05			10
11		.11		.75						.86			11
12		.14	.52	.30	.22					.60		.05	12
13	.14	.10	.14	.22						.09	.74	.02	13
14		.04	.05	.02	.09				.40			~~.02~~	14
15					.19	.28	.06		.34		.32	.02	15
16		.25		.62	.03						.18	~~.02~~	16
17		.26						.06	.11				17
18	.05	.36						.50	.08				18
19	.07						.05		.18	1.00		.02	19
20		.21	.04		.02				.28	.15			20
21		.16		.04	.03				.02	.21		.21	21
22		.43	.10					.24	.72	.26		.23	22
23		.44	.09		.50		.08	.68	.36	.42		.16	23
24		.09						.16		.05			24
25		.50		1.02				.15		.78	.04	.50	25
26		.12						.01		.28		.08	26
27		.11	.28					.39			.06	~~.30~~	27
28	.10	.09	.05	.39	.70		.46	.05				~~.12~~	28
29			.04	.11	.53					.72		.12	29
30		X	.03	.02								.21	30
31		X		X		X	.51	.05	X		X	.15	31
TOTAL	2.24	5.76	2.61	4.31	2.48	.33	1.40	2.34	2.03	6.63	2.19	3.44	YEAR'S TOTAL
Days with ".01 in. or more	10	23	16	12	11	2	6	11	10	19	11	18	35.76
Days with ".04 in. or more	9	23	13	19	8	2	6	10	9	19	10	28.5	18.4

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

FOR OFFICIAL USE.

County No. 697

River Dist.

Station No.

Kept at Colmer Rectory
 in the County of Hants
 by Rev J Hervey

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Fisted
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 7 ft.
 " " " " Sea Level 560 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.08			.36	.17	.07				.85	1 WVW
2	.05		.26			.22	.09					.57	28 VS
3					.10	.08	.19	.34		.03			3
4					.02	.71	.04		.13	.22		.48	4
5			.20							.14			5
6						.02		.06	.05	.62			6
7	.06				.30	.32			.20	.32			7
8	.23	.10		.05	.09					.12			8
9		.11			.11	.15			.10				9
10	.25			.15	.25	.29			.10	.10			10
11	.10			.24	.26	.64			.05	.05			11
12				.10	.14	.30		.20	.25		.20		12
13	.09			.84	.11			.04	.56		.14	.40	13
14				.18				.14	.10		.12	.10	14
15		.02						.24	.06			.38	15
16									.10				16
17	.37					.22	.63	.25	.09				17
18	.64				.09	.10		.27		.11	.04	.02	18
19	.34								.02	.06			19
20	.02				.04		.22	.01	.36	.18			20
21	.54		.03		.09		.06	.26	.35	.54			21
22	.28		.60		.02		.12	.44	.38				22
23			.32		.42			.15				.106	23
24	.36	.06	.06	.22	.18				.32			.44	24
25			.11	.04	.19		.28		1.92	.14	.08		25
26				.68			.18	.04		.33	.66	.32	26
27				.90			.82			.32	.11	.99	27
28		.04					1.10	.48		.07	.51		28
29				.20	.25		.26	.22	.09	.92	.01	.45	29
30		X		.28	.32				.35	.40	.42	.56	30 1141
31		X		X	.80	X		.24	X	.20	X	.08	31
TOTAL	3.15	3.3	1.66	3.88	4.28	3.41	4.36	3.44	6.23	4.87	2.29	7.02	44.92
Days with .01 in. or more.	14	5	8	12	19	12	13	17	21	19	10	14	164
Days with .04 in. or more.	12	4	7	12	17	11	13	16	20	18	8	14	153

Kept at...

in the Co...

by...

IMP

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											.30		1
2											.03		2
3											.12		3
4											.11		4
5											1.53		5
6											.23		6
7												.01	7
8											.41		8
9													9
10											.25	.02	10
11													11
12													12
13													13
14													14
15													15
16												.31	16
17												.15	17
18												.37	18
19												.72	19
20													20
21												1.65	21
22										.02		.31	22
23												.02	23
24										1.23		.02	24
25												.42	25
26												.09	26
27												.75	27
28										.09		.05	28
29												.28	29
30											.12	.62	30
31												.12	31
TOTAL											3.10	5.91	YEAR'S TOTAL
Days with ".01 in. or more											9	17	
Days with ".04 in. or more											8	13	

Kept at Westfield Manor, Ropley
in the County of Hants
by Capt. Nelson Zambra M.C.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Prisett
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											.30		1
2											.03		2
3											.12		3
4											.11		4
5											1.53		5
6											.23		6
7												.01	7
8											.41		8
9													9
10											.25	.02	10
11													11
12													12
13													13
14													14
15													15
16												.31	16
17												.15	17
18												.37	18
19												.72	19
20													20
21												1.65	21
22										.02		.31	22
23												.02	23
24										1.23		.02	24
25												.42	25
26												.09	26
27												.75	27
28										.09		.05	28
29												.28	29
30											.12	.62	30
31												.12	31
TOTAL										imp	3.10	5.91	YEAR'S TOTAL
Days with 01 in. or more											9	17	
Days with 04 in. or more											8	13	

TELEGRAMS, ZAMBRA-ROPLEY.
STATION, PRIVETT.

WEST TISTED MANOR,
ROPLEY,
HANTS.

"January 1923.

The Super-1.

B.R.O. 340605/22.M.O.7.

Dear Sir

Herewith records for

1922.

I cannot vouch for daily
accuracy, period Oct 16/27.
but the totals are correct.

Yours faithfully

John Zambrey.

Register of Rainfall in 1925.

685

Kept at *West Tisted Manor*
in the County of *Hants*

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft. in.
" Ground " Sea Level *650* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.
Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>1.30</i>		<i>.37</i>					<i>.24</i>	<i>.08</i>		<i>.92</i>	<i>.02</i>	1
2	<i>.53</i>	<i>.03</i>		<i>.07</i>	<i>.07</i>						<i>.56</i>		2
3	<i>.21</i>	<i>.01</i>			<i>.11</i>		<i>.17</i>				<i>.43</i>		3
4	<i>.01</i>	<i>.01</i>		<i>.19</i>	<i>.30</i>			<i>.23</i>	<i>.03</i>		<i>.02</i>		4
5		<i>.47</i>		<i>.93</i>	<i>.19</i>			<i>.02</i>	<i>.30</i>		<i>.80</i>		5
6		<i>.04</i>		<i>.03</i>	<i>.07</i>			<i>.24</i>	<i>.04</i>				6
7		<i>.36</i>			<i>.68</i>		<i>.59</i>					<i>.33</i>	7
8	<i>.14</i>	<i>.04</i>							<i>.04</i>		<i>.01</i>	<i>.20</i>	8
9		<i>.04</i>		<i>.15</i>				<i>.10</i>	<i>.20</i>				9
10		<i>.11</i>					<i>.01</i>	<i>.30</i>	<i>.08</i>		<i>.03</i>		10
11		<i>.22</i>						<i>.35</i>					11
12	<i>.02</i>	<i>(1.03)</i> <i>2.28</i>						<i>.23</i>					12
13	<i>.08</i>	<i>.80</i>	<i>.03</i>	<i>.20</i>				<i>.01</i>				<i>.03</i>	13
14	<i>.46</i>	<i>.10</i>	<i>.09</i>	<i>.28</i>									14
15	<i>.12</i>			<i>.08</i>	<i>.07</i>				<i>.02</i>	<i>.05</i>			15
16	<i>.03</i>				<i>.12</i>				<i>.31</i>	<i>.22</i>			16
17	<i>.01</i>			<i>.03</i>	<i>.06</i>		<i>.05</i>		<i>.03</i>				17
18		<i>.12</i>		<i>.02</i>	<i>.60</i>				<i>.02</i>	<i>.15</i>		<i>.03</i>	18
19		<i>.03</i>		<i>.12</i>	<i>.12</i>			<i>.02</i>	<i>.65</i>	<i>.46</i>		<i>.31</i>	19
20		<i>.01</i>	<i>.03</i>					<i>.12</i>	<i>.75</i>	<i>1.10</i>		<i>.06</i>	20
21		<i>.38</i>	<i>.09</i>				<i>.56</i>	<i>.26</i>	<i>.14</i>	<i>.96</i>		<i>.39</i>	21
22				<i>.19</i>	<i>.18</i>		<i>.60</i>	<i>.11</i>	<i>.76</i>	<i>1.47</i>		<i>.38</i>	22
23	<i>.08</i>		<i>.18</i>		<i>.33</i>			<i>1.20</i>		<i>.16</i>		<i>.06</i>	23
24	<i>.41</i>	<i>.43</i>	<i>.08</i>	<i>.14</i>	<i>.42</i>			<i>.13</i>		<i>.06</i>	<i>.08</i>	<i>.10</i>	24
25	<i>.31</i>	<i>1.12</i>	<i>.10</i>	<i>.02</i>			<i>.12</i>		<i>.21</i>	<i>.06</i>		<i>.33</i>	25
26	<i>.09</i>	<i>.62</i>		<i>.15</i>	<i>.35</i>		<i>.26</i>	<i>.23</i>		<i>.68</i>		<i>.15</i>	26
27	<i>.13</i>	<i>.01</i>		<i>.03</i>	<i>.51</i>		<i>.73</i>	<i>.04</i>			<i>.04</i>	<i>.12</i>	27
28	<i>.24</i>	<i>.08</i>		<i>.29</i>	<i>.28</i>		<i>.01</i>		<i>.01</i>	<i>.01</i>		<i>.30</i>	28
29	<i>.17</i>			<i>.04</i>			<i>.09</i>				<i>.11</i>	<i>.79</i>	29
30		<i>X</i>	<i>.02</i>				<i>.34</i>			<i>.02</i>	<i>.08</i>	<i>.42</i>	30
31	<i>.11</i>	<i>X</i>	<i>.10</i>	<i>X</i>		<i>X</i>	<i>.17</i>		<i>X</i>	<i>.14</i>	<i>X</i>		31
TOTAL	<i>4.45</i>	<i>5.98</i> <i>6.98</i>	<i>1.09</i>	<i>2.96</i>	<i>4.46</i>	<i>—</i>	<i>3.70</i>	<i>3.83</i>	<i>3.67</i>	<i>5.54</i>	<i>2.78</i>	<i>4.02</i>	YEARS TOTAL <i>43.48</i>
Days with 01 in. or more.	<i>19</i>	<i>22</i>	<i>10</i>	<i>18</i>	<i>17</i>	<i>—</i>	<i>13</i>	<i>17</i>	<i>17</i>	<i>14</i>	<i>10</i>	<i>17</i>	<i>175</i>
Days with 04 in. or more.	<i>15</i>	<i>16</i>	<i>7</i>	<i>13</i>	<i>17</i>	<i>—</i>	<i>11</i>	<i>14</i>	<i>12</i>	<i>12</i>	<i>X8</i>	<i>14</i>	<i>139</i>

(Signed) *Heber Gambre* [P.T.O.]

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

West Tisted Manor 1925

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

The entry on your 1925 rainfall return for February 12th does not compare well with those from surrounding stations as shown by the table below.

Newton Valence	.98 inch
Ropley	.88 "
West Tisted Manor	2.03 "
West Meon	.94 "

If you have no reason to the contrary we would recommend the adoption of 1.03 inch making the total for the month 5.98 inches and for the year 42.48 inches

We should be glad to have your comments on this.
Yrs. 21.4.26.

REPLY.

I was in Scotland in February last year & my wife took the Rain measurements.

The measuring glass held $\frac{1}{2}$ inch & I presume she counted that $2\frac{1}{2}$ inches as 2 inches & this would make your suggestion of 1.03 correct.

John Fawcett

22.4.26.

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division.....

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at West Tisted Manor
in the County of Hants

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" Ground " Sea Level ft.

✓✓✓✓✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.21	.02				.37			.01		.26		1
2	.12	.02				.40	.03		.27		.04		2
3	.36	.13									.01		3
4	.04	.26	.03	.04			.06				.51		4
5	.16	.18	.28		.76		.42			.08	.10	.29	5
6	.40	.43		.22			.05	.21	.13	.11	.04		6
7	.12	.13		.14	.49	.21			.44	.02	.69		7
8	.01	.02		.08	.02	.03		.04		.14	.36		8
9						.25		.02		.05	.37		9
10					.04	.43	.23	.01			.05		10
11		.05			.03	.05	.07	.10	.06	.05	.16		11
12		.01			.03	.29				.37	.08		12
13									.03	.01	1.14	.02	13
14	.12	.20		.66	.46	.30				.56	.02	.01	14
15	1.50	.07		.19						.27	.06		15
16	.24	.15		.38				.15			.18		16
17	.21	.49		.14		.46					.29	.02	17
18	.20	.11		.04	.10		.08	.21			.77		18
19		.01		.02	.03		.08	.05			.23	.02	19
20				.30			.26	.31			.34		20
21		.02			.26			.03			.30		21
22	.68	.02		.01			.03			.01	.06		22
23	.16	.01						.01					23
24	.08			.48			.15			.62			24
25	.17		.07	.08	.01		.18		.05	.08	.14	.01	25
26	.03		.06	.08	.21		.26		.05		.01		26
27	.14	.01			.07				.05	.10	.07	.01	27
28	.71	.02			.21		.53			.05	.36	.01	28
29	.04			.09	.25					.12	.26		29
30	.24	X		.16				.04		.03	.26		30
31	.55	X		X	.03	X		.29	X		X		31
TOTAL	7.49	2.27	.45	3.05	3.00	2.79	2.43	1.47	1.09	2.56	7.16	.43	YEAR'S TOTAL 34.19
Days with ".01 in. or more.	23	20	5	17	16	10	14	13	9	16	28	9	186
Days with ".04 in. or more.	22	10	3	14	10	9	12	9	7	12	25	2	134

Please read the Notes and Instructions Overleaf.

John P. ...

Kept at West Tisted
in the County of Southampton
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.94	.05			.11	1.19	.40	.01	.45	.50		1
2	.02		.11	.25						.02	.01		2
3	.25		.03				.11						3
4			.14	.11			.11						4
5	.21		.27	.48		.10	.03				.16	.06	5
6			.44	.46			.01	.13	.21				6
7	.01	.38	.01	.24		.20	.03	.02					7
8	.01		.02	.26			.07	.32	.13		.05		8
9				.23	.18		.04	.07	.66			.01	9
10			.08	.02			.18		.11				10
11				.01				.25			.04		11
12							.14	.13	.02	.02	.04		12
13	.16						.29	.64	.21		.05	.41	13
14	.10			.17	.03		.24	.09	2.52		.02		14
15	.03	.02			.02			.30	.05		.03	.21	15
16					.23	.02		.01	.31				16
17	.27		.28			.45		.42	.02		.02		17
18						.58		.01	.03		.81		18
19	.02	.31					.10	.34			.72		19
20	.23	.11					.14	.63	.01		.46	.11	20
21		.40			.01	.06	.01	.48	.65	.37	.14	1.54	21
22	.25	.24	.53	.02	.19	.06		.07	.19	.32	.01	.93	22
23	.01	.91	.39	.02		.18	.06	.07	1.06		.48	.16	23
24	.01	.14	.52			.09	.03	.19	.02	.03		.45	24
25	.01	.23	.21			.05	.03	.01	.45	.17		1.06	25
26	.36	.74				.07	.25		.09	.09	.01	.34	26
27	.11	.60	.07		.45	.39	.08			.85	.01		27
28	.36	.40	.19	.07		.13	.13			.04	.51		28
29	.25	X	.18			.70			.81		1.01		29
30	.09	X	.03			.24	.14		.07	.24			30
31	.10	X	.40	X		X	.02	.01	X	.24	X	.69	31
TOTAL	2.87	5.42	3.95	2.34	1.11	3.43	3.43	4.59	7.63	2.84	5.08	5.97	YEAR'S TOTAL 48.66
Days with "01 in. or more.	22	13	19	13	7	16	23	21	21	12	20	12	199
Days with "04 in. or more.	13	12	16	9	4	15	16	16	15	9	13	11	149

REGISTER OF RAINFALL IN 1928 .

Kept at Went Tisted Manor
in the County of Hants
Diameter of Funnel of Gauge _____ in. as usual
Height of top of Gauge above Ground _____ ft. _____ in.
" Ground " Sea Level _____ ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.46		.11	.01								.02	1
2	1.10	.77	.16	.10				.16					2
3		.01		.19			.19	.67					3
4		.36			.02	.04		.04				.03	4
5	.06	.26	.21			.06	.07		.01	.02			5
6		.01	.18			.14			.02			.11	6
7		.01	.09	.23		.16		.13		.01			7
8	.01	.02		.06		.53	.06			.06			8
9	.10			.07		.11			.30	.13		.04	9
10	.37	.31		.08		.06				.40	.11	.03	10
11				.05		.04		.01		.51	.07	.11	11
12	.73	.47	.01	.06							.15	.13	12
13		.02				.86		.06					13
14	.21	.10		.43	.03	.18		.09		.89	.82		14
15	.02			.44						.01	.24		15
16	.05	.23		.01	.03					.30	.29	.44	16
17	.02		.01	.01	.64					.13			17
18	.47		.04		.31	.11				.43	.19		18
19			.01		.27	.10		.11		.55	.09	.11	19
20	.34		.16		.07			.11		.06	.24		20
21	.14		.12	.31	.10					.39	.43		21
22			.43							.74	.23	.23	22
23	.59		.02	.01	.06					.34	.40	.05	23
24	.01		.14					.03	.27	.29	.06	.46	24
25	.09							.82		.16	.08	.27	25
26	.36		.01		.01	.03		.57		2.58	.02	.19	26
27			.12				1.21		.03	.20	.03	1.07	27
28	.87	.01	.06						.04	.02		.13	28
29	.32	.17	.75	.04		.06	.05		.43	.06	.06	.14	29
30	.02	X	.51			.33	.34			.11		.12	30
31	.40	X	.53	X		X	.23		X	.05	X		31
TOTAL	6.74	2.75	3.67	2.10	1.54	2.81	21.5	2.80	1.10	8.44	3.44	3.68	YEAR'S TOTAL
Days with ".01 in. or more.	22	14	20	16	10	15	7	12	7	24	17	18	132
Days with ".04 in. or more.	17	8	15	12	6	14	7	10	4	20	14	15	142

REGISTER OF RAINFALL IN 1929.

Kept at West Tiden Manor
in the County of Hants
Diameter of Funnel of Gauge.....as usual
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03				.03				.49		.01	1
2		.58				.04	.10	.03		.41	.02	.62	2
3								.07				.30	3
4				.09	.57	.21	.16	.44				.57	4
5					.81	.35	.07	.56		.91	.15	.46	5
6	.03				.12	.03	.09	.34		.03	.20	1.72	6
7					.01	.11		.42		.15	.52	.81	7
8					.08	.02		.01		.70		.43	8
9	.12	.14									.16	.62	9
10	.08				.05					.08		.42	10
11				.04	.21						1.21	.16	11
12				.08	.14	.14				.02			12
13	.01				.31							.04	13
14					.01	.46						.20	14
15		.12				.21					.79	.02	15
16								.19			.06		16
17	.11												17
18	.01							.09			.76		18
19	.01										.14		19
20							.16	.11		.76		.47	20
21	.09											.18	21
22	.05	.03	.14	.03			.02				.11	.01	22
23		.04								.21	.76	.58	23
24		.01								1.48	1.56	.68	24
25		.03	.08							.08	.40	.13	25
26					.04						.07		26
27				.12						.03	1.34	.28	27
28	.26						.30			.55	.60	.81	28
29	.03			.30		.07					.42	.48	29
30	.01	×				.11	.08		.25		.89	.11	30
31	.85	×		×		×	.29		×		×	.12	31
TOTAL	1.66	.98	.22	.66	2.35	1.78	1.27	2.26	.25	5.90	10.16	10.11	YEAR'S TOTAL 37.60
Days with .01 in. or more.	13	8	2	6	11	12	9	10	1	14	19	24	139
Days with .04 in. or more.	7	4	2	5	9	9	8	8	1	11	18	21	93

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at West Hasted Manor

in the County of Hants

Diameter of Funnel of Gauge 3 inches

Height of top of Gauge above Ground 1 ft 6 in.

Ground Sea Level 1 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.51		.21	.13	.10					.47		1
2	.02	.02	.11	.14	.34			.41			.32		2
3	.12	.10		.72	.10			.44					3
4	1.21	.08					.12	.15		.32			4
5								.85		.01			5
6	.01		.06		.08			.30	.27	.11		.13	6
7	.19							.10		.24	.44	.31	7
8	.10			.07	.05			.02	.39			.03	8
9	.30				.34								9
10	.78		.14		.29			.02				.57	10
11	.16				.04		.03			.06		.37	11
12	.05			.13	.13					.02		.34	12
13	.20		.13	.34	.06		.08	.22	.40				13
14	.08	.05	.22				.16	.01					14
15	.02		.33				.44				.21	.19	15
16				.01			.02		.40	.08			16
17			.11	.30			.04	.01	.36	.42			17
18				.06	.15			.01	.18		.19	.18	18
19								.10	.83	.08	.66	.02	19
20				.04		.02	1.23	.88	.14	.07	.60		20
21				.16			.02	.05	.01	.02	.34		21
22	.64		.04		.17	.01	.01	.46	.04	.36	.40		22
23	.32		.12	.10		.30	.03	.01	.08		.12		23
24	.29			.31	.07	.11					.44	.35	24
25	.02	.27			.21					.24	.09	.02	25
26	.51				.05		.08		.08		.30	.14	26
27									.29		.31	.34	27
28	.08						.01		.10	.03	.71	.26	28
29			.16				.06	.57	.21	.04	.02	.04	29
30	.02	X	.13		.05	.02	.22			.17		.27	30
31	.59	X		X	.13	X			X		X	.03	31
TOTAL	5.79	1.03	1.55	2.59	2.39	.56	2.55	4.61	3.78	1.87	5.62	3.59	YEAR'S TOTAL 35.93
*Days with ".01 in. or more.	22	6	11	13	17	6	15	18	15	16	16	17	172
*Days with ".04 in. or more.	17	5	11	12	17	3	9	12	14	12	15	13	140

40-9999

*See Instruction 2 (f) on other side.

(Signed)

John J. ...

[P.T.O.]

FORM A. 1. METEOROLOGICAL REGISTER
Kept at TITCHFIELD
in the County of Hampshire
by J. H. Buxton

TITCHFIELD
HANTS
1921 - 28

Organization. Portsmouth & Southampton
1. AM
FAREHAM 2 1/2 miles ENE
Rain Gauge 5 in.
Above Ground 9 ft.
Sea Level 10 ft.
entered to the previous day.

IMPORTANT NOTE.—Rain should be entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
—

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	(.44)	.16	.07								.12	.23	1
2	(.01)							.05		.03	.16	.03	2
3					.07	.02		.12			.21		3
4	(.12)				.19			.15			.34		4
5	~~.29~~							.31			.09	.02	5
6	(.39)		.02		.11							.02	6
7	(.85)				.34						snow .12		7
8	(.45)				.01								8
9			.03						.05				9
10	(.17)											.02	10
11	(.20)							.42	.67				11
12	(.41)							.05				.07	12
13	.03		.10	.11					.01	.03			13
14			.06		.12			.03	.01			.14	14
15				snow .02	.01		.03	.05			.01		15
16			.07	.28				1.00			.40	.01	16
17				.17			.04	.09	.05				17
18										.01			18
19										.15		.05	19
20			.13							.02	.03		20
21	.04		.04								.09	.01	21
22										.14		.40	22
23				.09				.08		.21			23
24	.10	.05										.07	24
25	.05					.02						.10	25
26					.03							.36	26
27				.15				.02				.15	27
28			.20		.09		.02					.08	28
29		X	.06		.18							.01	29
30	.30	X		.04	.02						.35	.20	30
31	.19	X		X	.03	X			X		X		31
TOTAL	~~2.90~~ (3.39)	.21	.78	.86	1.20	.04	.09	2.37 ~~1.37~~	.79	.59	1.92	1.97	YEAR'S TOTAL 12.72
Days with 01 in. or more	14	2	10	7	12	2	3	12	5	7	11	18	103
Days with 04 in. or more	12	2	8	6	7	0	1	10	3	3	9	11	72

REGISTER OF RAINFALL IN 1921

any m. est. d.
agrees with
organization.
(file off 16-v.22)

Kept at TITCHFIELD
in the County of Hampshire
by E. H. Buxton

Lat. Half way between Portsmouth & Southampton Long. _____
Time of Observation 9 AM
Nearest Railway Station FAREHAM 2 1/2 miles ENE
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 10 ft.
" " " " Sea Level

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	(.44)	.16	.07								.12	.23	1
2	(.01)							.05		.03	.16	.03	2
3					.07	.02		.12			.21		3
4	(.12)				.19			.15			.34		4
5	~~.29~~							.31			.09	.02	5
6	(.39)		.02		.11							.02	6
7	(.85)				.34						snow .12		7
8	(.45)				.01								8
9			.03						.05				9
10	.17											.02	10
11	(.20)							.42	.67				11
12	(.41)							.05				.07	12
13	.03		.10	.11					.01	.03			13
14			.06		.12			.03	.01			.14	14
15				snow .02	.01		.03	.05			.01		15
16			.07	.28				1.00			.40	.01	16
17				.17			.04	.09	.05				17
18										.01			18
19										.15		.05	19
20			.13							.02	.03		20
21	.04		.04								.09	.01	21
22										.14		.40	22
23				.09				.08		.21			23
24	.10	.05										.07	24
25	.05					.02						.10	25
26					.03							.36	26
27				.15				.02				.15	27
28			.20		.09		.02					.08	28
29		X	.06		.18							.01	29
30	.30	X		.04	.02						.35	.20	30
31	.19	X			.03	X			X		X		31
TOTAL	2.90 (3.30)	.21	.78	.86	1.20	.04	.09	2.37	.79	.59	1.92	1.97	YEAR'S TOTAL 12.72
Days with 0.1 in. or more	14	2	10	7	12	2	3	12	5	7	11	18	103
Days with 0.4 in. or more	12	2	8	6	7	0	1	10	3	3	9	11	72

71A

AIR MINISTRY.
FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1).

664

REGISTER OF RAINFALL IN 1922.....

Kept at Litchfield
in the County of Hampshire
by E. H. Buxton

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		21	08		12	06	15	05	02		36		1
2		30	07	28	04		24	13			05		2
3	08	34	26	53	17			12		02	11		3
4		22	12		05		15			55			4
5	01		14	02			1.69			09	51		5
6	09		24	03			03	77			01		6
7	08		71	24				13			10		7
8	16		01			06	24	08			09	03	8
9	06			01			06	03			01		9
10	01					09					34		10
11	08			05				09					11
12		01		47			04	12	50				12
13	07			57		45	38		02		01		13
14	04			02		06	15		21				14
15	24	15		03			05		03				15
16		04		10	19			09	17			38	16
17		14			04		05					18	17
18	1.37	06			06				14			21	18
19	23	06			01				09	02		53	19
20	07	15											20
21	21	11	01	11					02			1.10	21
22	01	06				09	19	13				24	22
23		08		02	14	05	10		02				23
24	08		05			07		14				01	24
25	43	03		19		28			13			13	25
26	21	24		07		09	21		03		04	17	26
27	48	25	13	03		02		11				39	27
28	26	22	07	01		23		02	15			18	28
29	32					19		02		22		11	29
30		~~X~~	03			02		39	07	05	10	68	30
31	20	~~X~~	17	~~X~~		~~X~~		04	~~X~~	19	~~X~~	03	31
TOTAL	4.79	2.67	2.09	2.78	.82	1.76	3.73	2.46	1.60	1.14	1.73	4.37	YEAR'S TOTAL 29.94
Days with "01 in. or more	23	18	14	18	9	14	15	17	14	7	12	15	176
Days with "04 in. or more	20	16	11	10	8	12	14	14	8	5	9	12	139

REGISTER OF RAINFALL IN 1923.

Kept at Litchfield
in the County of Hampshire
by E. H. Buxton

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	13	05	30							07	03	26	1
2	14	02	12		04					01	01	08	2
3			01							60	04	10	3
4									10		03	09	4
5	39			02					04	12	07	17	5
6	52	18	05	05									6
7	05	1 01	01		09					29		28	7
8	01	04	02		10					15	22		8
9	07	37								06			9
10		23		48	04		26			21		02	10
11	01	01		30	01					72		01	11
12		19	35	36	10					49	01	02	12
13		10		07						02	52	01	13
14			02		14			01	26		02		14
15				11	16	30	08		17		27		15
16		20		10	04					01	12		16
17		41			02			09	15	02	02		17
18	05	15		05				12	08		05		18
19	03	06		01					07	1 06			19
20		17			03			04	17	16			20
21				02					15	23		18	21
22		53	07					11	51	14		08	22
23		29	06		34		08	58	11	42		13	23
24		03		14				18	22	08		17	24
25		44		77	01	04		19	05	69		47	25
26		11		09				01		17		40	26
27		17	11		01			04		02		09	27
28		12	06	14	63		16	06			12		28
29	06		10	01	41		10	52		03		10	29
30		X	02	01			08	04	02	27		30	30
31		X		X		X	13		X	04	X	11	31
TOTAL													YEAR'S TOTAL
Days with 01 in. or more	1 46	4 88	1 30	2 73	2 17	3 4	8 9	1 99	2 10	6 08	1 53	3 07	28 54
Days with 04 in. or more	11	22	14	17	16	2	7	13	14	25	14	20	175
	8	19	9	12	11	2	7	11	13	19	8	16	135

Kept at Litchfield
in the County of Hampshire
by E. H. Buxton

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.
Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			15		02	26	12	08			77	12	1
2	10		25		01	08				28		23	2
3	03		17		18	03	08	28		18			3
4				01	07	110			04	20		23	4
5			15		25		01			09		06	5
6					02			04	08	34			6
7	02			01	09	36			32	32			7
8	18	10		05	13	01			06	09			8
9	21	07		11	04	10			03				9
10	09			03	54	75			11	04			10
11	01			20	28	02			15	02	35		11
12	01			16	18	25		17	08				12
13	02			55	07				62		10	24	13
14				17				11				05	14
15		02		01				22	11			78	15
16	05							18	02				16
17	30					24	94	24	06			03	17
18	50	04						09			02		18
19					02			05		14			19
20	01				03	03	13	09	22	02			20
21	56		03		11				(40)	27			21
22	26		50		01		13		34	34			22
23			33		27			18	02			60	23
24	38	20	07	12	04				27			25	24
25		02		05			27	01	249	19	05		25
26			06	56				04		23	62	34	26
27		03		57			61			26	14	71	27
28			01				70	31		02	30	02	28
29		03		13	18		01	33	12	62	01	22	29
30		X		02	05			35	27	50	60	21	30
31		X		X	42	X		02	X	27	X	07	94231
TOTAL	2.73	.51	1.72	2.75	3.01	3.23	3.00	2.79	5.81	4.42	2.96	4.16	37.09
Days with 01 in. or more	16	8	10	16	22	12	10	18	20	20	10	16	178
Days with 04 in. or more	10	4	8	11	16	8	8	16	17	17	8	14	137
YEAR'S TOTAL													94231

67

AIR MINISTRY.
FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1925.

644

Kept at Litchfield
in the County of Hampshire
by E. H. Burston

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.
Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.13			.18				.17	.07		.63		1
2	.47			.03			.13				.71		2
3	.28				.16		.28				.06		3
4	.07	.02		.21	.20			.09			.29		4
5		.35		.56	.11			.05	.23		.21		5
6		.07		.03	.10		.32	.35	.02		.70		6
7		.17	.06		.58						.14	.15	7
8	.10				.25							.10	8
9		.11		.25			.02	.14	.02				9
10		.04	.02		.07			.15			.04		10
11		.13			.01			.21			.30		11
12		.62						.19		.04			12
13	.06	.75	.05	.10				.02					13
14	.42	.12		.23									14
15	.06	.05		.16						.09	.05		15
16	.10	.02							.14	.19			16
17					.02		.03		.03			.02	17
18				.05	.87				.06	.05		.03	18
19		.13		.14	.03		.10	.09	.41	.86		.50	19
20			.03					.23	.60	.73		.05	20
21		.07	.01				.52	.19	.40	.76		.52	21
22		.16	.02	.24	.28		.40	.27	.54	1.14		.29	22
23	.04	.12	.07	.01	.13			1.78		.24		.15	23
24	.43	.34	.06	.02	.33			.01			.08	.34	24
25	.49	.86	.01	.03			.11		.20	.07		.09	25
26	.48	.48		.12	.45		.38	.15		.30		.12	26
27	.28	.02		.12	.39		.11	.05		.02		.18	27
28	.12			.13			.05					.42	28
29	.18				.22		.08				.06	.78	29
30		X	.02	.01			.64			.04	.09	.24	30
31	.08	X	.06	X		X	.09		X	.03	X		31
TOTAL	4.79	4.63	.41	2.62	4.20	.00	3.26	4.14	2.72	4.56	3.36	3.98	YEAR'S TOTAL 38.67
Days with ".01 in. or more	17	20	11	19	17	0	15	17	12	14	13	16	171
Days with ".04 in. or more	17	17	5	13	14	0	13	15	9	12	13	14	142

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Form 1093.

AIR MINISTRY.
METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.

KINGSWAY, LONDON, W.C.2,
or
METEOROLOGICAL OFFICE,
10, ROTHESAY PLACE, EDINBURGH.

RAINFALL IN 1926.

NOTE—Records taken in millimetres should be entered on Form 1094.

At TITCHFIELD

In the County of HANTS

Diameter of Funnel 5 in.

Height { Above Ground 10 ft.

of Top { Above Sea Level 25 ft.

PLEASE
FILL IN

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with 0.1 in. or more	0.4 in. or more
JAN.	4.21	.55	12	22	20
FEB.	1.87	.63	17	14	13
MAR.	.57	.16	4	10	4
APR.	3.46	.54	7	16	14
MAY	2.26	.65	5	16	12
JUNE	2.48	.64	1	12	11
JULY	2.19	.65	26	12	9
AUG.	1.62	.55	11	12	7
SEPT.	.33	.14	2	6	3
OCT.	3.25	.89	24	15	13
NOV.	7.15	1.62	13	27	23
DEC.	.43	.27	5	4	3
Total	29.82			166	132

Signature S. H. B. Buxton

Titles Capt.

[Please fill in the other side also.]


gauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).*

(A) *When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.*



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

INSTRUCTIONS.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18 the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1926. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1926.

Kept at Titchfield
in the County of Hampshire
by E. H. Buxton

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	51	06				64			02		25		1
2	14		02			28	03		14		12		2
3	20	09	13			01					32		3
4	04	33	16	04							23		4
5	14	08	05		65		17			01	08	27	5
6	22	24	01	26	08		23	11					6
7	03	07		54	26	21			06		52	02	7
8				36		05		03		12	42		8
9			03			25	39			13	55		9
10					01	10	03	03		02	02		10
11		06			05	19		55			30		11
12						11				26	02		12
13					20			02			162		13
14	08	05		37	13	14				72	07	10	14
15	18	06		33						15	15		15
16	15	09		43	01			25	01	05	01		16
17	09	63		06		38	11				22		17
18	32	05		01	05	12		12			56		18
19				05	09		15	05			26		19
20				18				26			27		20
21	01						10	03		05	34		21
22	55			08						09	02		22
23	07		01										23
24	08						15			89		04	24
25	24		14	51			01			20	05		25
26		02	01	03	06		65		02		10		26
27	16	04	01		12				08	22	08		27
28	49				03		17			23	37		28
29	05			11	21					11	09		29
30	11	X		10	30			02			11		30
31	35	X		X	01	X		15	X		X		31
TOTAL	4.21	1.87	.57	3.46	2.26	2.48	2.19	1.62	.33	3.25	7.15	.43	YEAR'S TOTAL
Days with ".01 in. or more.	22	14	10	16	16	12	12	12	6	15	27	4	166
Days with ".04 in. or more	20	13	4	14	12	11	9	7	3	13	23	3	132

September 22

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Litchfield

in the County of Hampshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		42	01				85	26		36	18		1
2			03	22						01	01		2
3	27		03			01	11						3
4	10		04	14	05		02						4
5	14	09	15	44	01	06	01	03			15		5
6			36	42			01	22	27		12		6
7	02	27		25		14	23	01			01		7
8	02		01	15	15	02	08	03	06		15		8
9			25	07			14	04	40			03	9
10			02					05	16				10
11				01				13					11
12	13						01	19					12
13	14	01					09	54	19	05	10	26	13
14	03			03	07		23		2.25			19	14
15		01						18					15
16	05				08	35		02	24				16
17	11		11					33					17
18	02					34		08	03		62		18
19		35					05	33			51		19
20	22	08			01		18	65	02	02	30	46	20
21	02	25				02	01	42	33	25	19	70	21
22	14	14	15		03	05			19	15		55	22
23	01	66	38			29	01	14	96		26	10	23
24		16	40			14	01	12		05		40	24
25		42	17			01	01		20	11		90	25
26	39	53	04			04	28		02	02		04	26
27	03	30			34	05	12			62		08	27
28	18	13	17	10		11	06			01	29		28
29	09		18			45	01		46		30		29
30	07	X	01			32	03		07	16			30
31	01	X	45	X		X	13		X		X	21	31
TOTAL	2.19	3.82	2.96	1.83	74	2.40	2.68	3.77	5.85	1.81	3.19	3.92	35.16
Days with 01 in. or more.	21	15	19	11	8	16	23	19	16	12	14	12	18.6
Days with 04 in. or more.	13	13	13	8	5	12	13	15	13	8	12	11	13.6

Please read the Notes and Instructions Overleaf.

(Signed) E. H. Buxton

Section **A**

for the entry of Daily Observations.

645
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at TITCHFIELD

in the County of Hants.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft.....10 in.

„ Ground „ Sea Level 25 ft.

20 9 AM G.M.T.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date.
1	.29	.02	.15	.01	-	-	-	.11	-	-	.02	-	1
2	.75	.43	.09	.02	-	-	-	.03	-	-	-	.05	2
3	.01	-	-	.29	-	-	.14	.88	-	-	.05	-	3
4	-	.21	-	.06	-	.11	-	.01	-	-	.02	.01	4
5	.04	.21	.12	-	-	.05	.08	-	-	.03	.01	-	5
6	.01	-	.03	-	-	.14	-	-	-	-	-	-	6
7	-	.01	.07	.22	-	.25	-	.13	-	.04	-	.09	7
8	-	.03	-	-	-	.34	.05	-	.02	.18	-	.02	8
9	-	-	-	.02	-	.03	-	-	.54	.06	-	.03	9
10	.16	.15	-	.04	-	.02	-	.01	-	.15	.18	.12	10
11	.06	-	-	-	-	.15	-	-	-	.95	.08	.20	11
12	.60	.55	.06	-	-	-	-	-	-	.14	.10	.05	12
13	-	.04	-	-	.01	.83	-	.11	-	-	.06	-	13
14	.11	.07	-	.39	.24	.06	-	.04	-	.32	.58	-	14
15	.11	-	-	.50	-	-	-	.02	-	.02	.37	-	15
16	-	.10	-	.05	.03	.01	-	-	-	.20	.08	.23	16
17	.03	-	-	-	.65	-	-	-	-	.05	-	-	17
18	.65	-	.05	-	.21	.06	-	-	-	.44	.08	-	18
19	-	-	.02	-	.05	.03	-	.18	-	.50	.06	.27	19
20	.20	-	.16	-	-	-	-	-	-	.16	.09	-	20
21	-	-	.11	.12	.16	.02	-	-	-	.39	.17	-	21
22	-	-	.20	-	-	-	-	-	-	.59	.35	.17	22
23	.45	-	.05	-	.06	-	-	-	-	.13	.32	.01	23
24	.03	-	.08	-	-	-	-	.05	.17	.13	.02	.26	24
25	.17	-	-	-	-	.09	-	.03	-	.32	.04	.18	25
26	.17	-	-	-	.01	.01	.03	.41	-	1.17	-	.06	26
27	-	-	.06	-	-	-	1.01	.02	.26	.25	.05	1.35	27
28	.65	-	.08	-	-	-	-	-	.28	-	-	.14	28
29	.28	.20	.42	.04	.01	.02	.29	-	.01	.12	.06	.26	29
30	.10	X	.37	-	-	.06	.23	-	-	.18	-	-	30
31	.20	X	.26	X	X	X	.27	-	X	.03	X	.08	31
TOTAL	5.05	2.02	2.38	1.76	1.43	2.28	2.10	2.03	1.28	6.55	2.89	3.59	YEARS TOTAL 33.26
Days with ".01 in. or more.	21	12	18	.12	10	18	8	14	6	24	21	19	183
Days with ".04 in. or more.	17	9	16	9	6	11	7	8	4	21	17	14	139
40-12-1-27 144w)	M.	33 26	52 42	63 57	73 57	91 68	99 75	(Signed)	E. H. Burton	139			[P.T.O.]

R.

Kept at Shorne

in the County of 1

by Capt J.A.

IMPORTANT NOT

If an Observer prefers not the reading at 9 a.m. on this paragraph. Full instructions and particulars as to the sent post-free on application Square, London, N.W. 1.

TOTTON

SHORNE HILL

HANTS

1921 - 30

ANIZATION.

in Gauge 5

ove Ground ft. in.

Sea Level ft.

entered to the previous day.

ested to add

at the end of

f rain gauges,

ll Observers,"

62, Camden

Jan. 1, following

n.

t. Nov. Dec. Date

in. in.

1 1

2 2

3 3

4 4

5 5

6 6

7 7

8 8

9 9

10 10

11 11

12 12

13 13

14 14

15 15

16 16

17 17

18 18

19 19

20 20

21 21

22 22

23 23

24 24

25 25

26 26

27 27

28 28

29 29

30 30

31 31

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.48	.19									.10	.15	1
2	.04	.02						.03		.12	.25	.08	2
3	.06				.03	.05		.08			.21		3
4	.15				.01			.07			.33		4
5		.01			.01			.28			.18		5
6	.20	.28			.15						.01	.01	6
7	.67				.22						.19		7
8	.03	.02			.01								8
9			.06					.05					9
10	.25	.01					.04	.03				.04	10
11	.29	.08			.01			.55				.01	11
12	.38	.06			.16			.72	.02			.11	12
13	.02	.30	.10			.10	.10	.01	.04				13
14		.04	.01	.35		.01	.02					.18	14
15			.01	.01		.16					.08	.01	15
16	.09	.02	.43				.47				.62	.01	16
17	.11	.23	.02			.36	.06	.09					17
18	.06	.03	.02						.34				18
19		.10	.05							.01	.09		19
20		.08	.01		.03				.15	.01			20
21										.09			21
22	.01	.01	.05						.13		.28		22
23			.08		.13		.01		.15				23
24	.04	.06	.02								.06		24
25		.20									.12		25
26	.09	.01	.03		.01						.34		26
27			.09								.04		27
28		.27	.05		.10						.11		28
29	.08	.13	.33		.01						.04		29
30	.46		.01	.10					.28	.21			30
31	.05		.01										31
TOTAL	3.56	.47	1.73	.96	1.48	.21	.75	1.94	.75	.93	2.36	1.89	YEAR'S TOTAL
Days with ".01 in. or more	3	1	7	4	8	1	3	3	3	0	3	4	43
Days with ".04 in. or more	17	3	11	7	7	2	4	9	3	6	10	14	93

REGISTER OF RAINFALL IN 192/.....

Kept at Shorne Hill Totton
 in the County of Hampshire
 by Capt J. H. W. Rennie

Lat. _____ Long. _____
 Time of Observation 9.4.11
 Nearest Railway Station Totton
 Diameter of Funnel of Rain Gauge 5
 Height of top of Gauge above Ground _____ in.
 " " " " Sea Level _____ ft.

James W. Rennie

588
 3 FEB 1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48	.19	.05					.06			.10	.15	1
2	.04	.02						.03		.12	.25	.08	2
3	.06				.03	.05		.08			.21		3
4	.15				.01			.07			.33		4
5			.01		.01			.28			.18		5
6	.20		.28		.15						.01	.01	6
7	.67				.22						.19		7
8	.03		.02		.01								8
9				.06					.05				9
10	.25		.01					.04	.03			.04	10
11	.29		.08		.01				.55			.01	11
12	.38		.06		.16			.72	.02			.11	12
13	.02		.30	.10			.10	.70	.01	.04			13
14			.04	.01	.35		.01	.02				.18	14
15				.01	.01		.16				.08	.01	15
16	.00		.02	.43				.47			.62	.01	16
17	.11		.23	.02			.36	.06	.09				17
18	.06		.03	.02						.34			18
19			.10	.05							.01	.09	19
20			.08	.01		.03				.15	.01		20
21											.09		21
22	.01		.01	.05						.13		.28	22
23				.08		.13		.01		.15			23
24	.04	.06		.02								.06	24
25		.20										.12	25
26	.09		.01		.03		.01					.34	26
27				.09								.04	27
28			.27		.05		.10					.11	28
29	.08		.13		.33		.01					.04	29
30	.46			.01	.10						.28	.21	30
31	.05				.01								31
TOTAL	3.56	.47	1.73	.96	1.48	.21	.75	1.94	.75	.93	2.36	1.89	YEAR'S TOTAL
Days with 01 in. or more	3	1	7	4	8	1	3	3	3	0	3	4	43
Days with 04 in. or more	17	3	11	4	7	2	4	9	3	6	10	14	93

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at **SHORNE HILL, TOTTEN**

Lat.

Long.

in the County of **Hampshire**by **Capt J. H. W. Rennie**Time of Observation **9.4.11**Nearest Railway Station **Totton**Diameter of Funnel of Rain Gauge **no change**Height of top of Gauge above Ground **ft. change**" " " " Sea Level **ft.**

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	X	.28	.15	X	.01	.10	.24	.09	.01	X	.54	X	1
2	X	.30	.13	.39	.02	X	.29	.04	X	X	.04	X	2
3	X	.25	.41	.28	.14	X	.05	.09	X	.01	.16	X	3
4	X	.16	.21	X	.26	X	.18	.01	X	.47	X	X	4
5	.06	.01	.27	.02	X	X	2.40	X	X	.17	.97	X	5
6	.17	X	.16	.06	X	X	.14	1.40	X	X	.02	X	6
7	.05	X	.48	.23	X	X	.02	.38	X	X	.03	X	7
8	.10	X	.13	.01	X	.03	.37	.42	X	X	.15	.07	8
9	.08	X	X	.01	X	X	.17	.20	X	X	.02	X	9
10	.05	X	X	X	X	.15	.01	.01	X	X	.63	X	10
11	.04	X	X	.10	.02	X	X	.02	X	X	X	.03	11
12	X	X	X	.75	X	X	.01	.22	.55	X	X	X	12
13	.17	X	X	.68	X	.44	.32	X	.03	X	X	X	13
14	.03	X	X	.09	X	.01	.17	X	.14	X	.01	X	14
15	.34	.19	X	.01	X	X	.02	X	.02	X	X	X	15
16	X	.09	X	.20	.17	X	X	.18	.06	X	X	.20	16
17	X	.22	X	X	.05	X	.08	.01	.07	X	X	.11	17
18	1.48	.06	X	X	.05	X	X	X	.11	X	X	.15	18
19	.09	.10	X	X	.03	X	X	X	.16	.03	X	.59	19
20	.52	.31	X	X	X	X	X	X	X	.01	X	X	20
21	.54	.33	.01	.12	X	X	X	X	X	X	X	1.10	21
22	X	.07	X	.05	X	.05	.01	.09	X	X	X	.43	22
23	X	.08	X	.04	X	.03	.08	X	.06	X	X	X	23
24	.08	.01	.16	X	.11	.16	X	.16	X	X	X	.02	24
25	.70	.02	.02	.26	X	.16	X	X	.17	X	X	.37	25
26	.14	.47	X	.15	X	.14	.10	.02	.02	X	.02	.08	26
27	.28	.20	.07	.06	X	.02	.01	.07	.03	X	X	.39	27
28	.15	.29	.02	X	X	.21	X	.08	.01	X	X	.19	28
29	.10	X	X	X	X	.10	X	.01	X	.31	X	.30	29
30	~~.27~~	~~X~~	.08	X	X	.01	X	.34	.11	.02	.05	.87	30
31	.37	~~X~~	.27	~~X~~	X	~~X~~	.02	.10	~~X~~	.29	~~X~~	.04	31
TOTAL	5.54	3.44	2.57	3.51	.86	1.61	4.69	3.94	1.55	1.31	2.64	4.94	YEAR'S TOTAL
Days with "01 in. or more	21	19	15	19	10	14	20	21	15	8	12	16	36.60
Days with "04 in. or more	20	10	12	15	6	9	13	15	9	4	7	14	190
													140

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at SHORNE HILL
in the County of HAMPSHIRE
by Capt J.W. Rennie

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Totton
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.12	.03	.40	X	X	X	~~X~~	X	X	.10	.02	.70	1
2	0.23	.03	.09	X	.02	X	X	.04	X	.05	.03	X	2
3	.03	X	.04	X	X	X	X	X	.03	.72	.07	.11	3
4	X	X	X	X	X	X	X	X	.06	X	.03	.20	4
5	.52	X	.01	.01	X	X	X	X	X	.06	.03	.03	5
6	.42	.29	.10	.13	X	X	X	X	X	X	X	.01	6
7	.07	1.38	X	X	.05	X	.02	X	X	.19	X	.44	7
8	.01	.15	.05	X	.05	X	X	X	X	.10	.32	X	8
9	.15	.61	X	X	X	X	.01	X	X	.02	.01	X	9
10	X	.42	X	.74	.07	X	.26	X	X	.18	X	.01	10
11	X	.05	X	.35	.01	X	X	X	X	.77	X	X	11
12	X	.20	.44	.49	.05	X	X	X	X	.53	X	.01	12
13	X	.11	.04	.12	X	X	.01	X	X	X	.92	.01	13
14	X	X	.05	.06	.11	X	X	.01	.65	X	.02	X	14
15	X	.02	.02	.38	.38	.29	.04	X	.04	X	.47	X	15
16	.01	.18	X	.15	.04	X	X	X	.02	X	.18	X	16
17	.01	.32	X	X	X	X	X	.07	.29	.01	.15	X	17
18	.01	.15	X	.07	.01	.01	X	.14	.08	.01	.07	X	18
19	X	.02	X	.01	X	X	X	X	.05	.94	X	.05	19
20	.02	.24	X	X	.02	X	X	.01	.23	.08	X	X	20
21	X	.02	X	.03	X	.01	X	X	.04	.15	X	.05	21
22	X	.54	.03	.02	.01	X	X	.09	.15	.11	X	.04	22
23	X	.35	.05	.01	.20	X	.09	.50	.04	.34	X	.10	23
24	X	.09	X	.13	X	X	X	.38	.28	.03	X	.19	24
25	X	.57	X	.63	.02	.10	X	.06	X	.64	X	.46	25
26	X	.12	X	.06	X	.05	X	X	X	.30	X	.41	26
27	X	.21	.29	X	.01	X	X	.16	X	.13	X	.07	27
28	X	.04	.09	.11	.45	X	.15	.04	X	X	.02	X	28
29	.01	X	.07	X	.28	X	.11	.93	X	.03	X	.09	29
30	X	X	.05	.01	X	X	.14	.05	X	.33	X	.20	30
31	X	X	X	X	X	X	.26	X	X	X	X	.18	31
TOTAL	1.61	6.14	1.82	3.51	1.78	.46	1.09	2.48	1.96	5.82	2.34	3.36	32.37
Days with ".01 in. or more	13	24	16	19	17	5	10	13	13	23	14	20	187
Days with ".04 in. or more	6	19	13	13	10	3	7	11	11	18	7	15	133

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924

County No.
 River Dist.
 Station No.

Kept at SHORNE HILL
in the County of HAMPSHIRE
by CAPT J.H.W. RENNIE

Lat. _____ Long. _____
Time of Observation 9.4.11
Nearest Railway Station TOTTEN
Diameter of Funnel of Rain Gauge _____
Height of top of Gauge above Ground no change ft. _____
" " " " Sea Level _____ ft. _____

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10		.17		.03	.42	.12	.07			.87	.34	R V U
2	.05		.18			.03	.04			.07		.03	2
3	.05		.04		.09	.03	.22	.21	.02	.14			3 C
4				.01	.08	.82	.02	.01	.03			.38	4 WOT
5			.14		.09		.12			.12		.03	5
6					.07	.01		.06	.01	.32			6
7	.03				.18	.24	.01		.45	.35			7
8	.15	.05		.01	.08	.26	.11		.06	.13			8
9	.07	.15		.03	.09	.09			.07	.01			9
10	.09			.26	.69	.28			.05				10
11	.14			.29	.38	.19			.01	.70	.29		11
12	.06			.32	.20	.11		.01	.15		.03		12
13	.12			.70	.07			.09	.41		.01	.39	13
14	.03			.27				.14				.07	14
15		.02		.01				.13	.10			1.16	15
16	.03							.45	.02			.02	16
17	.35				.03	.02	.93	.10	.05			.02	17
18	.52	.04			.19	.25		.22		.08	.01	.01	18
19	.06				.01			.01	.03	.03		.02	19
20	.02		.02		.25		.07	.01	.35	.30			20
21	.56		.06		.22			.01	.23	.91			21
22	.27		.68		.04		.30	.19	.25				22
23			.20		.33			.06	.03			.73	23
24	.47	.07	.08	.18	.09				.15	.01		.45	24
25			.03	.23	.09		.12	.02	1.65	.06	.10	.14	25
26		.01		.35			.03	.05	.05	.32	.67	.30	26
27		.03		.88			.57	.01		.26	.40	1.18	27
28							1.01	.47		.05	.59		28
29		.01		.10	.13		.08	.24	.05	.91	.08	.72	29
30		X		.10	.13		.07	.40	.24	.37	.24	.65	30
31	.01	X		X	.43	X		.03	X	.25	X	.10	31 1057
TOTAL	3.08	.38	1.60	3.74	3.99	2.75	3.82	2.99	4.46	4.79	3.29	6.74	YEAR'S TOTAL
Days with "01 in. or more.	19	8	10	15	24	13	16	23	23	20	11	19	41.63
Days with "04 in. or more	14	4	8	11	21	9	13	15	16	17	8	13	201 149

Register of Rainfall in 1925.
Kept at **SHORNE HILL**
in the County of **HANTS**

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft. in.
" Ground " Sea Level.....ft.

Observers are requested to read the instructions printed overleaf before filling in this form.
Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.38	—	0.15	.01	.07	.02	—	.14	.08	—	.96	—	1
2	.44	.01	—	.03	—	—	.13	—	—	—	.88	—	2
3	.25	—	—	—	.25	—	.05	—	—	—	.08	—	3
4	.03	.01	—	.32	.24	—	—	.13	.01	—	.06	—	4
5	—	.41	—	.92	.17	—	—	—	.30	—	.19	—	5
6	—	.04	—	.03	.23	—	.35	.20	—	—	.78	—	6
7	—	.22	—	—	.45	—	—	—	—	—	.04	.16	7
8	.18	.02	.02	—	.08	—	—	.03	.04	—	—	.18	8
9	—	.08	—	.19	.01	—	—	.10	—	—	—	.01	9
10	—	.16	.02	.01	.17	—	.01	.01	.02	—	—	—	10
11	—	.12	—	—	.04	—	—	.33	.01	—	—	—	11
12	—	.72	—	—	—	—	—	.19	—	—	—	—	12
13	.04	.34	.05	.08	—	—	—	.03	—	.04	—	.03	13
14	.37	.26	—	.20	—	—	—	—	—	—	.01	—	14
15	.13	.02	—	.14	—	—	—	—	—	.07	—	—	15
16	.07	.01	—	—	—	—	—	—	.30	.33	—	.01	16
17	—	—	—	.01	.04	—	.05	—	.09	—	—	—	17
18	—	—	—	.04	.02	—	—	—	.08	.02	—	.04	18
19	—	—	—	.10	.01	—	.07	.14	.78	.74	—	.54	19
20	—	—	.02	—	—	—	—	.07	.65	.80	—	.06	20
21	—	.03	.03	—	—	—	.63	.39	.25	.62	—	.35	21
22	.03	.30	—	.15	.24	—	.33	.03	.80	.91	—	.57	22
23	.05	.15	.02	.02	.08	—	—	1.07	.02	.23	—	.18	23
24	.30	.31	.07	.03	.49	—	—	.48	.02	.05	.02	.21	24
25	.34	1.02	—	.01	.02	—	.12	—	.34	.05	—	.10	25
26	.20	.28	—	.04	.29	—	.35	.14	—	.36	—	.08	26
27	.15	.01	—	.03	.42	.01	.14	.06	—	.01	—	.17	27
28	.21	—	—	.03	—	—	.01	—	—	—	—	.36	28
29	.16	—	—	—	.20	—	.13	—	—	—	.05	.53	29
30	—	X	.01	.13	—	—	.48	—	—	.08	.07	.35	30
31	.11	X	.11	X	—	X	.08	—	X	.04	X	—	31
TOTAL	4.44	4.52	.50	2.52	4.62	.03	2.93	3.54	3.79	4.35	3.14	3.96	36.67
Days with .01 in. or more.	18	21	10	21	20	2	15	17	16	15	11	X 18	184
Days with .04 in. or more.	16	X 314	4	11	14	0	13	13	11	13	9	X 15	136

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

594

Kept at Shorne Hill Totton
in the County of Hampshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.08	.12	X	X	.02	0.56	X	X	.18	X	.59	X	1
2	.05	X	X	X	X	0.54	.04	X	.22	X	.16	X	2
3	.39	.12	.20	.02	X	X	X	X	.04	X	X	X	3
4	.10	.29	.17	.16	X	X	X	X	X	X	.35	X	4
5	.09	.18	.06	X	.45	X	.07	X	X	X	.10	.39	5
6	.46	.22	.01	.27	.04	X	.13	.14	.03	X	.44	X	6
7	.08	.17	X	.33	.07	.16	.17	X	.09	X	.71	.01	7
8	X	.06	X	.21	X	.01	X	.01	X	.19	1.52	X	8
9	X	X	.03	X	X	.56	.47	.01	X	.03	.98	X	9
10	X	X	X	X	.03	.20	.02	.01	X	.01	.17	X	10
11	X	.03	X	X	.05	.38	X	.18	X	X	.05	X	11
12	X	X	X	X	.01	.01	X	X	.01	.27	.01	X	12
13	X	X	X	X	.06	.02	X	X	X	.01	1.18	.03	13
14	.12	.15	X	.48	.09	.13	X	X	X	.53	.06	.01	14
15	.42	.15	X	.16	.01	X	X	X	.01	.25	.10	X	15
16	.10	.30	X	.47	X	X	X	.08	X	.14	.05	X	16
17	.26	.62	X	.19	X	.41	.12	X	X	X	.33	.03	17
18	.32	.05	X	.16	X	.03	.02	.13	X	X	1.26	X	18
19	X	X	X	.10	.02	X	.14	X	X	X	.43	.01	19
20	.02	X	X	.24	X	X	X	.40	X	X	.35	X	20
21	X	X	X	.04	X	X	.02	X	X	.43	.18	X	21
22	.65	.01	X	.01	X	X	X	X	X	.11	.04	X	22
23	.17	X	X	X	X	X	X	X	X	X	X	X	23
24	.08	X	X	X	X	.04	.10	X	X	.67	X	X	24
25	.15	X	.07	.57	X	X	X	.01	X	.25	.14	.03	25
26	.03	.01	X	.02	.20	X	.13	X	.08	X	.17	X	26
27	.17	.01	.01	X	.15	X	X	X	.09	.07	.03	X	27
28	.55	X	X	.02	.03	X	.26	X	X	.17	.38	X	28
29	.09	X	X	.05	.17	X	X	X	X	.05	.04	X	29
30	.31	X	X	.14	.20	X	.03	X	X	X	.16	X	30
31	.42	X	X	X	X	X	X	.09	X	X	X	X	31
TOTAL	6.11	2.49	0.55	3.64	1.60	3.05	1.72	1.06	.75	3.08	9.98	0.42	YEAR'S TOTAL 34.75
Days with "01 in. or more.	23	16	7	19	16	13	14	10	9	15	27	7	176
Days with "04 in. or more.	21	12	4	15	10	9	10	6	6	12	25	1	131

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

589
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Shorne Hill
 in the County of Hampshire
 Diameter of Funnel of Gauge.....in.
 Height of top of Gauge above Ground...no change...in.
 „ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.68	.02	X	X	X	1.33	.26	X	.47	.25		1
2	.02	X	.07	.17	X	X	X	X	X	.03	.02		2
3	.21	.01	.10	X	X	X	.10	X	.15	X	X	.01	3
4	.08	X	.08	.13	.06	X	.25	X	X	X	X		4
5	.11	.11	.24	.45	X	.04	.02	X	X	X	.09		5
6	.03	X	.41	.44	X	.04	.01	.24	.54	X	.02		6
7	X	.28	X	.26	X	.20	.01	.05	X	X	X		7
8	.03	X	X	.40	.03	X	.15	.07	.10	X	.06	.01	8
9	X	X	.07	.17	.10	X	.01	.01	.22	X	X	.14	9
10	X	X	.09	X	X	X	.35	.10	.39	X	X		10
11	X	X	X	.02	X	X	X	.20	X	X	X		11
12	.14	X	X	X	X	X	.04	.02	X	.01	X		12
13	.14	.02	X	X	X	X	.32	.49	.16	.03	.14	.37	13
14	.03	X	X	.04	.01	X	.21	.05	1.72	X	.01	.08	14
15	X	X	X	X	X	X	X	.18	.05	X	X		15
16	.07	.02	X	X	.15	.37	X	X	.27	X	X		16
17	.15	X	.10	X	X	.10	X	.38	.02	X	.02		17
18	X	X	.01	X	X	.41	X	.11	.02	X	.83		18
19	X	.29	X	X	X	X	.03	.16	X	.03	.33		19
20	.21	.13	X	X	.03	X	.20	.83	.03	X	.32	.36	20
21	.03	.35	X	X	X	.04	.02	.34	.58	.36	.08	1.15	21
22	.12	.30	.22	.02	.05	.05	X	.03	.15	.27	.01	.59	22
23	.02	.70	.82	X	X	.25	X	.28	.80	X	.28	.07	23
24	X	.10	.58	.01	X	.15	.02	.52	.01	.06	.02	.38	24
25	.01	.29	.28	X	X	.02	.02	X	.07	.05	.02	.72	25
26	.32	.48	.20	X	X	.04	.16	.08	X	.06	X	.18	26
27	.11	.37	.01	X	.31	.03	.20	X	.01	.73	X	.04	27
28	.42	.23	.11	.08	X	.25	.03	X	.03	.06	.35		28
29	.13	X	.19	X	X	.28	.01	X	.73	.02	.48		29
30	.28	X	.08	X	X	.35	.04	.01	.04	.28	.02	.02	30
31	X	X	.50	X	X	X	.08	X	X	.05	X	.16	31
TOTAL	2.68	4.36	4.18	2.19	.74	2.62	3.61	4.41	6.09	2.51	3.35	4.28	YEAR'S TOTAL
Days with ".01 in. or more.	22	16	20	12	8	16	23	21	21	15	19	15	208
Days with ".04 in. or more.	14	13	17	9	5	14	13	17	15	10	11	12	150

Section **A**

for the entry of Daily Observations.

611
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at SHORNE HILL
in the County of HAMPSHIRE

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.72	.03	.08	X	X	X	X	.52	X	X	X	X	1
2	.90	.77	.15	.03	X	X	X	.10	X	X	.01	.02	2
3	X	.01	X	.29	X	X	.15	.92	X	X	.06	X	3
4	.02	.22	X	.02	X	.08	X	.04	X	.02	.02	X	4
5	.03	.39	.14	.02	X	.17	.08	X	.01	.15	X	X	5
6	X	X	.10	X	X	.34	X	X	X	.02	X	.09	6
7	.01	.01	.13	.30	X	.20	X	.09	X	.02	.01	X	7
8	X	.04	X	.08	X	.65	X	X	X	.06	X	X	8
9	.03	.01	.02	X	X	.13	X	X	.62	.10	X	X	9
10	.34	.18	X	.05	X	.02	X	.03	X	.37	.21	.12	10
11	.02	X	.01	.05	X	.03	X	.01	X	.63	.06	.19	11
12	.54	.65	.02	X	X	X	X	X	X	.04	.06	.05	12
13	X	.05	X	X	X	.47	X	.30	X	X	.03	X	13
14	.12	.11	X	.58	.24	.11	X	X	X	.32	.69	X	14
15	.10	X	.01	.62	X	.02	X	.01	X	.02	.22	X	15
16	X	.08	X	.05	.01	X	X	X	X	.15	.33	.35	16
17	.03	X	X	X	.48	.02	X	X	X	.10	.03	X	17
18	.54	X	.07	X	.05	.05	X	X	X	.42	.13	.02	18
19	X	X	.09	X	.17	.05	X	.17	X	.62	.02	.06	19
20	.26	X	.30	X	.18	X	X	.02	X	.04	.16	X	20
21	.23	X	.18	.14	.10	.03	X	X	X	.32	.30	X	21
22	X	X	.44	X	X	X	X	.01	X	.65	.38	.17	22
23	.55	X	.06	X	.11	X	X	X	X	.39	.33	.04	23
24	.03	X	.10	X	X	X	X	.01	.20	.11	.04	.21	24
25	.11	X	.06	X	X	.11	X	.03	X	.22	.03	.12	25
26	.25	X	.02	X	.01	.05	.02	.36	X	1.45	.02	.06	26
27	X	X	.08	X	X	X	.71	X	.10	.22	.06	1.23	27
28	.95	X	.12	X	X	X	X	.07	.57	X	X	.15	28
29	.34	.27	.57	.06	X	.04	.07	X	X	.08	.09	.16	29
30	.02	X	.39	X	X	.16	.26	X	X	.09	X	.09	30
31	.32	X	.40	X	X	X	.29	X	X	.04	X	.02	31
TOTAL	6.46	2.82	3.51	2.29	1.35	2.73	1.58	2.69	1.57	6.65	3.29	3.15	38.02
Days with ".01 in. or more.	23	14	23	13	9	19	7	16	5	26	23	18	196
Days with ".04 in. or more.	15	10	18	10	7	14	6	10	4	22	16	15	147
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 1929 .

Kept at *Shorne Hill, Totton*
in the County of *Hampshire*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. — in.
,, Ground ,, Sea Level — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.18	—	.01	.01	.07	—	.01	—	.27	—	.03	I
2	—	.45	—	—	—	.08	.19	—	—	.43	.02	.43	2
3	—	—	—	—	—	.01	.16	.07	—	.02	—	.15	3
4	—	—	—	.04	.37	—	.40	.20	—	.01	—	.58	4
5	—	—	—	—	.69	.35	.13	.79	—	.68	.52	.94	5
6	.03	.02	—	—	.21	.01	.01	.19	—	.05	.19	.68	6
7	—	—	—	—	.04	.02	—	.21	—	.60	.30	.76	7
8	—	—	—	—	.10	.12	—	.03	—	.48	—	.35	8
9	.14	.12	—	—	—	—	—	.01	—	—	.18	.80	9
10	.10	—	—	—	.02	—	—	—	—	.04	.02	.42	10
11	—	.06	—	.02	.13	.01	—	—	—	.02	.96	.02	11
12	—	—	—	.06	.06	.06	—	—	—	—	.04	.05	12
13	—	—	—	.01	.18	—	—	.02	—	—	—	.02	13
14	—	—	—	—	.02	.25	—	—	—	—	—	.10	14
15	.05	.19	—	—	—	.16	—	—	—	—	1.04	.05	15
16	—	—	—	—	—	—	—	.22	.01	—	.03	—	16
17	.09	—	—	.02	—	—	—	—	—	—	—	—	17
18	.02	—	—	—	—	—	—	.06	—	.01	.82	—	18
19	—	—	—	—	—	—	—	—	—	—	.15	.54	19
20	.03	—	.01	—	—	—	.32	.05	—	.44	—	.07	20
21	.07	—	.04	—	—	—	—	—	—	—	—	—	21
22	—	—	—	—	—	—	.04	.05	—	—	.46	—	22
23	—	.16	—	.03	—	—	—	—	—	.12	1.47	.57	23
24	—	.01	.06	—	—	—	—	—	—	.63	1.28	.65	24
25	—	.06	—	—	—	—	—	—	—	.03	.24	.02	25
26	—	.02	—	.02	.11	—	—	—	—	—	.11	.26	26
27	.01	—	—	.17	.26	—	—	—	—	.02	1.15	.15	27
28	.33	—	—	.07	—	—	.34	—	.07	.35	.33	.72	28
29	.08	—	—	.67	—	.05	—	—	.06	.10	.87	.77	29
30	.02	X	—	—	—	.17	.13	—	.37	—	1.02	.05	30
31	.58	X	—	X	—	X	.05	.01	X	—	X	.16	31
TOTAL	1.55	1.27	.11	1.12	2.20	1.36	1.77	1.93	.51	4.30	11.20	9.14	YEAR'S TOTAL 36.46
Days with "or in. or more.	13	10	3	11	13	13	10	14	4	18	21	26	15.6
Days with ".04 in. or more.	8	7	2	5	9	8	9	9	3	12	18	22	11.2

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Shorne Hill, Totton
in the County of Hampshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.52		.07									1
2	.01	.04	.09	.07	.40	.01	.05	.45			.34		2
3	.10	.05		.68				.62		.07	1.06		3
4	.64	.08		.02				.05	.05	.27			4
5	.05				.05			.28		.03			5
6			0.01		.02			.53	.14	.03		.05	6
7	.13							.48		.42	.32	.16	7
8	.16			.05					.03	.02		.32	8
9	.25		.04		.21			.02	.16		.01		9
10	.72		.05		.25			.01				.56	10
11	.21		.04	.03	.02		.37			.03		.48	11
12	.20			.08	.15			.10				.24	12
13	.05		.04	.22	.09		.06	.06	.40			.03	13
14	.06	.07	.20	.13			.27		.08	.04		.04	14
15	.05	.04	.16				.49			.07	.11	.15	15
16							.01		.20	.01		.20	16
17			.06	.16			.01	.03	.40	.37			17
18					.20	.04	.04	.01	.05	.02	.16	.25	18
19			.24	.25		.03		.26	.52	.25	.74	.04	19
20				.11	.09	.02	.60	.67	.38	.03	.67		20
21			.05					.02	.03	.11	.58		21
22	.57			.04	.06	.08		.64	.05	.25	.35		22
23	.30		.11	.19		.20	.24	.04	.10		.19	.10	23
24	.19			.32	.05	.22				.05	.34	.35	24
25	.08	.33		.19	.10						.11	.07	25
26	.35	.01			.19		.09		.14		.45	.30	26
27	.05								.01	.16	.23	.10	27
28	.07		.07						.20	.01	.72	.20	28
29	.12		.05					.06	.25	.05	.05	.03	29
30	.10	X	.20		0.11	.38	.12					.37	30
31	.55	X		X	.33	X			X	.10	X	.16	31
TOTAL	5.07	1.16	1.41	2.71	2.35	0.98	2.46	4.33	3.19	2.39	6.33	4.23	YEAR'S TOTAL 36.59
* Days with or in. or more.	24X	8X	X15	X16	X16	X8	X12	X18	X18	21X	X17	21X	X194
* Days with .04 in. or more.	23	7	14	15	15	5	10	13	15	12	16	18	163

40-9999

* See Instruction 2 (f) on other side.

MRS RENNIE (Signed) S. Waller for Mrs Rennie [P.T.O.]

REC

Kept at Mallards
in the County of Hants
by C

TWIFYFORD

MALLARDS CLOSE

HANTS

1921-1930

IMPORTANT N
previous day. If an
requested to add the
for it at the end of
the selection and pla
Organization are give
Dr. H. R. MILL, 62,

18'30" E.

a.m.

Shawford

Gauge 5 in.

ve Ground 1 ft. 0 in.

Sea Level 153 ft.

the result entered to the
iversal rule, he is earnestly
ear in the space provided
ement of rain,
British Rainfall
an application to

Jan. 1, following.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.34	.08											1
2	-	-	-	-	.19	-	-	.05	-	.11	.16	.03	2
3	.04	-	-	-	.13	.03	-	.02	-	-	.28	-	3
4	.14	-	-	-	.17	-	-	.07	-	-	.46	-	4
5	.02	-	-	-	.02	-	-	.21	-	-	.25	.03	5
6	.19	-	.16	-	.14	-	-	-	-	-	-	-	6
7	.61	-	.4	-	.38	-	-	-	-	-	.07	-	7
8	.03	-	.02	-	.09	-	-	-	.06	-	-	-	8
9	-	-	.01	.06	-	-	-	-	-	-	-	-	9
10	.21	-	-	-	-	-	-	-	-	-	-	-	10
11	.32	-	-	-	-	-	-	-	.85	-	-	.04	11
12	.32	-	.04	-	.17	-	-	.75	.01	-	-	.07	12
13	.06	-	.18	.21	-	-	.02	.27	-	.03	-	-	13
14	-	-	.10	-	.29	-	.04	-	-	-	-	.22	14
15	.01	-	-	.03	-	-	.17	-	-	-	.10	.02	15
16	-	-	.16	.45	-	-	-	.79	-	-	.69	-	16
17	.09	-	-	.03	-	-	.29	.05	.08	.26	-	-	17
18	.19	-	-	.02	-	-	-	-	-	-	.01	-	18
19	.04	-	.15	.02	-	-	-	-	-	-	-	.07	19
20	-	-	.07	-	-	-	-	-	-	.10	-	.01	20
21	.01	-	-	-	-	-	-	-	-	-	.05	-	21
22	.01	-	-	.20	-	-	-	-	-	.06	-	.16	22
23	-	-	-	.02	-	-	.02	.10	-	.23	-	-	23
24	.04	.06	-	-	-	-	-	-	-	-	-	.07	24
25	.01	.10	-	-	-	.03	(.03)	-	-	-	-	.14	25
26	.03	-	-	-	-	-	-	-	-	-	-	.13	26
27	-	-	-	.20	-	-	-	-	-	-	-	.02	27
28	-	.07	.22	-	-	-	.05	-	-	-	-	.08	28
29	.06	X	.09	-	.30	-	-	-	-	-	-	.08	29
30	.47	X	-	-	.02	-	-	-	-	-	.26	.18	30
31	.05	X	-	X	.02	X	-	X	-	X	X	-	31
Total	3.29	.31	1.20	1.24	1.92	.06	.62	2.34	1.00	.79	2.46	1.65	16.88
Rain Days.	23	4	11	10	12	2	7	10	4	6	11	17	117

REC

18°30' E.
a.m.

651
FORM A
BRITISH RAINFALL

Kept at

Mallards

in the County of

Hants

by

G.R. Marsh

Nearest Railway Station

Shawford

Diameter of Funnel of Rain Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

0

in.

" " " " Sea Level

153

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.34	.08	-	-	-	-	-	.03	-	-	.13	.12	1
2	-	-	-	-	.19	-	-	.05	-	.11	.16	.03	2
3	.04	-	-	-	.13	.03	-	.02	-	-	.28	-	3
4	.14	-	-	-	.17	-	-	.07	-	-	.46	-	4
5	.02	-	-	-	.02	-	-	.21	-	-	.25	.03	5
6	.19	-	.16	-	.14	-	-	-	-	-	-	-	6
7	.61	-	-	-	.38	-	-	-	-	-	.07	-	7
8	.03	-	.02	-	.09	-	-	-	.06	-	-	-	8
9	-	-	.01	.06	-	-	-	-	-	-	-	-	9
10	.21	-	-	-	-	-	-	-	-	-	-	-	10
11	.32	-	-	-	-	-	-	-	.85	-	-	.04	11
12	.32	-	.04	-	.17	-	-	.75	.01	-	-	.07	12
13	.06	-	.18	.21	-	-	.02	.27	-	.03	-	-	13
14	-	-	.10	-	.29	-	.04	-	-	-	-	.22	14
15	.01	-	-	.03	-	-	.17	-	-	-	.10	.02	15
16	-	-	.16	.45	-	-	-	.79	-	-	.69	-	16
17	.09	-	-	.03	-	-	.29	.05	.08	.26	-	-	17
18	.19	-	-	.02	-	-	-	-	-	-	.01	-	18
19	.04	-	.15	.02	-	-	-	-	-	-	-	.07	19
20	-	-	.07	-	-	-	-	-	-	.10	-	.01	20
21	.01	-	-	-	-	-	-	-	-	-	.05	-	21
22	.01	-	-	.20	-	-	-	-	-	.06	-	.16	22
23	-	-	-	.02	-	-	.02	.10	-	.23	-	-	23
24	.04	.06	-	-	-	-	-	-	-	-	-	.07	24
25	.01	.10	-	-	-	.03	(.03)	-	-	-	-	.14	25
26	.03	-	-	-	-	-	-	-	-	-	-	.31	26
27	-	-	-	.20	-	-	-	-	-	-	-	.02	27
28	-	.07	.22	-	-	-	.05	-	-	-	-	.08	28
29	.06	X	.09	-	.30	-	-	-	-	-	-	.08	29
30	.47	X	-	-	.02	-	-	-	-	-	.26	.18	30
31	.05	X	-	X	.02	X	-	-	X	-	X	-	31
Total	3.29	.31	1.20	1.24	1.92	.06	.62	2.34	1.00	.79	2.46	1.65	16.88
Rain Days	23	4	11	10	12	2	7	10	4	6	11	17	117

REGISTER OF RAINFALL IN 1922.

Kept at Mallards Close, Twyford
in the County of Hampshire
by G. R. Marsh

Lat. 51° 16' N. Long. 1° 18' 30" W.
Time of Observation 9.0. A.M.
Nearest Railway Station Shawford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 153 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.17	.19	-	.03	.04	.27	.03	.24	.04	.44	-	1
2	-	.24	.11	.21	.02	-	.29	-	-	-	.03	-	2
3	.02	.42	.27	.25	.11	-	.02	-	-	.01	.09	-	3
4	-	.20	.18	-	.22	-	.02	.06	-	.51	-	-	4
5	.08	-	.25	.02	-	-	2.10	-	-	.08	.75	-	5
6	.12	-	.17	.03	-	-	.01	1.59	-	-	.06	-	6
7	.08	-	.50	.22	-	-	.10	.09	-	-	.03	-	7
8	.12	-	.05	.02	-	.05	.35	.02	-	-	.06	.02	8
9	.11	-	-	.13	-	-	.03	.13	-	-	.01	-	9
10	-	-	-	-	-	-	-	.01	-	-	.38	-	10
11	.13	-	-	.12	.04	-	-	-	-	-	-	-	11
12	-	-	-	.62	-	-	.04	.24	.53	-	-	.01	12
13	.16	-	-	.63	-	.41	.32	-	.04	-	-	-	13
14	.02	-	-	.06	-	.02	.38	-	.26	-	-	-	14
15	.48	.24	-	.04	-	-	-	-	-	-	-	-	15
16	-	.10	-	.18	.20	-	-	.13	.05	-	-	.22	16
17	-	.24	-	-	.04	-	.14	-	-	-	-	.10	17
18	1.38	.07	-	-	.04	-	.03	-	.16	-	-	.12	18
19	.03	.10	.01	-	-	-	-	-	.15	.07	-	.60	19
20	.10	.24	-	-	-	-	-	-	-	-	-	-	20
21	.39	.26	-	.13	-	-	-	-	-	-	-	.87	21
22	-	.04	-	-	-	.06	.02	.15	-	-	-	.30	22
23	-	.07	-	.18	-	-	.10	-	.02	-	-	-	23
24	.06	-	.15	.09	.16	.10	-	.10	-	-	-	-	24
25	.61	.02	.04	.31	-	.32	-	-	.18	-	-	.38	25
26	.18	.33	-	.38	-	.07	.15	-	-	-	.02	.05	26
27	.33	.12	.19	.12	-	-	-	.14	.01	-	-	.49	27
28	.15	.31	.07	-	-	.19	-	.01	-	-	-	.13	28
29	-	-	-	-	-	.07	.01	.01	-	.21	-	.24	29
30	.01	~~X~~	.06	-	-	.06	-	.28	.10	.07	.04	.82	30
31	.37	~~X~~	.15	~~X~~	-	~~X~~	.22	.11	~~X~~	.27	~~X~~	.03	31
TOTAL	4.93	3.17	2.39	3.74	.86	1.39	4.60	3.10	1.74	1.26	1.91	4.38	YEAR'S TOTAL
Days with ".01 in. or more	21	17	15	19	9	11	19	16	11	8	11	15	172
Days with ".04 in. or more	17	16	14	16	7	10	12	11	9	7	7	12	138

REGISTER OF RAINFALL IN 1923.

Kept at Mallards Close, Twyford.in the County of Hampshireby G.R. MarshLat. 51° 1' 16" N Long. 1° 18' 30" WTime of Observation 9-0 a.m.Nearest Railway Station ShawfordDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in." " " " Sea Level 153 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.04	.31	-	-	-	-	-	-	.08	.01	.48	1
2	.23	.01	.06	-	.03	-	-	.03	-	.14	.02	-	2
3	-	.35	.04	-	-	-	-	-	.11	.56	.02	.10	3
4	-	1.32	-	-	-	-	-	-	.03	-	.06	.14	4
5	.49	.07	.01	.02	-	-	-	-	-	.09	.02	.02	5
6	.67	.67	-	-	-	-	-	-	-	.37	-	-	6
7	.03	.40	.02	-	.04	-	.01	-	-	-	-	.40	7
8	.03	-	.10	-	.02	-	-	-	-	.17	.35	-	8
9	.09	-	-	-	-	-	-	-	-	.04	-	-	9
10	-	-	-	.58	.06	-	.08	-	-	.12	-	-	10
11	.01	.05	.48	.30	.03	-	-	-	-	.76	-	-	11
12	-	.15	.02	.40	.10	-	-	-	-	.53	-	-	12
13	-	.10	.06	.06	-	-	-	-	-	-	.65	.02	13
14	.01	-	-	.11	.09	-	-	-	.57	-	-	-	14
15	-	.01	-	.20	.29	.33	.05	-	.07	-	.40	-	15
16	-	.23	-	.31	.08	-	.02	-	-	-	.18	-	16
17	.01	.29	-	-	-	-	-	.16	.25	-	.03	-	17
18	.02	.20	-	-	-	.03	-	.19	.02	.01	.01	-	18
19	.05	.07	-	-	-	-	.01	-	.25	.79	-	.03	19
20	-	.22	-	-	.03	-	-	-	.22	.09	-	-	20
21	-	.17	-	-	-	-	-	-	.03	.13	-	.25	21
22	.01	.36	.10	.05	-	-	.07	.59	.08	.26	.01	.25	22
23	-	.43	.05	-	.41	-	-	(.44)	.02	.31	-	-	23
24	-	.09	-	.09	-	-	-	-	.30	-	-	.13	24
25	-	.48	-	.64	.02	-	-	-	.02	.78	-	.44	25
26	-	.13	-	.06	-	-	-	.06	-	.20	-	.39	26
27	-	.12	.14	-	-	-	-	.17	-	.09	-	.09	27
28	-	.09	.09	.20	.45	-	.42	.01	-	-	.01	-	28
29	-	X	.09	-	.41	-	.14	.75	-	.01	-	.11	29
30	-	X	-	.01	-	.02	.14	.01	-	-	-	.40	30
31	-	X	-	X	-	X	.34	-	X	.27	X	.19	31
TOTAL	1.74	6.05	1.57	3.03	2.06	.38	1.28	2.41	1.97	5.80	1.77	3.44	YEAR'S TOTAL
Days with .01 in. or more	13	24	14	14	14	3	10	9	13	20	13	16	163
Days with .04 in. or more	6	22	11	12	9	1	7	7	8	18	5	13	119

REGISTER OF RAINFALL IN 1924.

Kept at Mallards Close, Tisbury

in the County of Hampshire

by C. R. Marsh

Lat. 51° 16' N. Long. 1° 18' 30" W.
Time of Observation 9 AM.
Nearest Railway Station Shawford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 153 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.13	-	-	.39	.11	.08	-	-	.83	.26	WPR 1
2	.05	-	.25	-	.01	.24	.04	-	-	.05	-	-	2
3	.03	-	.04	-	-	.04	.22	.21	.03	.06	-	.11	3
4	-	-	-	-	.09	.68	-	-	.04	.02	-	.31	4
5	-	-	.08	-	.03	-	.10	-	-	.12	-	-	5
6	-	-	-	-	-	-	-	-	-	.47	-	-	6
7	.05	-	-	-	.16	.33	-	.04	.35	.32	-	-	7
8	.19	-	-	.02	.02	.03	.01	-	.07	.13	-	-	8
9	.10	.18	-	-	.07	.13	-	-	.17	-	-	-	9
10	.12	-	-	.20	.69	.26	-	-	.03	.04	-	-	10
11	.07	-	-	.36	.34	.10	-	-	-	.10	.35	-	11
12	.03	-	-	.10	.16	.20	-	-	.17	-	.02	-	12
13	.07	-	-	.63	.09	-	-	.09	.44	-	.01	.39	13
14	.01	-	-	.15	-	-	-	-	-	-	-	.05	14
15	-	-	-	-	-	-	-	.12	.05	-	-	1.15	15
16	.02	-	-	-	-	-	-	.51	-	-	-	-	16
17	.30	-	-	-	.02	2.5	.86	.32	-	-	-	.02	17
18	.44	.05	-	-	.17	.11	-	.22	.05	-	-	-	18
19	.20	-	-	-	-	-	-	.03	.02	.10	-	-	19
20	.02	-	-	-	.07	.16	.10	.04	.21	.21	-	-	20
21	.59	-	.02	-	.09	-	.06	.10	.14	.82	-	.02	21
22	.28	-	.63	-	.02	-	.05	-	.32	-	-	-	22
23	-	-	.19	-	.26	-	-	.07	.01	-	-	.65	23
24	.40	.21	.10	.15	.16	-	-	.70	.44	-	-	.44	24
25	-	-	.03	.10	.05	-	-	.02	1.97	.06	-	.08	25
26	-	-	.02	.40	-	-	.14	.03	.08	.21	-	.22	26
27	-	.03	-	.76	-	-	1.00	-	-	.19	.93	.80	27
28	-	-	-	-	-	-	1.26	.28	-	.08	.48	.03	28
29	-	-	-	.14	.11	.01	.21	.26	.10	.72	.02	.64	29
30	-	X	-	.13	.16	-	-	.13	.59	.34	.24	.39	30
31	.01	X	-	X	.46	X	-	.06	X	.18	X	.04	31
TOTAL	2.98	.47	1.49	3.74	3.23	2.68	4.19	3.31	5.28	4.22	2.88	5.60	1003
Days with .01 in. or more	19	4	10	12	21	13	13	19	20	19	8	17	175
Days with .04 in. or more	13	3	6	11	16	11	12	16	17	18	5	14	142
													39.47
													40.47
													175
													142

January 25th. 1925

Mallards Close,

Twyford,

Winchester.

Dear Sir,

I enclose the rain record for
my station for 1924.

The totals are correct, but in one or two cases
the rain may have been put down to the wrong day.
The reason for this is that when making the fair
copy from the sheet on which I make the daily entries
(which was one of your forms) the blue lines were
completely bleached, and it was not easy in all cases
to make sure to what date an entry belonged.
Might I make the suggestion that the cross lines
should be printed in black so that they could not
fade. This is done in some of your forms I have.

Yours faithfully,



The Director,

Meteorological Office,

Kingsway, W.C.2.

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Mallocks Close, Twyford.

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 153 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.


Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.00	.	.07	.	.27	.01	.	.50	.	.	.81	.	1
2	.43	.01	.	.	.02	.	.14	.	.	.	.60	.	2
3	.19	.01	.	.	.14	.	.04	.	.	.	.07	.	3
4	.01	.	.	.31	.26	.	.	.11	.02	.	.04	.	4
5	.	.38	.	.94	.18	.	.	.04	.23	.	.03	.	5
6	.	.04	.	.	.25	.	.50	.13	.01	.	.61	.01	6
7	.	.26	.	.	.35	.	.	.	.01	.	.	.25	7
8	.14	.02	.	.	.02	.	.	.02	.	.	.	.16	8
9	.	.05	.	.22	.02	.	.01	.10	.16	.	.	.01	9
10	.	.08	.02	.	.08	.	.	.05	.	.	.	.	10
11	.	.10	.	.	.01	.	.	.11	.	.	.01	.	11
12	.	.64	.	.	.	.04	.	.13	.	.	.	.	12
13	.	.44	.	.12	.	.	.	.01	.	.	.	.06	13
14	x .50	.38	.07	.22	.	.	.	.	.	.	.	.	14
15	x	.	.	.24	.	.	.	.	.	.08	.	.	15
16	x	.01	.	.	.	.	.	.	.26	.30	.	.	16
17	.	.	.	.	.07	.	.04	.	.03	.	.	.	17
18	.	.	.	.02	.20	.	.	.	.06	.	.	.05	18
19	.	.07	.	.07	.02	.	.31	.02	.41	.70	.	.25	19
20	.	.	.04	.	.	.	.	.06	.68	.61	.	.46	20
21	.	.05	.01	.	.	.	.71	.60	.14	.48	.	.36	21
22	.	.	.	.18	.22	.	.54	.08	.64	.59	.	.35	22
23	.04	.41	.09	.	.12	.	.	.93	.	.11	.	.06	23
24	.34	.27	.02	.02	.39	.	.	.07	.	.05	.05	.20	24
25	.27	.81	.	.01	.03	.	.13	.	.24	.04	.	.07	25
26	.09	.28	.	.15	.38	.	.17	.20	.	.34	.	.10	26
27	.11	.01	.	.17	.22	.	.09	.	.	.	.01	.05	27
28	.23	.03	.	.23	.	.	.	.	.	.	.08	.30	28
29	.10	.12	.	.	.15	.	.07	.	.	.	.	.31	29
30	.	X	.	.21	.	.	.22	.	.	.06	.16	.55	30
31	.10	X	.09	X	.	X	.05	.	X	.05	X	.55	31
TOTAL	3.58	4.38	.41	3.14	3.16	.05	3.02	3.16	3.22	3.41	2.47	3.40	848
Days with .01 in. or more.	13	22	8	15	20	2	14	14	13	12	11	18	169
Days with .04 in. or more.	12	16	5	12	14	1	13	14	9	12	8	16	135

(Signed).....

C.P. Marsh

[P.T.O.]



QUERY FORM.

On examination of the return of observations made at

Mallards Close Twyford 1925

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

Certain entries on your ¹⁹²⁵ rainfall return are not in good agreement with those of neighbouring station as shown by the table below.

	Twyford Pumping Sta	Mallards Close	Hursley, Rk
Jan 13 to 16	.53	—	.46
Feb 26	.35	.28	.21
27	.01	.01	.02
28	.09	.03	.01
29	X	.12	X
March 1	.12	.07	.12
Dec 31	.02	.35	.01

If you have no reason to the contrary we would recommend that the entry on February 29 be deleted and that values of .50 for January 13-16 and .05 inch for December 31 be adopted making the totals for the months January 3.58, February 4.38 and December 3.40 inches and for the year 33.40 inches.

gls
23.11.26

REPLY.

I cannot account for the discrepancies in entries for Jan 13 to 16, except that during the first few months of the year things were disorganised owing to serious illness in the house.

The entry for Dec. 31. must clearly be wrong, as the Pumping Station is only $\frac{1}{2}$ mile or so away, but I have .35 down in my record.

Please make alterations you suggest.

C. Rhoads

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

REGISTER OF RAINFALL IN 1926.

Kept at Mallards Close, Twyford
 in the County of Hampshire
 by G. R. Marsh

Lat. 51.1.16.N Long. 1.18.30 W.
 Time of Observation 9 a.m.
 Nearest Railway Station Shawford
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 2 in.
 " " " " " Sea Level 153 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.90	.05	-	-	-	.48	-	-	.08	-	.36	-	1
2	.20	-	-	-	-	.34	.10	-	.24	-	.08	-	2
3	.10	.07	.11	-	-	-	-	-	-	-	-	-	3
4	.05	.32	.13	.08	-	-	.01	-	-	-	.23	-	4
5	.16	.12	.19	-	.30	-	.25	-	-	.01	.10	.25	5
6	.38	.32	-	.24	.01	-	.07	.18	-	-	.22	-	6
7	.08	.07	-	.10	.17	.21	.02	-	.11	-	.72	.02	7
8	-	.01	-	.18	-	.02	-	.02	.12	.13	.60	-	8
9	-	-	.02	-	-	.37	.20	-	-	.02	.59	-	9
10	-	-	-	-	.05	.13	.10	-	-	-	.08	-	10
11	-	.04	-	-	.07	.26	.05	.18	-	.01	.15	-	11
12	-	-	-	-	.02	.03	-	-	-	.23	.01	-	12
13	-	-	-	-	-	-	-	-	-	.02	.90	.02	13
14	.12	.10	-	.42	.17	.12	-	-	.01	.48	.02	.01	14
15	.52	.07	-	.11	-	-	-	-	-	.22	.14	-	15
16	.11	.13	-	.37	.01	-	-	.08	-	.01	.02	-	16
17	.03	.53	-	.17	-	.46	.10	-	-	-	.34	.02	17
18	.42	.09	-	.07	-	.01	.01	.06	-	-	.92	-	18
19	-	-	-	.03	.01	-	.21	.01	-	-	.24	-	19
20	-	-	-	.33	-	-	-	.35	-	-	.37	-	20
21	-	-	-	-	-	-	.01	.04	-	.02	.17	-	21
22	.44	.01	-	-	-	-	-	-	-	-	.05	-	22
23	.10	-	-	-	-	-	-	-	-	-	-	-	23
24	.06	-	.04	-	-	-	.15	-	-	.57	-	-	24
25	.12	-	-	.53	-	-	.01	.02	-	.08	.10	.04	25
26	.02	.01	.16	.04	.07	-	.36	-	.10	-	.02	-	26
27	.12	-	-	-	.11	-	.26	-	.03	.06	.03	-	27
28	.65	-	-	.02	.06	-	-	-	-	.12	.21	-	28
29	.01	~~X~~	-	.13	.19	-	-	-	-	.04	.04	-	29
30	.26	~~X~~	-	.10	.11	-	-	-	-	.01	.22	-	30
31	.84	~~X~~	-	~~X~~	-	~~X~~	-	.11	~~X~~	-	~~X~~	-	31
TOTAL	5.29	1.94	.65	2.92	1.35	2.43	1.91	1.05	.69	2.03	6.93	.36	YEAR'S TOTAL
Days with .01 in. or more	22	15	6	16	14	11	16	10	7	16	27	6	166
Days with .04 in. or more	19	12	5	14	10	8	11	7	5	9	22	2	124

Section **A**

for the entry of Daily Observations.

655
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Mallards Close, Twyford.

in the County of Hampshire

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....0 in.

„ Ground „ Sea Level.....153 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.84	.01	-	-	-	.89	.25	-	.36	.39	-	1
2	.03	-	.04	.16	-	-	-	-	-	.01	.01	-	2
3	.19	-	.05	-	-	-	.11	-	.02	-	-	.01	3
4	.07	-	.06	.08	.04	-	.24	-	-	.01	.01	-	4
5	.14	.07	.19	.40	.04	.05	.01	-	-	-	.10	-	5
6	.01	-	.40	.39	-	.01	.01	.15	.43	-	.01	-	6
7	-	.26	-	.26	-	.16	.06	-	-	-	-	-	7
8	.03	-	-	.23	.02	-	.11	.06	.08	-	-	-	8
9	-	-	.06	.11	-	-	-	-	.31	-	-	.12	9
10	-	-	-	-	-	-	.01	.10	.14	-	-	-	10
11	-	-	-	.01	-	-	-	.19	-	-	-	-	11
12	.09	-	-	-	-	-	.02	.05	-	.01	-	-	12
13	.08	-	-	-	-	-	.60	.63	.22	-	.10	.32	13
14	-	-	-	.08	.05	-	.22	.02	2.40	-	-	-	14
15	-	.02	-	-	-	-	-	.10	.15	-	.01	.16	15
16	-	.01	-	-	.18	.39	-	.01	.24	-	.01	-	16
17	.21	-	.15	-	-	.28	-	.47	-	-	-	-	17
18	-	-	-	-	-	.36	-	.03	.01	-	.85	-	18
19	-	.28	-	-	-	-	-	.40	-	-	.49	-	19
20	.24	.15	-	-	-	-	.02	.57	.01	-	.29	.29	20
21	.01	.29	.01	-	-	.06	.21	.31	.45	-	.12	1.11	21
22	.21	.29	.19	.07	.01	.07	-	.01	.15	.33	-	.43	22
23	.01	.76	.68	-	-	.19	-	.17	.85	.21	.26	.12	23
24	-	.09	.48	.06	-	.28	-	.13	-	.07	-	.42	24
25	.01	.24	.25	-	-	.03	.01	.07	.12	.13	-	.64	25
26	.22	.45	.06	-	.02	.02	.38	-	.05	.03	.01	.05	26
27	.15	.35	-	-	.34	.09	.12	-	-	.69	.01	.09	27
28	.29	.21	.10	.10	-	.20	.08	-	.03	.02	.38	-	28
29	.12	X	.11	-	-	.41	-	-	.56	-	.74	-	29
30	.10	X	.07	-	-	.32	.02	.01	.04	.25	.01	-	30
31	.01	X	.33	X	-	X	.09	-	X	-	X	.30	31
TOTAL	2.24	4.31	3.24	1.95	.70	2.92	3.21	3.63	6.26	2.01	3.80	4.16	YEARS TOTAL 38.43
Days with ".01 in. or more.	21	15	18	12	8	16	19	20	19	12	18	13	191
Days with ".04 in. or more.	13	13	16	11	5	13	12	15	15	7	10	12	142

Section



for the entry of Daily Observations.

677
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Mallards Close. Twyford.

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 14.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.56	.02	.08	.01	-	-	-	.03	-	-	-	.01	1
2	.83	.65	.13	.02	-	-	-	.20	-	-	-	.04	2
3	-	-	-	.21	-	-	.14	.87	-	-	.02	-	3
4	.02	.18	-	-	-	.04	-	.01	-	.04	-	.01	4
5	.03	.22	.18	.02	-	.18	.04	-	.05	-	-	-	5
6	-	-	.03	-	.02	.22	-	-	.17	-	-	.09	6
7	-	.01	.07	.33	-	.12	-	.10	-	.02	-	-	7
8	-	.03	-	.06	-	.51	.02	-	-	.02	-	-	8
9	.04	-	-	.05	-	.02	-	-	.47	.21	-	.01	9
10	.34	.22	.01	.07	-	.01	-	.01	-	.34	.13	.03	10
11	-	-	-	.05	-	.01	-	-	-	.58	.09	.19	11
12	.53	.53	-	.04	-	-	-	.01	-	.10	.05	.05	12
13	.03	.06	-	-	.04	.59	-	.25	-	-	.03	-	13
14	.14	.10	-	.39	.07	.19	-	-	-	.57	.54	-	14
15	.04	-	-	.38	-	.03	-	-	-	.01	.22	-	15
16	-	.08	-	.03	.03	-	-	-	-	.20	.32	.38	16
17	.02	-	-	.01	.40	-	-	-	-	.04	.01	-	17
18	.40	-	.03	-	.13	.09	-	-	-	.39	.07	.01	18
19	-	-	.09	-	.24	.03	-	.16	-	.67	.05	.06	19
20	.36	-	.13	-	.02	-	-	.02	-	.05	.10	-	20
21	.16	-	.12	.12	.23	.02	-	-	-	.34	.28	-	21
22	-	-	.36	-	-	-	-	.02	-	1.05	.31	.13	22
23	.57	-	.06	-	.04	-	-	-	-	.21	.29	-	23
24	.03	-	.10	-	-	-	-	.01	.18	.15	.08	.25	24
25	.07	-	-	-	-	.05	-	.25	-	.22	.01	.23	25
26	.21	-	-	-	-	.12	.03	.36	-	1.46	.05	.05	26
27	-	-	.15	.01	-	-	.69	.02	.13	.20	.02	1.21	27
28	.68	-	.09	-	-	-	-	-	.34	-	-	.15	28
29	.40	.19	.61	.06	.01	.03	-	-	.01	.06	.07	.16	29
30	.02	×	.50	-	.02	.21	.32	-	-	.07	-	.12	30
31	.29	×	.23	×	-	×	.28	-	×	.02	×	.02	31
TOTAL	5.77	2.29	2.97	1.86	1.25	2.47	1.52	2.32	1.35	6.02	2.74	3.20	YEAR'S TOTAL 33.76
Days with '01 in. or more.	22	12	18	17	12	18	7	15	7	24	20	20	192
Days with '04 in. or more.	16	9	15	11	7	11	5	8	6	20	15	14	137

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929.

Kept at Mallards Close, Twyford
in the County of Hampshire
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1 ft. 0.....in.
„ Ground „ Sea Level.....145.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.09	-	-	-	.06	-	-	-	.47	-	.01	1
2	-	.49	-	-	-	.07	.12	-	-	.21	.01	.43	2
3	-	-	-	-	-	.05	.11	.06	-	-	-	.15	3
4	-	-	-	.04	.39	.30	.57	.20	-	-	-	.49	4
5	-	-	-	-	.68	.40	.10	.66	-	.94	.25	.26	5
6	-	-	-	-	.14	.01	.14	.15	-	.01	.18	.57	6
7	-	-	-	-	.11	.21	-	.20	-	.40	.39	.68	7
8	-	-	-	-	.18	.02	-	.01	-	.47	.01	.36	8
9	.11	.17	-	.01	-	-	-	-	-	-	.19	.53	9
10	.10	.01	-	-	.02	-	-	-	-	.03	-	.35	10
11	-	-	-	.03	.25	.01	-	-	-	.01	1.21	.01	11
12	.01	-	-	.04	.03	.05	-	-	-	-	-	.01	12
13	.01	-	-	-	.15	-	-	.02	-	-	-	.02	13
14	-	-	-	-	.05	.36	-	-	-	-	-	.06	14
15	.01	-	-	-	-	.18	-	-	-	-	.90	.08	15
16	-	-	-	-	-	-	-	.26	-	-	.05	-	16
17	.02	-	-	.02	-	-	-	-	-	-	-	-	17
18	.06	-	-	-	-	-	-	.01	-	-	.65	-	18
19	.02	-	-	-	-	-	-	-	-	-	.16	-	19
20	.05	-	-	-	-	-	.40	.06	-	.41	.01	.53	20
21	.05	-	.05	-	-	-	-	-	-	-	.01	.06	21
22	.01	-	-	-	-	-	.01	.02	-	-	.44	-	22
23	.01	.10	-	-	-	-	-	-	-	.11	.60	.62	23
24	-	-	.02	-	-	-	-	-	-	.88	1.24	.65	24
25	-	-	-	.01	-	-	-	-	-	.06	.26	.02	25
26	-	-	-	-	.04	-	-	-	-	-	.06	.21	26
27	-	-	-	.15	.05	-	-	-	-	.03	1.09	.16	27
28	.28	-	-	.01	-	-	.38	-	.01	.48	.41	.73	28
29	.09	X	-	.55	-	.10	-	-	.04	.05	.60	.35	29
30	.01	X	-	-	-	.25	.10	-	.25	.01	.72	.23	30
31	.63	X	-	X	-	X	.14	.01	X	-	X	.01	31
TOTAL	1.47	.86	.07	.86	2.09	2.07	2.07	1.66	.30	4.57	9.44	7.58	YEAR'S TOTAL
Days with '01 in. or more.	16	5	2	9	12	14	10	12	3	16	22	26	147
Days with '04 in. or more.	8	4	1	4	10	11	9	7	2	11	18	30	105

Please read the Notes and Instructions Overleaf.

Kept at Mallards Close, Twyford,
in the County of Hants
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 153 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.06	.59	-	.22	-	-	.01	-	-	-	.42	-	I
2	.03	.04	.03	.04	.40	-	.08	.67	-	-	.45	-	2
3	.09	.11	-	.67	.08	-	-	.56	-	.04	.01	-	3
4	.95	.05	.01	.07	-	-	-	.25	.01	.13	-	-	4
5	.02	-	-	.01	.04	-	-	.16	-	.01	-	-	5
6	.01	-	.01	-	.01	-	-	.26	.61	.02	-	.07	6
7	.11	-	-	-	-	-	-	.08	-	.35	.46	.13	7
8	.08	-	-	.05	-	-	-	.01	.03	.01	-	.31	8
9	.21	-	.02	-	.30	-	-	-	.04	.01	-	-	9
10	.67	-	.10	-	.35	-	-	.01	-	-	-	.71	10
II	.15	-	.03	.08	.04	-	.09	-	-	.66	-	.35	II
12	.15	-	.01	.09	.14	-	-	.02	-	.01	-	.23	12
13	.03	-	.09	.12	.04	-	.05	.20	.31	-	-	.03	13
14	.05	.06	.17	.04	-	-	.06	-	.01	.03	-	.01	14
15	.04	.05	.37	-	-	-	.34	-	-	.09	.12	.27	15
16	-	-	-	.10	-	-	.02	-	.12	-	-	.11	16
17	-	-	.07	.13	-	-	-	.02	.39	.29	-	-	17
18	-	-	-	.01	.15	-	.05	.02	.39	-	.16	.21	18
19	-	-	.17	.06	-	.01	-	.18	.23	.23	.80	.02	19
20	-	-	-	.16	-	-	.73	.73	.18	.05	.15	.01	20
21	.01	-	.02	-	-	-	-	.01	.03	.08	.45	-	21
22	.45	-	-	.08	.11	.04	-	.51	.03	.33	.19	-	22
23	.34	-	.12	.16	-	.23	.13	.01	.08	-	.25	.06	23
24	.17	-	-	.36	.05	.05	-	-	-	-	.26	.42	24
25	.06	.30	-	.02	.14	-	.01	-	.01	.13	.15	.02	25
26	.25	-	-	-	.03	-	.06	-	.16	-	.30	.24	26
27	.01	-	.02	-	-	-	.02	-	.07	.08	.31	.17	27
28	.06	-	.05	-	-	-	-	-	.27	.01	.65	.22	28
29	.13	-	.06	-	.01	-	.09	.16	.14	.02	.02	.63	29
30	.07	X	-	-	.10	.10	.10	-	-	-	-	.25	30
31	.57	X	.13	X	.10	X	-	-	X	.09	X	.09	31
TOTAL	4.77	1.20	1.48	2.47	2.09	.43	1.84	3.86	3.11	2.07	5.15	3.96	YEAR'S TOTAL 32.43
Days with ".01 in. or more.	26	7	18	19	17	5	15	18	19	21	17	22	204
Days with ".04 in. or more.	20	7	10	16	14	4	11	11	14	13	15	16	151

Kept at Tury
in the County of Southampton
by Southampton

IMPORTANT

If an Observer presents the reading at 9 a.m. of this paragraph. Full particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

TWYFORD
PUMPING STN
HANTS
1921-1930

RAINFALL ORGANIZATION.

20 JAN 1922
17.45" W
a.m.
Shawford
n Gauge 8 in.
ve Ground 1 ft. 9 in.
Sea Level 138.7 ft.
entered to the previous day.

ested to add
t the end of
rain gauges,

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40	.09	.10					.06			.13	.14	1
2	.02		—		.12			.06		.09	.17	.05	2
3	.03	.01	.01		.13	.04		.03			.25		3
4	.15				.15			.09			.46		4
5	—		.01		.02			.22			.25		5
6	.15		.17		.17						.01		6
7	.63		—		.37						.07		7
8	.04		.02		.09								8
9	—		.02	.06					.09				9
10	.23		—					.01					10
11	.31		.01						.89		.01		11
12	.34		.07		.12			.75	.01			.08	12
13	.07		.22	.22				.24		.04			13
14	—		.10		.25		.10	—				.23	14
15	.01		—	.03			.20	.01			.06	.03	15
16	.12		.01	.48				.82			.77	.02	16
17	.19		.17	.02			.27	.05	.06				17
18	.03		—	.01						.19			18
19	—		.15									.07	19
20	—		.05							.12	.02		20
21	.01										.05		21
22	.01			.31					.01	.06		.15	22
23	—			.03			.02	.10		.22			23
24	.05	.11		.01									24
25	.01	.09				.03						.14	25
26	.03				.01		.02					.30	26
27	—			.22								.05	27
28	—		.19		.03		.03					.06	28
29	.09		.10		.28		.02	.01				—	29
30	.48	~~X~~			.06						.26	.13	30
31	.06	~~X~~		~~X~~	.02	~~X~~			~~X~~		~~X~~		31
TOTAL	3.46	.30	1.40	1.39	1.82	.07	.66	2.45	1.06	.72	2.51	1.45	17.29
Days with ".01 in. or more	23	4	16	10	14	2	7	13	5	6	13	13	126
Days with ".01 in. or more	15	3	10	5	10	1	3	9	3	6	10	11	86

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1921

650
20 JAN 1922

Kept at Twyford Pumping Station
in the County of Hampshire
by Southampton Corporation

Lat. 51° 1' 15" N Long 1° 17' 45" W
Time of Observation 9 a.m.
Nearest Railway Station Shawford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 138.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40	.09	.10					.06			.13	.14	1
2	.02		—		.12			.06		.09	.17	.05	2
3	.03	.01	.01		.13	.04		.03			.25		3
4	.15				.15			.09			.46		4
5	—		.01		.02			.22			.25		5
6	.15		.17		.17						.01		6
7	.63		—		.37						.07		7
8	.04		.02		.09								8
9	—		.02	.06					.09				9
10	.23		—					.01					10
11	.31		.01						.89		.01		11
12	.34		.07		.12			.75	.01			.08	12
13	.07		.22	.22				.24		.04			13
14	—		.10		.25		.10	—				.23	14
15	.01		—	.03			.20	.01			.06	.03	15
16	.12		.01	.48				.82			.77	.02	16
17	.19		.17	.02			.27	.05	.06				17
18	.03		—	.01						.19			18
19	—		.15									.07	19
20	—		.05							.12	.02		20
21	.01										.05		21
22	.01			.31					.01	.06		.15	22
23	—			.03			.02	.10		.22			23
24	.05	.11		.01									24
25	.01	.09				.03						.14	25
26	.03				.01		.02					.30	26
27	—			.22								.05	27
28	—		.19		.03		.03					.06	28
29	.09		.10		.28		.02	.01				—	29
30	.48	~~XX~~			.06						.26	.13	30
31	.06	~~XX~~	~~XX~~	~~XX~~	.02	~~XX~~			~~XX~~		~~XX~~		31
TOTAL	3.46	.30	1.40	1.39	1.82	.07	.66	2.45	1.06	.72	2.51	1.45	YEAR'S TOTAL 17.29
Days with ≥ .01 in. or more	23	4	16	10	14	2	7	13	5	6	13	13	126
Days with ≥ .04 in. or more	15	3	10	5	10	1	3	9	3	6	10	11	86

REGISTER OF RAINFALL IN 1922.

Kept at Twyford Pumping Station
in the County of Hants.
by E. C. Rodda Esq.

Lat. 51° 1' 15" N Long. 1° 17' 45" W
Time of Observation 9 a.m.
Nearest Railway Station Shawford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 138.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.19	.03	—	.02	.05	.24	.04	.32	.04	.69	—	1
2	.01	.23	.09	.31	.03	—	.27	—	—	—	.03	—	2
3	—	.37	.59	.30	.12	—	.25	.06	—	.01	.10	—	3
4	.02	.21	.21	—	.29	—	.15	—	—	.58	—	—	4
5	.06	—	.30	—	—	—	1.94	—	—	.07	.87	—	5
6	.01	—	.20	.03	—	—	.01	1.52	—	—	.05	—	6
7	.20	—	.57	.23	—	—	.11	.08	—	—	.03	—	7
8	—	—	.03	.01	—	.04	.41	.05	—	—	.07	.02	8
9	.21	—	—	.15	—	—	.03	.14	—	—	.01	—	9
10	—	—	—	—	.04	—	—	.02	—	—	.40	—	10
11	.12	—	—	.10	—	—	—	.01	—	—	—	—	11
12	—	—	—	.77	—	—	—	.27	.58	—	—	.02	12
13	.16	—	—	.71	—	.38	.36	—	.06	—	—	.01	13
14	.03	—	—	.07	—	.01	.38	—	.25	—	—	—	14
15	.54	.25	—	.04	—	.01	—	—	—	—	—	—	15
16	—	.10	—	.17	.17	—	—	.14	.06	—	—	.21	16
17	—	.27	—	—	.05	—	.11	—	—	—	—	.10	17
18	1.37	.10	—	—	.04	—	.02	—	.06	—	—	.14	18
19	.05	.09	.01	—	—	—	—	—	.27	.09	—	.64	19
20	.10	.31	—	—	—	—	—	—	—	.01	—	—	20
21	.39	.27	—	.15	—	—	—	—	—	—	—	.94	21
22	.02	.05	—	—	—	.03	—	.15	—	—	—	.34	22
23	—	.09	—	.17	—	—	.13	—	.05	—	—	—	23
24	.05	.01	.17	.07	.17	.13	—	.10	—	—	—	—	24
25	.75	.02	.04	.31	—	.25	—	—	.22	—	—	.38	25
26	.12	.42	—	.39	—	.09	.16	.01	.01	—	.04	.05	26
27	.36	.73	.17	.07	—	—	—	.01	—	—	—	.58	27
28	.15	.33	.07	—	—	.21	—	.06	—	—	—	.14	28
29	—	X	—	—	—	.10	.01	.02	—	.19	—	.27	29
30	.02	X	.05	—	—	.03	.01	.27	.10	.08	.05	.81	30
31	.32	X	.18	X	—	X	.20	.10	X	.10	X	.03	31
TOTAL	5.06	3.44	2.71	4.05	.93	1.33	4.79	3.05	1.98	1.17	2.34	4.68	YEAR'S TOTAL
Days with 01 in. or more	22	18	15	18	9	12	18	18	11	9	11	16	35.53 ✓
Days with 04 in. or more	16	16	12	16	7	8	13	13	10	7	8	12	177 ✓
													138 ✓

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Twyford Pumping Station
in the County of Hants
by Southampton Corporation

Lat. 51° 1' 15" N Long. 1° 17' 45" W
Time of Observation 9 a.m.
Nearest Railway Station Shawford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 138.7 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.04	.35	—	—	—	—	—	—	.07	.02	.50	1
2	.26	.02	.05	—	.03	—	—	.05	—	.09	.02	—	2
3	.02	—	.09	—	—	—	—	—	.09	.58	.05	.08	3
4	.01	—	—	.02	—	—	—	—	.04	—	—	.17	4
5	.64	—	.02	.01	—	—	—	—	—	.08	.03	.02	5
6	.71	.33	.08	.06	—	—	—	—	—	—	—	.01	6
7	.03	1.55	.02	—	.05	—	—	—	—	.37	—	.41	7
8	.01	.09	.05	—	.01	—	—	—	—	.16	.32	—	8
9	.11	.71	—	—	—	—	—	—	—	.03	.01	—	9
10	—	.47	—	.56	.06	—	.09	—	—	.12	—	.01	10
11	.02	.03	—	.32	.04	—	—	—	—	.72	—	—	11
12	—	.16	.47	.40	.09	.01	—	—	—	.52	.01	.02	12
13	.01	.10	.03	.08	—	—	—	—	—	—	.78	.01	13
14	.01	.01	.07	.06	.09	—	—	.01	.85	—	—	—	14
15	—	.01	.01	.20	.28	.34	.06	—	.04	—	.39	.01	15
16	—	.26	—	.27	.08	—	—	—	—	—	.18	—	16
17	—	.34	—	—	.01	—	.02	.17	.24	—	.03	—	17
18	.04	.17	—	—	.01	.04	—	.18	.03	.02	—	—	18
19	.04	.06	—	—	—	—	.02	—	.23	.80	—	—	19
20	—	.22	.02	—	.02	—	—	—	.24	.08	.02	—	20
21	—	.20	—	.03	—	—	—	—	.04	.11	—	.27	21
22	—	.40	.04	—	—	—	—	.01	.08	.24	—	.28	22
23	—	.42	.05	—	.38	—	.08	.65	.04	.28	—	.09	23
24	—	.13	—	.06	—	—	.01	.36	.40	.01	—	.11	24
25	—	.46	—	.73	.01	.02	—	.06	.02	.80	—	.37	25
26	—	.20	—	.04	.01	.01	—	—	—	.23	—	.41	26
27	—	.10	.14	—	.01	—	—	.21	—	.09	—	.08	27
28	—	.10	.08	.20	.40	—	.40	.01	—	—	.01	—	28
29	.02	X	.09	.01	.39	—	.13	.91	—	.01	.01	.10	29
30	—	X	.02	.01	—	—	.13	—	.01	.26	—	.41	30
31	.01	X	—	X	—	X	.40	—	X	.01	X	.19	31
TOTAL	2.05	6.58	1.68	3.06	1.97	.42	1.34	2.62	2.35	5.68	1.85	3.55	YEAR'S TOTAL
Days with ".01 in. or more	16	25	18	17	18	5	10	11	14	23	14	20	33.15✓
Days with ".04 in. or more	7	21	12	12	10	2	7	8	11	18	5	14	191✓
													127✓

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. 670

River Dist. 100

Station No. 1925

Kept at Twyford Pumping Station

in the County of Hants.

by S. C. Rodda Esq. Waterworks Engineer

Lat. 51° 1' 15" N Long. 1° 17' 45" W

Time of Observation 9 a.m.

Nearest Railway Station Shawford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 138.7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.14	—	.01	.33	.13	.06	—	—	.82	.26	1 RRR
2	.05	—	.23	—	—	.24	.05	.02	—	.05	—	.12	2 LVS
3	.03	—	.04	—	—	.05	.23	.20	.03	.11	—	—	3
4	—	.01	—	—	.07	.69	—	.01	.13	.08	—	.40	4
5	—	—	.07	—	.02	—	.09	—	—	.15	—	.02	5
6	—	—	—	—	.02	—	—	.03	.02	.51	—	—	6
7	.06	—	—	—	.15	.32	—	—	.30	.30	—	—	7
8	.29	.11	—	.03	.09	.02	.01	—	.09	.13	—	—	8
9	.08	.10	—	.03	.08	.15	—	—	.17	.01	—	—	9
10	.11	—	—	.21	.75	.27	—	—	.03	.06	—	—	10
11	.08	.01	—	.39	.34	.07	—	—	—	.09	.31	—	11
12	.03	—	—	.08	.15	.28	—	.19	.19	—	.06	—	12
13	.08	—	—	.58	.11	—	.02	.01	.43	—	.02	.45	13
14	.03	—	—	.19	—	—	—	.10	—	—	.01	.05	14
15	—	.01	—	—	—	—	—	.62	.05	—	—	1.34	15
16	.04	—	—	—	—	—	—	.43	.01	—	—	.01	16
17	.30	—	—	—	—	.13	.83	.18	.05	—	—	.01	17
18	.46	.02	—	—	.14	—	—	.03	—	.08	.01	—	18
19	.21	—	—	—	.01	—	—	.05	.02	.02	—	.02	19
20	.03	—	—	—	.06	.20	.10	—	.25	.20	—	—	20
21	.64	—	.03	—	.08	—	.08	.08	.44	.82	—	—	21
22	.27	—	.64	—	.02	—	.10	.05	.09	—	—	—	22
23	—	—	.21	—	.22	—	—	.57	.02	—	—	.87	23
24	.42	.16	.08	.11	.12	—	—	—	.39	—	—	.47	24
25	.01	—	.03	.14	.10	—	.15	.03	2.72	.06	.07	.11	25
26	.01	—	.02	.47	.01	—	—	.02	.12	.24	.70	.20	26
27	—	.03	—	.84	—	—	.81	—	—	.19	.20	.83	27
28	—	—	—	—	—	—	1.44	.40	.01	.09	.53	.03	28
29	—	—	—	.11	.16	.01	.26	.26	.07	.74	.03	.50	29
30	—	X	—	.14	.15	—	.01	.14	.71	.33	.34	.43	30
31	.01	X	—	X	.43	X	—	.04	X	.19	X	.03	31 1077
TOTAL	3.24	.45	1.49	3.32	3.29	2.76	4.31	3.52	6.31	4.45	3.10	6.15	YEAR'S TOTAL 42.39
Days with .01 in. or more.	21	8	10	13	23	13	15	22	23	21	12	19	200
Days with .04 in. or more	14	3	7	11	17	11	12	15	16	19	8	13	146

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

FOR OFFICIAL USE.

County No. _____

River Dist. _____

Station No. _____

Kept at Twifford Pumping Station
in the County of Hants R. Winchester
by Southampton Corporation, Waterworks

Lat. 51° 1' 15" N Long. 1° 17' 45" W.
Time of Observation 9 a.m.
Nearest Railway Station Shawford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 138.7 ft.

676

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.91	-	.12	-	.03	.01	-	.55	.04	-	.86	-	1
2	.39	.02	-	.08	-	-	.14	-	-	-	.65	-	2
3	.21	.02	-	-	.20	-	-	.10	-	-	.08	-	3
4	.01	.01	-	.40	.35	-	-	-	.01	-	.06	-	4
5	-	.39	-	1.10	.19	-	-	-	.25	-	.03	-	5
6	-	.05	-	.02	.20	-	.53	.20	-	-	.70	.03	6
7	-	.29	-	-	.36	-	-	-	.02	-	-	.24	7
8	.15	.05	-	-	.07	-	-	.04	-	-	-	.22	8
9	-	.03	-	.20	.02	-	.01	.07	.15	-	-	.01	9
10	-	.07	.02	-	.09	-	-	.04	-	-	-	-	10
11	-	.10	-	-	.01	-	-	.11	-	-	.02	-	11
12	-	.73	-	-	-	.02	-	.15	-	-	-	-	12
13	.03	.49	.05	.12	-	-	-	.01	-	-	-	.06	13
14	.28	.51	.01	.25	-	-	-	-	-	-	-	-	14
15	.16	-	-	.23	-	-	-	-	-	.05	-	-	15
16	.06	.01	-	-	-	-	-	-	.27	.30	-	-	16
17	-	-	-	.02	.05	-	.05	-	.03	-	-	-	17
18	.01	.01	-	.02	.30	-	-	.01	.05	-	-	.03	18
19	-	.08	-	.08	-	-	.51	-	.78	.72	-	.47	19
20	-	-	.04	-	-	-	-	.07	.70	.58	.01	.03	20
21	-	.04	.01	-	-	-	.71	.33	.16	.45	-	.34	21
22	.01	.27	-	.17	.31	-	.53	.07	.60	.60	-	.34	22
23	.02	.24	.09	.02	.15	-	-	.87	-	.15	-	.07	23
24	.36	.32	.02	.03	.35	-	-	.13	-	.11	.03	.20	24
25	.29	.91	-	.02	-	-	.12	-	.34	.04	-	.08	25
26	.08	.35	-	.13	.26	-	.18	.19	-	.32	-	.10	26
27	.12	.01	-	.43	.37	-	.12	.03	-	-	.02	.06	27
28	.26	.09	-	.24	-	-	.01	-	-	-	-	.34	28
29	.11	X	-	-	.07	-	.01	-	-	-	.09	.56	29
30	-	X	-	.12	-	-	.38	-	-	.05	.16	.42	30
31	.08	X	.09	X	-	X	.05	-	X	.07	X	.02	31 906
TOTAL	3.54	5.09	.45	3.68	3.38	.03	3.35	2.97	3.40	3.44	2.71	3.62	YEAR'S TOTAL 35.66
Days with ".01 in. or more.	19	24	9	19	18	2	14	17	13	12	12	19	178
Days with ".04 in. or more	14	17	5	13	15	-	11	14	10	12	7	14	132

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Troryford Pumping Station
in the County of Stants.

Diameter of Funnel of Gauge.....8 in.
Height of top of Gauge above Ground.....1 ft. 9 in.
" Ground " Sea Level 138.7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.98	.06	—	—	—	.40	—	—	—	—	.38	—	1
2	.14	—	—	—	—	.37	.10	—	.31	—	.08	—	2
3	.24	.07	.09	—	—	—	—	—	—	—	—	—	3
4	.05	.30	.13	.04	—	—	—	—	—	—	.34	—	4
5	.16	.15	.17	—	.30	—	.28	—	—	.01	.12	.26	5
6	.33	.39	—	.20	—	—	.08	.18	.11	.01	.23	—	6
7	.09	.04	—	.11	.18	.20	.05	—	.15	—	.68	.03	7
8	.01	.02	—	.16	—	.04	.01	.03	—	.13	.67	—	8
9	—	—	.03	—	—	.38	.19	—	—	.02	.59	—	9
10	—	—	—	—	.05	.14	.05	—	—	.03	.12	—	10
11	—	.05	—	—	.05	.30	—	.16	.01	.01	.20	—	11
12	—	—	—	—	.03	.02	—	—	—	.26	.08	—	12
13	—	—	—	—	—	.02	—	—	—	.02	<u>1.08</u>	.02	13
14	.10	.11	—	.48	.15	.13	—	—	—	.45	.02	.02	14
15	.28	.08	—	.16	—	—	—	—	.02	.21	.12	—	15
16	.14	.15	—	.33	.01	—	—	.10	—	.01	.04	—	16
17	.13	.56	—	.16	—	.48	.11	—	—	—	.33	.03	17
18	.35	.10	—	.05	—	.01	.01	.10	—	—	.91	—	18
19	—	—	—	.04	—	—	.23	.02	—	—	.16	.01	19
20	—	—	—	.32	—	—	—	.38	—	—	.51	—	20
21	—	.01	—	—	—	—	—	.05	—	.01	.17	—	21
22	.48	—	—	.03	—	—	.01	—	—	.01	.05	—	22
23	.12	—	.05	—	—	—	—	—	—	—	—	—	23
24	.09	—	—	—	—	—	.13	.02	.01	.35	—	—	24
25	.17	—	.13	.41	—	—	.01	.02	—	.08	.11	.04	25
26	.04	.01	.01	.04	.07	—	.45	—	.10	—	.04	—	26
27	.14	.03	.01	—	.11	—	—	—	.04	.05	.03	—	27
28	.68	—	—	.03	.06	—	.26	—	—	.11	.22	—	28
29	.04	—	—	.06	.20	—	—	—	—	.05	.07	—	29
30	.29	X	—	.12	.14	—	—	.01	—	—	.21	—	30
31	.43	X	—	X	—	X	—	.10	X	—	X	.01	31
TOTAL	5.48	2.13	.62	2.74	1.35	2.49	1.97	1.17	.75	1.82	7.56	.42	YEARS TOTAL 28.50
Days with ".01 in. or more.	✓23	✓16	✓8	✓17	✓12	✓12	✓15	✓12	✓8	✓18	✓27	✓18	176✓
Days with ".04 in. or more.	✓22	✓12	✓5	✓15	✓10	✓9	✓11	✓7	✓5	✓9	✓25	✓2	132✓

Please read the Notes and Instructions Overleaf.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Mayford Pumping Station
in the County of Hampshire
Diameter of Funnel of Gauge.....8 in.
Height of top of Gauge above Ground.....1 ft. 9 in.
" Ground " Sea Level.....138.49 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.80	.01	-	-	.01	.84	.24	-	.39	.45	-	1
2	.03	-	.05	.19	-	-	-	-	-	.01	.01	-	2
3	.19	-	.05	-	-	-	.11	-	-	-	-	.02	3
4	.04	-	.04	.08	.03	-	.31	-	-	-	-	-	4
5	.04	.10	.18	.48	-	.05	.02	-	-	-	.10	.01	5
6	.02	.05	.41	.34	-	.01	.01	.18	.42	-	.02	-	6
7	.01	-	-	.24	-	.15	.05	-	-	-	-	-	7
8	.03	-	-	.24	.02	-	.10	.04	.09	-	-	-	8
9	-	-	.04	.12	-	-	.01	.01	.30	-	-	.12	9
10	-	-	-	-	-	-	-	.20	.14	-	-	-	10
11	-	-	-	-	-	-	.09	.12	-	-	-	-	11
12	.15	-	-	-	-	-	.11	.04	-	.01	-	-	12
13	.09	.01	-	-	-	-	.38	.56	.23	-	.10	.30	13
14	.02	-	-	.04	.05	-	.21	.02	2.22	-	.02	.19	14
15	-	-	-	-	-	-	-	.10	.19	-	.01	-	15
16	.03	-	-	-	.10	.30	-	.01	.24	-	-	-	16
17	.14	-	.14	-	-	.42	-	.45	.01	-	.01	-	17
18	-	-	-	-	-	.35	-	.04	.01	-	.84	-	18
19	-	.33	-	-	-	-	.02	.22	-	.01	.53	-	19
20	.26	.12	-	-	-	-	.20	.48	-	-	.35	.25	20
21	.01	.33	.02	-	-	.05	.01	.28	.45	.36	.14	1.10	21
22	.23	.24	.20	.06	-	.06	-	.03	.15	.23	-	.55	22
23	.02	.81	.65	-	-	.20	-	.16	.84	-	.30	.13	23
24	-	.08	.45	.04	-	.24	-	.13	-	.08	.01	.42	24
25	-	.26	.32	-	-	.02	.01	.06	.13	.09	-	.65	25
26	.24	.48	.04	-	-	-	.35	-	.04	.08	.01	.12	26
27	.14	.34	-	-	.36	.06	.13	-	-	.55	-	-	27
28	.30	.25	.09	.10	-	.20	.05	-	-	.03	.40	-	28
29	.12	X	.13	-	-	.38	.02	-	.61	-	.66	-	29
30	.15	X	.05	-	-	.21	.03	-	.03	.23	.01	.01	30
31	.01	X	.33	X	-	X	.05	-	X	.04	X	.30	31
TOTAL	2.35	4.23	3.32	2.05	.56	2.44	3.14	3.40	6.16	2.11	4.00	4.14	YEARS TOTAL 38.53
Days with ".01 in. or more.	23	14	18	11	5	16	22	20	14	13	18	14	191
Days with ".04 in. or more.	13	13	16	11	3	13	14	16	14	9	10	11	143



Section **A** for the entry of Daily Observations.

676
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Twyford Pumping Station
in the County of Hampshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" Ground " Sea Level 138.7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48	.03	.09	.02	—	—	—	.03	—	—	—	—	1
2	.98	.63	.16	.02	—	—	—	.18	—	—	—	.04	2
3	—	—	—	.22	—	—	.14	.75	—	—	.02	—	3
4	.03	.21	—	—	—	.04	—	.03	—	—	—	.01	4
5	.03	.20	.15	.03	.02	.20	.06	—	.03	.05	—	—	5
6	.01	—	.03	.01	—	.22	—	—	.17	.01	—	.08	6
7	.01	.01	.11	.34	—	.11	—	.10	—	.02	—	—	7
8	—	.06	—	.07	—	.52	.06	—	—	—	—	—	8
9	.04	—	.01	.05	—	.02	—	—	.45	.20	—	.02	9
10	.32	.24	—	.11	—	.02	—	.01	—	.36	.13	.04	10
11	.03	—	—	.03	—	.03	—	—	—	.60	.09	.19	11
12	.54	.49	.01	.07	—	—	—	—	—	.14	.04	.05	12
13	.04	.10	—	.01	.06	.68	—	.32	—	—	.04	—	13
14	.15	.11	—	.39	.05	.20	—	—	—	.61	.57	—	14
15	.05	—	—	.33	—	.03	—	—	—	.01	.18	—	15
16	—	.09	—	.03	.02	—	—	—	—	.18	.30	.35	16
17	.02	—	.01	.01	.38	—	—	—	—	.08	.01	—	17
18	.41	—	.04	—	.15	.11	—	—	—	.38	.07	.01	18
19	—	—	.09	—	.28	.04	—	.15	—	.61	.04	.06	19
20	.25	—	.15	—	.02	—	—	.01	—	.09	.10	—	20
21	.18	—	.16	.13	.17	.03	—	—	—	.31	.30	—	21
22	—	—	.39	—	.01	—	—	.02	—	1.04	.30	.13	22
23	.60	—	.07	—	.04	—	—	—	—	.24	.24	.04	23
24	.05	—	.12	—	—	—	—	—	.17	.23	.08	.27	24
25	.07	.02	—	—	—	.04	—	.23	—	.24	.01	.33	25
26	.18	—	—	—	.02	.16	.06	.31	—	1.60	—	.05	26
27	.01	—	.15	—	—	—	.59	.03	.01	.16	.04	1.23	27
28	.67	—	.08	—	—	—	—	—	.47	—	—	.15	28
29	.38	.20	.64	.05	—	.03	—	—	—	.04	.06	.17	29
30	.03	×	.45	—	—	.20	.30	—	—	.09	—	.11	30
31	.31	×	.26	×	—	×	.29	—	×	—	×	—	31
TOTAL	5.87	2.39	3.17	1.92	1.22	2.68	1.50	2.17	1.30	7.29	2.62	3.33	YEAR'S TOTAL 35.46
Days with ".01 in. or more.	26	13	20	18	12	18	7	13	6	23	19	19	194
Days with ".04 in. or more.	18	10	16	10	7	12	7	7	4	20	16	16	143

FORM 1090.

REGISTER OF RAINFALL IN 1929 .

Kept at Twynford Pumping Station
in the County of Hampshire

Diameter of Funnel of Gauge. 8 in.
Height of top of Gauge above Ground. 1 ft. 9 in.
,, Ground ,, Sea Level 138.7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	<u>.14</u>	—	—	—	.06	—	—	—	.45	—	.02	I
2	—	<u>.51</u>	—	—	—	.07	.12	—	—	.25	.01	.46	2
3	—	—	—	—	—	.04	.03	.05	—	.01	—	.15	3
4	—	—	—	.03	.45	.30	<u>.60</u>	.15	—	—	—	.47	4
5	—	—	—	—	<u>.78</u>	<u>.41</u>	.10	<u>.64</u>	—	<u>.99</u>	.25	.28	5
6	.02	—	—	—	.16	.01	.13	.23	—	—	.20	.63	6
7	—	—	—	—	.10	.20	—	.21	—	.42	.40	<u>.80</u>	7
8	—	—	—	—	.15	.01	—	—	—	.36	—	.31	8
9	.10	.17	—	.01	—	—	—	—	—	—	.19	.56	9
10	.11	.01	—	—	.02	—	—	—	—	.03	—	.35	10
11	—	.02	—	—	.25	—	—	—	—	—	1.22	—	11
12	—	—	—	.05	.05	.05	—	—	—	—	—	—	12
13	.02	—	—	—	.16	—	—	.02	—	—	—	.02	13
14	—	—	—	—	—	.40	—	—	—	—	—	.10	14
15	.02	.16	—	—	—	.19	—	—	—	—	.92	—	15
16	—	—	—	—	—	—	—	.25	—	—	.04	—	16
17	.08	—	—	.01	—	—	—	—	—	—	—	—	17
18	—	—	—	—	—	—	—	.01	—	—	.64	—	18
19	—	—	—	—	—	—	—	—	—	—	.17	—	19
20	.03	—	—	—	—	—	.28	.06	—	.43	—	.50	20
21	.06	—	<u>.05</u>	—	—	—	—	—	—	—	—	.12	21
22	.01	.01	—	—	—	—	.01	.03	—	—	.50	.01	22
23	—	.09	—	.02	—	—	—	—	—	.16	.54	.58	23
24	—	—	.02	—	—	—	—	—	—	.92	<u>1.27</u>	.64	24
25	—	.02	—	—	—	—	—	—	—	.08	.24	—	25
26	—	—	—	—	.05	—	—	—	—	—	.05	.21	26
27	.02	—	—	.15	.03	—	—	—	—	.02	1.03	.13	27
28	.32	—	—	.02	—	—	.40	—	—	.52	.46	.72	28
29	.11	—	—	<u>.51</u>	—	.06	—	—	.04	.04	.75	.29	29
30	.01	×	—	—	—	.27	.06	—	<u>.25</u>	—	.73	.33	30
31	<u>.70</u>	×	—	×	—	×	.17	—	×	—	×	—	31
TOTAL	1.61	1.13	.07	.80	2.20	2.07	1.90	1.65	.29	4.68	9.61	7.68	YEAR'S TOTAL 33.69
Days with ".01 in. or more.	14	9	2	8	11	13	10	10	2	14	19	22	134
Days with ".04 in. or more.	7	5	1	3	9	11	8	7	2	11	18	19	101

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Turyford Pumping Station
in the County of Hampshire

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 9 in.
,, Ground ,, Sea Level 138.7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.54	—	.22	—	—	—	—	—	—	.45	—	1
2	.03	.02	—	.03	.16	—	.08	.52	—	—	.36	—	2
3	.08	.08	—	.72	.11	—	—	.53	—	.04	—	—	3
4	1.00	.06	—	.04	—	—	—	.11	.01	.15	—	—	4
5	—	—	—	—	—	—	—	.21	—	.02	—	—	5
6	—	—	.01	—	.04	—	—	.24	.71	.02	—	.07	6
7	.11	—	—	—	—	—	—	.08	—	.35	.33	.11	7
8	.08	—	—	.06	—	—	—	.01	.01	—	—	.34	8
9	.19	—	.02	—	.28	—	—	—	.03	—	—	—	9
10	.67	—	.10	—	.35	—	—	—	—	—	—	.67	10
11	.14	—	.01	.05	.04	—	.13	—	—	.08	—	.47	11
12	.15	—	.02	.10	.13	—	—	—	—	—	—	.22	12
13	.02	—	.01	.16	.04	—	.07	.21	.31	—	—	.02	13
14	.05	.06	.21	.05	—	—	.06	—	.03	.03	—	.02	14
15	.04	.01	.40	—	—	—	.37	—	—	.09	.07	.17	15
16	—	—	—	.01	—	—	—	—	.14	.02	—	.12	16
17	—	.04	.06	.26	—	—	—	.01	.42	.32	—	—	17
18	—	—	—	.01	.13	—	.09	.03	.17	—	.19	.19	18
19	—	—	.13	.05	—	.02	—	.20	.51	.23	.76	.02	19
20	—	—	—	.26	—	.01	.72	.72	.17	.07	.19	—	20
21	—	—	.01	—	—	—	—	—	.01	.07	.46	—	21
22	.45	—	—	.04	—	.05	—	.53	.04	.31	.21	—	22
23	.33	—	.13	.22	.09	.25	.11	.01	.09	—	.22	.06	23
24	.18	—	—	.37	.07	.05	—	—	—	—	.31	.43	24
25	.05	—	—	.02	.12	—	—	—	.05	.09	.08	.05	25
26	.26	.30	—	—	.02	—	.06	—	.16	—	.31	.22	26
27	—	—	.02	—	—	—	.03	—	.12	.08	.29	.19	27
28	.04	—	.06	—	—	—	—	—	.22	.01	.64	.20	28
29	.15	—	.04	—	.02	—	.09	.32	.19	.03	.02	.03	29
30	.09	×	—	—	.10	.08	.10	—	—	—	—	.28	30
31	.60	×	.14	×	.06	×	—	—	×	.08	×	.07	31
TOTAL	4.79	1.11	1.37	2.67	1.76	.46	1.96	3.73	3.39	2.09	4.89	3.95	32.17
*Days with or in. or more.	22	8	16	18	16	6	12	15	19	19	16	21	188
*Days with .04 in. or more.	20	6	9	14	14	4	11	11	14	13	15	17	148

FORM A. 1. METEOROLOGICAL
REGIS

UPPER ~~SOMBORNE~~

ORGANIZATION

1921

Kept at Upper Somborne
in the County of Hampshire
by E. Alleway

HANTS

1921-28, 30

ong.....
on.....
Rain Gauge.....in.
above Ground.....ft.....in.
,, Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	36	03	08					06			12	16	1
2	01	02			01			12		10	18	05	2
3	02				05	04	04				25		3
4	16				17			08			36		4
5			01		02			24			35	02	5
6	09		10		14						04	01	6
7	65				25						07		7
8	03		05		11								8
9				03	04				04				9
10	25				05			02				02	10
11	35	01							81				11
12	32		07		47			20	03			09	12
13	01		19	16				09	05	03		01	13
14			03		26		01					18	14
15				03	01		10	01			12	01	15
16	09				39			59			73	01	16
17	09		30	07			01	04	07				17
18	05			13						44			18
19			12	02								14	19
20			05							15	06		20
21	02										05	03	21
22	01			12						20		20	22
23							02	04		20		01	23
24	02	03		01						04		13	24
25		12				08	07					05	25
26	03		02		02							32	26
27				15	01							03	27
28			25		02		28					(02)	28
29	09				25		(03)	02				02	29
30	52	X			05						23	11	30
31	05	X		X	03	X			X		X		31
TOTAL	3.22	.21	1.27	1.11	1.96	.12	.56	4.51	1.00	1.16	2.56	17.2	16 30
Days with 01 in. or more	21	5	12	10	18	2	8	12	5	7	12	21	133
Days with 04 in. or more	13	1	9	6	11	2	5	9	4	6	12	11	89

REGISTER OF RAINFALL IN 1921.

Kept at Upper Lombornein the County of Hampshireby E. Alleyway

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	36	03	08					06			12	16	1
2	01	02			01			12		10	18	05	2
3	02				05	04	04				25		3
4	16				17			08			36		4
5			01		02			24			35	02	5
6	09		10		14						04	01	6
7	65				25						07		7
8	03		05		11								8
9				03	04				04				9
10	25				05			02				02	10
11	35	01							81				11
12	32		07		47			20	03			09	12
13	01		19	16				09	05	03		01	13
14			03		26		01					18	14
15				03	01		10	01			12	01	15
16	09			39				59			73	01	16
17	09		30	07			01	04	07				17
18	05			13						44			18
19			12	02								14	19
20			05							15	06		20
21	02										05	03	21
22	01			13						20		20	22
23							02	04		20		01	23
24	02	03		01						04		13	24
25		12				08	07					05	25
26	03		02		02							32	26
27				15	01							03	27
28			25		02		28					(02)	28
29	09				25		(03)	02				02	29
30	52				05						23	11	30
31	05				03								31
TOTAL	3.22	.21	1.27	1.11	1.96	.12	.56	1.51	1.00	1.16	2.56	16.2	16 30
Days with 01 in. or more	21	5	12	10	18	2	8	12	5	7	12	21	133
Days with 04 in. or more	13	1	9	6	11	2	5	9	4	6	12	11	89

60

CONFIDENTIAL

AIR MINISTRY.

Form 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(former B.R.O. Form A.1).

REGISTER OF RAINFALL IN 1922.....

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" " " " Sea Level.....ft.

Kept at Ashley, Upper Lamborne
in the County of Hampshire
By L. Alleway

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		20	20		05		29	07	13		30		1
2		22	11	92			31	01			02		2
3	08	25	28		11		17	07		01	11		3
4		23	25		43		15	05		42			4
5	04		62				2.08			40	82		5
6	11		12				06	1.31			10		6
7	09		50	28				36			04		7
8	18		06			05	33				06	05	8
9	09			10			05	17					9
10						05	04	03		03	42		10
11	06			01									11
12		01		75	03			30	52			01	12
13	29			75		33	30		20				13
14	01			12			58		19		01		14
15	46	27		12			01						15
16		11		18	28			14	07			10	16
17		19			04		11					13	17
18	1.08	08					01		18	04		14	18
19		15	01						12	04		75	19
20	45	46								01			20
21	34	18		15			02					91	21
22	02	02				09	02	13				57	22
23		08		12			14		04			02	23
24	25	02	19	14	11	12		08					24
25	67	02	03	40		14			19			15	25
26	10	44		25			13	04	10		05	18	26
27	32	19	18	24				10	02			24	27
28	18	25	07	01		17		18				16	28
29	02					01	03	01		29		43	29
30	13	~~XX~~	08			06		22	13		04	48	30
31	44	~~XX~~	42	~~XX~~		~~XX~~	30	10	~~XX~~	40	~~XX~~	05	31
TOTAL	5.41	3.37	3.12	4.44	1.05	1.02	5.23	3.37	1.89	1.64	1.97	4.37	YEAR'S TOTAL 36.78
Days with 0.1 in. or more	22	19	15	16	7	9	20	18	12	9	11	16	174
Days with 0.1 in. or more	19	15	13	14	6	8	15	15	11	6	9	14	145

Black House
Upper Somborne
Winchester
Hants.

17th April 1923.

Dear Sir

yours of the 16th inst;
to hand. I regret that
any error should have
occurred in the record
sent. I have referred
to the original register
Form 1090 and find
that the daily entries
as sent you are correct

and that the totals
should read July 5.13 ins.
December 4.37 ins.

I am,

yours faithfully,
Chas Alleyway

The Supt.

B. R. U.

Dec. 21 Comh. sur. station. Obs. agreeable (letter in file)

AIR MINISTRY.

FORM 1091

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Rept at Ashley, Upper Lomborne
in the County of Hampshire
by C. Alleyway

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			05		02	42		07	07		72	55	1
2	06		11			17	21	02	03	08		07	2
3	05		08		08	07	27	17	02	10			3
4					(09)		02		06	02		42	4
5		02	21			49	10		01	09		05	5
6					06			08		42			6
7	07				10	30			33	35			7
8	25	19		07	01		02		07	11			8
9		05			05	07			01	01			9
10	10			10	69	38				01			10
11	30			35	44	03			09	13	32		11
12	15			12	18	20		01	17		02		12
13	12			83	04		01		43		01	37	13
14	02			06				14				05	14
15							05	17	07			1.12	15
16								16	03			07	16
17	29					07	58	19	06				17
18	55	04			11			07		10			18
19	19				02				02	01			19
20	05		03		19		12		40	20		02	20
21	56		01		14		01	08	10	87			21
22	27		67		08		11	16	21				22
23			12		44			14	02			78	23
24	50	22	07	28	23				39			52	24
25			24	16	03		19	03	1.30	12	20	09	25
26				43				03	04	19	84	35	26
27		03		78			1.14	34		40	20	1.00	27
28				01			1.88	25		01	54		28
29				11	30		23	03	04	84	25	53	29
30		X											30
31		X		32	14	X			45	33	45	74	30
				X	75				X	15	X	12	31
												+02	1070
TOTAL	3.53	.55	1.59	3.62	4.19	2.20	4.94	2.14	4.42	4.54	3.55	6.85	YEAR'S TOTAL
Days with 01 in. or more	16	6	10	13	22	10	15	18	24	21	10	17	182
Days with 04 in. or more	15	4	8	12	18	9	11	13	17	16	8	16	147

REGISTER OF RAINFALL IN 1923.

Kept at Upper Somborne
in the County of Hampshire
by E. Alleway

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	06	36							17		63	1
2	26	02	02					06	01	17	03		2
3	04		03		03					68	03	13	3
4				01					03			29	4
5	53		02	04	02					11			5
6	66	37	12	14									6
7	02	1.25	02		04		05			32		52	7
8	04	09	11							14	42		8
9	08	68					07						9
10	01	39		87	03		07			10			10
11		01		40	09					79			11
12		14	58	38	04					55		01	12
13	01	10	01	10							90		13
14			04	03	07		18		58		05		14
15			01	36	28	28	03		08		35	01	15
16		19		15	10						15	02	16
17		27						15	48	03	05		17
18	04	21				05		03	07	04	02		18
19	06	07		02					13	77	01		19
20		20			01				18				20
21		05							02	28		18	21
22		47	03					04	16	16	02	19	22
23		50	08		51		10	1.05	01	26			23
24		07		14				12	40	04		15	24
25		50		45		03	01		08	74		33	25
26		06		11				06		31		35	26
27		10	43					18		11		09	27
28		12	11	26	41		15	08					28
29	06		02	04	30		08	87		02		09	29
30		X	05	02		01	15	01	X	30	X	30	30
31		X		X		X	20					19	31
TOTAL													YEAR'S TOTAL
Days with 01 in. or more	1.91	5.92	2.04	3.52	1.93	.37	1.09	2.65	2.24	6.09	2.03	3.48	33.27
Days with 04 in. or more	13	23	17	17	13	4	11	11	14	21	11	16	171
	10	21	9	13	9	2	9	9	9	19	6	13	129

Section



for the entry of Daily Observations.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925

FOR OFFICIAL USE.

 Kept at Upper Somborne
 in the County of Hants

 Diameter of Funnel of Gauge eight in.
 Height of top of Gauge above Ground one ft. — in.
 „ Ground „ Sea Level 250 ft.

 Observers are requested to read the instructions
 printed overleaf before filling in this form.

 Every Observer should fill in section C
 overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

 An observer who does not conform to this rule should insert the reading made on January 1st of the
 following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.79	—	.11	—	.06	—	—	.30	.02	—	.78	—	1
2	.20	—	—	.07	—	—	.35	—	—	—	1.01	—	2
3	.17	—	—	—	.22	—	.05	—	.01	—	.06	—	3
4	—	.06	—	.37	.20	—	—	.10	—	—	.02	—	4
5	—	.28	—	1.16	.21	—	—	.01	.25	—	.03	—	5
6	—	—	—	—	.34	—	.40	.14	—	—	.53	—	6
7	—	.31	.01	.07	.54	—	—	—	—	—	.04	.32	7
8	—	.03	—	—	.04	—	—	.02	.01	—	—	.22	8
9	.50	.05	—	.16	.11	—	—	.13	—	—	—	—	9
10	.05	.11	.04	—	.21	—	.01	.01	.02	—	.03	—	10
11	—	.17	—	—	.02	—	—	.39?	—	—	—	—	11
12	—	.74	—	—	—	—	—	.15	—	—	—	—	12
13	—	.38	.05	.14	—	—	—	.01	—	—	—	.07	13
14	—	.25	.02	.22	—	—	—	—	—	—	.01	—	14
15	.53	—	—	.13	—	—	—	—	—	.07	—	—	15
16	.07	.01	—	—	—	—	—	—	.15	.18	—	—	16
17	—	—	—	—	.15	—	.03	—	.05	—	—	—	17
18	—	—	—	.03	.27	—	—	.01	.07	—	—	.06	18
19	—	.04	—	—	.02	—	.07	—	.83	.77	—	—	19
20	—	—	.06	—	—	—	—	.07	.79	.67	—	.53	20
21	—	—	.06	—	—	—	.91	.22	.15	.73	—	.27	21
22	—	.27	—	.13	.10	—	.50	.03	.78	.71	—	.41	22
23	—	.14	.11	—	.12	—	.02	.82	—	.04	—	.09	23
24	.40	.36	.04	—	.63	—	—	.05	—	.06	.04	.20	24
25	.23	.93	—	—	—	—	.15	—	.29	.04	—	.12	25
26	.11	.27	—	.06	.03	—	.29	.24	—	.33	—	.27	26
27	.05	.01	—	.18	.61	—	.19	.01	—	—	—	—	27
28	.02	—	—	.01	—	—	.02	—	—	—	—	.56	28
29	—	—	—	.04	.21	—	.12	—	—	—	.10	.33	29
30	.05	X	—	.21	—	—	.43	—	—	.08	.23	.55	30
31	.12	X	.03	X	—	X	.08	—	X	.01	X	—	31
TOTAL	3.29	4.41	.52	2.98	4.09	—	3.62	2.71	3.42	3.69	2.88	4.00	35.62
Days with 0.1 in. or more.	14	18	10	15	19	—	16	18	13	12	12	14	161
Days with 0.4 in. or more.	13	15	17	13	16	—	12	11	9	11	8	14	129

(Signed)

Chas Allaway

[P.T.O.]

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

Upper Somborne (Clock House) 1925.

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

The entries on your 1925 rainfall return for January 1st February 8th and August 11th do not compare well with surrounding stations as shown in the table below.

	Jan 1	Feb 8	Aug 11 th
Oakley Manor	.79	.02	.08
Clock House	-	.30	.39
Stockbridge	.96	-	.07

If you have no reason to the contrary we would recommend the adoption of .80, .03 and .09 inch respectively. Also the totals for Jan & December are not in agreement with the sum of the daily values. The months' totals after the suggested figures are adopted will be January 3.30 February 4.41 August 2.41 December 4.00 and the year 35.32 in.

I should be glad to have your comments

9th.
22.10.26.

REPLY:

Form 1090 with the original figures kept by me are as follows:— Jan 1st .79 Feb 8th .03 Aug 11th .39. The two former are certainly by my errors, but I do not now remember, whether there was a T.S. here on that ^{Aug 11th} date, I generally make a note of such at the time but there is no note on this occasion although I have distinctly entered .39. I regret that any error should have occurred. I certainly think .39 should be adopted for Aug 11th.

Chas Alleway

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

Kept at UPPER SOMBORNE
in the County of HANTS.
Diameter of Funnel of Gauge eight in.
Height of top of Gauge above Ground one ft. — in.
„ Ground „ Sea Level 250 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.
Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	.74	—	—	—	.01	.38	—	—	.07	—	.46	—	1
2	—	—	—	—	—	.47	.09	—	.40	—	.04	—	2
3	.15	.12	.11	—	—	—	—	—	.04	—	.18	—	3
4	.38	.22	.08	.30	—	—	.05	—	—	—	—	—	4
5	.16	.11	.26	—	.30	—	.36	.20	.02	.01	.31	.26	5
6	.50	.26	—	.30	—	—	.12	—	.13	—	21.02	.03	6
7	.06	.20	—	.09	.24	—	—	.03	.16	—	.78	—	7
8	—	.02	—	.20	.02	.21	—	—	—	.12	1.02	—	8
9	—	—	.03	—	—	.05	.07	.02	—	.21	.19	—	9
10	—	—	—	—	.08	.36	.04	.09	—	—	.36	—	10
11	—	—	—	—	.05	.18	—	.17	—	.07	—	—	11
12	—	—	—	—	.13	.26	—	—	—	.22	—	—	12
13	—	—	—	—	—	.06	—	—	—	.03	1.01	—	13
14	—	.17	—	.48	.42	.12	—	—	—	.52	.08	—	14
15	—	.10	—	.11	—	—	—	—	—	.27	.14	—	15
16	—	.12	—	.34	—	—	—	.09	—	.01	.16	—	16
17	1.03	.50	—	.23	—	.34	.09	.11	—	—	.55	—	17
18	.31	.10	—	—	.01	—	.02	—	—	—	.50	—	18
19	—	—	—	.03	.18	—	.19	.06	—	—	.34	—	19
20	—	—	.02	.40	.01	—	.04	.27	—	—	.31	—	20
21	—	—	—	—	.05	—	—	.01	—	.05	.15	—	21
22	.60	.02	—	—	—	—	—	—	—	.14	—	—	22
23	.02	—	.01	—	—	—	—	—	—	—	—	—	23
24	.15	—	—	—	—	.01	.18	—	.07	.57	—	—	24
25	.16	—	—	.46	—	—	—	—	—	.11	—	—	25
26	.04	.01	.13	.09	.19	—	.25	—	.11	—	.19	—	26
27	.15	.03	—	.01	.16	—	—	—	.05	.05	—	—	27
28	.06	—	—	.05	—	—	.28	—	—	.15	—	—	28
29	.43	X	—	.18	.24	—	—	—	—	.04	.27	—	29
30	.24	X	—	.01	.06	—	—	—	—	—	.28	—	30
31	.52	X	—	X	—	X	—	.10	X	—	X	—	31
TOTAL	5.75	1.98	.64	3.30	2.15	2.44	1.78	1.15	1.05	2.43	8.34	.29	YEAR'S TOTAL 31.30
Days with ".01 in. or more.	18	14	7	16	16	11	13	11	9	15	21	2	153
Days with ".04 in. or more.	17	10	4	13	12	10	12	8	8	12	21	1	128

(Signed) Chas Alldway [PT] *48*

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Upper Somborne
in the County of Hampshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level ft.

april 1st

April corr after referring to Observer
secf.

390

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		07					1.10	25		27	58		1
2		96	04	28						01	04		2
3	29		07				13					03	3
4	10	01	09	16	08		04				02		4
5	09	09	36	11	01	06	01				10		5
6	03		35	40	02	01		21	43				6
7		06		17		18	04	04			01		7
8	02	17		56			47	05	04				8
9			11	28	02			02	55			15	9
10			07	19					08				10
11								14					11
12			01				03	10		01	01		12
13	11						48	50	14	01	09	25	13
14	11						17	03	1.98		02	04	14
15					05			18	08		02		15
16	01				03	36		01	24				16
17	09		13		17	14		34	02				17
18	10					43		04	01		83		18
19		25					07	44		01	45		19
20		27					19	34			24	37	20
21	26	10	01			05		18	38	28	08	1.15	21
22	14	40	28			04			16	26		65	22
23		28	66	01		20		07	1.04		22	07	23
24		75	53			01	03	41	01	12		35	24
25		10	25	03		01	02	08	12	08		51	25
26	18	13	11			01	14		08	07	01	11	26
27	06	28	05			03	21			85	01		27
28	63				33	16	01		07	04	40		28
29			14	06		31			64	01	75		29
30		X	13			27	04		02	30	02		30
31		X	06	X		X	08		X		X	37	31
TOTAL	2.22	3.92	3.45	1.75	71	2.27	3.26	3.43	6.09	2.32	3.90	4.05	YEARS TOTAL
Days with "01 in. or more.	15	15	19	11	8	16	18	19	19	14	19	12	18.5
Days with "04 in. or more.	12	14	17	9	4	11	13	16	15	9	11	11	14.2

BMonthly
Summary.**C**

Particulars of Station.

664A.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1930.

At Upper SomborneIn the County of HantsDiameter of Funnel eight in.Height of Top above Ground one ft. — in.Height of Ground above Sea Level 250 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ·01 in. or more ·04 in. or more
JAN.				
FEB.				
MAR.				
APRIL				
MAY	1.54			
JUNE	.38			
JULY	1.68			
AUG.	3.44			
SEPT.	3.54			
OCT.	1.84			
NOV.	4.86			
DEC.	3.30			
Total	~~20.84~~			

Signature Chas Alleway

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Charles AllewayBlack No. Upper Somborne WinchesterHour of observation by the clock—in Winter 9.0 A.M. in Summer 10.0 A.M.Nearest Railway Station Stockbridge Distance 4 miles gauge W.N.W.Nearest Parish Church at Kings Somborne Distance 3 miles gauge S.W.

Nature of objects nearest to gauge	<u>House</u>	<u>2 trees</u>	
Heights of objects	<u>18 ft.</u>	<u>10 ft.</u>	<u>These trees</u>
	<u>30 ft.</u>	<u>10 ft.</u>	<u>are spruce</u>
Distances	<u>W</u>	<u>N</u>	<u>firs, and gauge</u>
Directions from gauge			

If gauge has been moved during the year state— is placed between

Date of move. Distance. Direction.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.




If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?



*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entry is "trace," .01, .02, or 0.3.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

REGISTER OF RAINFALL IN 1928.

621

Kept at UPPER SOMBORNE
in the County of HANTS
Diameter of Funnel of Gauge eight in.
Height of top of Gauge above Ground on ft. in.
" Ground " Sea Level 250 ft.

not strictly accurate.
~~It adjusted by Sumner's~~ informal
encl. SA File 851486/28 and
encl SA 16A

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.60	✓	.03	—	—	—	—	.28	—	—	—	—	1
2	.77	✓	.27	—	—	—	—	—	—	—	—	—	2
3	—	—	.01	.23	—	—	.11	.10	—	—	.07	—	3
4	.02	—	—	—	—	—	.07	.65	—	.20	—	—	4
5	—	—	.15	.01	.50	.09	—	.05	—	.16	—	—	5
6	—	—	—	—	—	.22	—	—	—	.27	—	—	6
7	—	—	.20	.35	—	.09	—	—	.06	.20	—	—	7
8	✓	—	.02	—	—	.60	—	.06	—	—	—	—	8 1.84
9	—	—	—	.12	—	.02	—	—	.60	—	—	—	9
10	—	—	—	.02	—	—	—	—	—	.35	.19	—	10
11	—	✓	.05	.05	—	—	—	—	—	.36	.03	—	11
12	—	1.79	✓	.13	—	—	—	—	—	—	.01	—	12
13	—	✓	—	—	—	.41	—	—	—	—	.01	—	13
14	.99	—	—	.30	—	.28	—	—	—	.79	.02	—	14
15	✓	—	—	.43	—	—	—	—	—	.12	.52	—	15
16	—	—	—	.02	.04	—	—	—	—	.13	.17	—	16
17	—	—	—	—	.53	—	—	—	—	.35	—	—	17
18	—	✓	—	—	.04	.29	—	—	—	.62	.55	—	18
19	—	.63	—	—	.10	.13	—	.15	—	.10	—	—	19
20	—	—	—	—	.03	—	—	.07	47.00	.12	✓	.17	20
21	1.01	—	—	.15	.44	.02	—	—	—	.49	—	.13	21
22	✓	—	—	—	—	—	—	—	—	.14	—	.89	22
23	—	—	—	—	.07	—	—	—	—	.20	—	.34	23
24	—	—	—	—	—	—	—	—	—	.07	—	.18	24
25	—	—	.34	—	—	.09	—	—	—	1.15	—	✓	25
26	—	—	.02	—	.03	.04	.06	.38	—	.13	—	—	26
27	✓	—	—	—	.03	—	.47	.18	—	—	(.13)	—	27
28	1.14	—	.20	—	—	—	—	.04	—	.05	—	—	28
29	✓	—	—	.05	—	.05	—	—	—	.07	—	—	29 3.47
30	21.50	✗	—	—	—	.20	.05	—	—	—	—	✓	30
31	—	✗	1.65	✗	—	✗	.45	—	✗	—	✗	3.15	31
TOTAL	(6.03) (6.03)	2.42	2.94	1.86	1.92	2.53	1.21	1.91	(1.66)	6.88	2.79	3.15	YEARS TOTAL (34.47)
Days with "01 in. or more.													
Days with "04 in. or more.													

Kept at Reverthwaite
in the County of Hants
by Admiral Gable

VERNHAM DEAN
ROWE HSE
HANTS

IMPORTANT NOTE.

If an Observer prefers not
the reading at 9 a.m. on 1st
this paragraph. Full instruc
and particulars as to the I
sent post-free on applicatio
Square, London, N.W. 1, or t

F

ANIZATION.

No 670

30

in.

raftow

Gauge 5 in.

e Ground ft. 7 1/2 in.

Sea Level 620 ft.

tered to the previous day.

ted to add

the end of

rain gauges,

Observers."

32, Camden

Edinburgh.

Jan. 1, following.

E-)
me.

Date	Jan.	Feb.	March	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	
1	19				34	1
2	48		08	11	14	2
3	16			17	10	3
4	05		06	18		4
5	05			45		5
6				14		6
7	31		40	02	04	7
8			06	08		8
9	08		08			9
10	02		01			10
11	58			10		11
12	41		03	1.50		12
13	18	02	04	05	14	13
14	20		20	09	23	14
15			02	10	23	15
16				10	07	16
17	18	02	06	40	50	17
18	13			09	08	18
19			02		23	19
20			07	22	1.50	20
21			15	10	03	21
22					03	22
23			10	31	32	23
24				15	04	24
25		06	03	01	11	25
26		20		05	13	26
27	15		09	05	25	27
28	02		04		19	28
29		X	32	20	05	29
30	22	X	21	04	03	30
31	54	X			10	31
TOTAL	3.71	1.50	1.79	67	186	05
Days with 01 in. or more	12	4	15	6	10	1
Days with 04 in. or more	14	2	12	3	10	1

Kept at Rosyth Harbour
in the County of Hants
by Admiral Gable

Time of Observation 9 am
Nearest Railway Station Grafton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 7 1/2 ft.
" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
7-1
me.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19							.01				.34	1
2	.48		.08					.20	.12		.11	.14	2
3	.16							.10	.01	.03	.17	.10	3
4	~~.05~~		.06					.04			.18		4
5	.05				.08			.10			.45		5
6								.20			.14		6
7	.31		.40		.07						.02	.04	7
8			.06		.33			.7			.08		8
9	.08		.08		.18								9
10	.02		.01		.17				.04				10
11	.58							.10					11
12	.41		.03						1.50				12
13	.18	.02	.04		.20			.05				.14	13
14	.20		.20	.08					.09	.23	.11		14
15			.62		.30		.10	.06				.23	15
16							.10				.07		16
17	.18	.02	.06	.42				.40			.50	.02	17
18	.13							.09	.08			.02	18
19				.02						.23	.03	.02	19
20			.07	.02						.22	1.50	.05	20
21			.15							.10	.03		21
22											.03		22
23				.10						.31		.32	23
24							.01	.01		.15		.04	24
25		.05		.03			.01					.11	25
26		.20					.05					.13	26
27	.15		~~.02~~		.09	.05						.25	27
28	.02		~~.01~~		.04							.19	28
29		~~X~~	.32		~~.10~~		.20					.05	29
30	.22	~~X~~	.21		.30		.04	.01				.03	30
31	.54	~~X~~		~~X~~		~~X~~			~~X~~		~~X~~	.10	31
TOTAL	3.90	.30	1.79	.67	1.86	.05	.32	1.56	1.84	1.27	3.47	1.98	19.31
Days with ".01 in. or more	12	4	15	6	10	1	7	17	6	7	14	19	118
Days with ".04 in. or more	13	2	12	3	10	1	5	10	5	6	10	15	93

10 APR 1922

The Rainfall at *Roset House*
measured on the morning of
January 1st, 1922
was *nil*

Signed *C. M. Gamble*

This form should be enclosed in
the envelope herewith and
returned to the Superintendent,

British Rainfall Organization,
Meteorological Office,
Air Ministry,
Kingsway,
London, W.C.2.

TELEGRAMS,
VERNHAM-DEAN.

7. April 1922

APR 1922
ROWE HOUSE,

FOSBURY,

HUNGERFORD.

Dear Sir.

I am sorry to say Admiral
Gamble is at present con-
valescing & cannot answer your
letter about our rainfall
return for last year - But
I know we always enter the
fall measured at 9 a.m. of
what has fallen the previous
24 hours -

The fall on Nov 20th of 1.50
is quite correct - as the 19th
was a deluge -

I hope this is what you wished
to know yours faithfully

(Wm.) Charlotte M. Gamble

REGISTER OF RAINFALL IN 1922.

Sta No 670

Kept at Roue House, Vernham Drain
in the County of Hants
by Mrs E. H. Gamble

Lat. 51.20 Long. 1.30
Time of Observation 9 a.m.
Nearest Railway Station Craftern 7 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 7 1/2 ft.
Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.33	.25		.11		.45	.02	.65		.50		1
2		.68	.15	.41			.30				.07	.02	2
3	.11	.10	.28	.40	.15		.05	.15			.10		3
4		.22	.21		.09		.13			.31			4
5	.10		.22	.30			1.80	.09		.20	.65		5
6	.07		.42				.05	2.34			.59		6
7	.10		.40	.17			.45	.90	.01				7
8	.10		.05			.06	.21	.01			.05	.03	8
9				.15				.18			.01		9
10							.04				.34		10
11	.05			.02									11
12				.65				.29	.35			.02	12
13	.29			.82		.36	.40		.07				13
14	.01			.12			.93		.23				14
15	.22	.40		.14					.02				15
16		.22		.20	.22		.04	.27	.03			.07	16
17		.10			.17		.14	.02				.19	17
18	.58	.14			.03			.02	.21			.13	18
19	.20	.15	.04						.20	.12		.75	19
20	.20	.41								.01			20
21	.41	.30		.12			.05				.01	.61	21
22		.08			.04	.11	.74	.14				.19	22
23		.05		.05			.14		.03				23
24			.22	.04	.17	.23		.12					24
25	.69	.05		.43		.09			.20			.26	25
26	.12	.28	.05			.24	.11	.07	.23		.09	.10	26
27	.33	.20	.18			.01		.11				.30	27
28	.10	.22				.22		.10				.11	28
29										.30		.21	29
30	.23	X	.14			.02	.16	.23	.09	.06	.41		30
31	.23	X	.24	X		X	.03	.03	X	.23	X	.04	31
TOTAL	4.15	3.93	2.85	5.42	.93	1.34	6.06	5.02	1.86	1.26	2.47	3.44	YEAR'S TOTAL
Days with 0.1 in. or more	20	17	14	15	7	9	18	18	13	7	11	16	37.33
Days with 0.4 in. or more	18	17	14	14	6	7	17	13	9	6	9	13	165
													143

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Ross House, Verham
 in the County of Hants
 by (Wm.) C. M. Gamble

Lat. 51. 20 Long. 1. 30
 Time of Observation 9 a.m.
 Nearest Railway Station Grafton - 7 miles
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 7½ ft.
 " " " " Sea Level 620 ft.

Sta No 4670

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
 An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.20	.29							.17		.62	1
2	.21	.14	.07		.07					.13	.04		2
3	.09		.10	.04					.08	.73	.04	.14	3
4				.04					.04		.02	.39	4
5	.48		.03	.30	.03					.12		.02	5
6	.59	.20	.11	.18									6
7	.02	.90	.08		.10					.30		.33	7
8	.06	.09			.04					.21	.35		8
9	.13	.53			.03		.06				.02		9
10	.01	.45		.77		.05	.02			.11		.02	10
11				.24	.02					.67		.02	11
12		.24	.53	.45	.09					.55	.01	.01	12
13		.12	.06	.20	.08		.11		.17	.05	1.02	.01	13
14			.08	.11	.02			.04	1.22				14
15		.02	.05	.37	.30	.25	.03		.01		.26	.02	15
16		.15		.04	.08						.26		16
17	.05	.30			.04		.12	.50	.18	.05	.11	.03	17
18	.02	.23				.02	.09	.06	.02	.05	.02		18
19	.12	.07					.09		.37	.26			19
20		.21			.02				.27	.26		.04	20
21		.06						.04	.02	.32		.37	21
22		.40			.04			.05	.10	.25		.06	22
23		.44	.22		.08		.04	.73	.06	.36		.15	23
24		.11		.06			.03	.11	.28		.11		24
25		.45		.44	.05	.04	.04	.07	.15	.45		.61	25
26		.02		.06		.01		.01		.45		.28	26
27		.16	.40		.05			.20				.03	27
28		.29	.30	.20	.23		.17	.04		.02	.05		28
29	.09	X	.05	.07	.21		.05	1.15		.03		.07	29
30		X	.06				.14			.16		.61	30
31	.01	X	.07	X		X	.64	.02	X		X	.17	31
TOTAL	2.00	5.72	2.45	3.51	1.58	.37	1.54	3.02	2.97	5.70	2.20	4.11	YEAR'S TOTAL
Days with 01 in. or more	14	23	15	16	19	25	13	213	814	22	312	822	188
Days with 04 in. or more	10	20	14	15	14	3	10	11	11	20	88	14	27 days
													150.

County No. _____

River Dist.

Station No.

111

Stn No 670

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 75 ft. 0 in

" " " " Sea Level 620 ft

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

[illegible]

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Stn No 670

Register of Rainfall in 1925.

Kept at Roug House, Verham Drain
in the County of Hants

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 7½ ft.
" Ground " Sea Level 620 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.85		.15		.03			.01	.04		.63	.02	1
2	.20	.04		.15			.15				.89		2
3	.12	.04			.42		.02	.01	.03		.06		3
4	.03			.26	.25			.07			.36		4
5	.02	.33		.71	.17				.22		.05		5
6		.10		.05	.25		.40	.13			.35		6
7		.25			.63				.01		.25	.17	7
8	.15	.07			.08			.03	.03		.02	.25	8
9		.05		.14	.02		.01	.04	.23				9
10		.10	.10		.21			.02					10
11		.30	.06		.03			.05	.02			.03	11
12		.47						.30					12
13	.03	.46		.11				.03				.09	13
14	.36	.49	.05	.25							.02		14
15	.03	.07		.14						.08			15
16	.06	.07							.21	.17			16
17							.03		.04	.02			17
18		.06		.03	.32			.22	.08				18
19					.02		.02	.01	1.04	.83		.48	19
20			.08				.04	.23	.55	.78		.06	20
21			.03				1.02	.14	.14	.89		.18	21
22		.16	.05	.16	.17		.47		.47	.88		.49	22
23	.10	.11	.02		.25		.04	.16	.04	.11		.12	23
24	.11	.38		.07	.60			.12	.02	.05	.06	.25	24
25	.21	.74			.03		.12		.33	.09		.10	25
26	.12	.34		.05	.16	.03	.45	.34		.34		.21	26
27		.29		.19	.18		.45	.05		.02		.09	27
28	.22	.12		.03						.01		.21	28
29	.19	X		.03	.24		.13				.11	.35	29
30		X		.13	.14		.27			.06	.05	.37	30
31	.13	X	.12	X	.17	X	.04		X	.03	X	.06	31
TOTAL	2.93	5.04	.66	2.47	4.37	.03	3.66	1.96	3.50	4.36	2.85	3.53	35.36
Days with "01 in. or more.	17	22	9	.15	.21	.01	16	18	17	15	12	18	181
Days with "04 in. or more.	13	22	18	.13	.16	.10	X12	12	12	11	10	16	144

(Signed) Charlotte M. Gamble [P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Rome House, Verhampton
in the County of Hants

Sta No 670

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....ft. 7½ in.
,, Ground ,, Sea Level.....6.20 ft.

May Nov corr by summing
to agree with obs totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.82	.10			.03	.19					.48		1
2	.06	.01				.58	.02		.39		.26		2
3	.31	.14	.35	.02								.04	3
4	.09	.16	.10	.51			.06				.46		4
5	.17	.17	.19		.42		.66		.04	.03	.14	.28	5
6	.32	.39		.34	.42		.19	.14	.28		.71		6
7	.01	.09		.06	.33	.18	.02		.10		.61	.04	7
8			.02	.19	.85	.01		.05		.14	1.02		8
9			.06			.27	.02			.02	.15		9
10					.24	.47	.01	.39			.30		10
11		.02			.27	.20			.04	.04			11
12					.13	.13				.34	.03	.03	12
13					.04	.01			.06	.43	.72		13
14	.21	.22		.52	.42	.12		.02		.43	.06	.03	14
15	.22	.10		.08	.01					.35	.09		15
16	.19	.23		.26	.04			.26			.18		16
17	.18	.67		.11		.55					.44	.08	17
18	.25	.09		.05	.11		.05	.13			.81		18
19		.02		.05			.37				.25	.02	19
20				.34		.01		.25			.20	.01	20
21	.03		.02		.14		.14	.02		.22	.04		21
22	.64			.04									22
23	.22	.07		.01				.02					23
24	.09	.02					.12		.02	.44			24
25	.10		.15	.39					.05	.10	.13	.16	25
26	.03			.03	.14		.07						26
27		.05	.02	.09	.06					.03	.05	.01	27
28	.40			.21	.01		.33			.55	.20		28
29	.11	X		.07	.16					.01	.14		29
30	.20	X		.19	.05						.24		30
31	.34	X		X		X		.04	X		X		31
TOTAL	4.99	2.55	.91	3.56	2.65	2.72	2.06	1.32	.98	3.13	7.63	.70	YEARS TOTAL 33.20 32.70
Days with 01 in. or more.	22	17	8	20	18	12	13	10	8	14	24	10	176
Days with 04 in. or more.	19	13	5	17	15	9	9	7	7	10	23	5	139

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

613
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Bone House, Vernham Dean
in the County of Hants

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....ft. 7½ in.
" Ground " Sea Level.....620 ft.

on 1st Jan'y 1928 moved to 12 in

Sta No 670

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.77	.23				1.03	.29		.38	.77		1
2	.01		.11	.19						.15	.02		2
3	.12	.02	.11				.07					.06	3
4	.16		.17	.14	.04		.14						4
5	.11	.11	.41	.42		.21	.02				.32		5
6	.02		.25	.28	.24		.01	.19	.35				6
7	.02	.33	.04	.08		.47	.03	.07					7
8	.02		.06	.31			.26	.14	.11			.01	8
9	.01		.02	.34			.01	.18	.53			.15	9
10				.03			.01	.05	.06				10
11			.02	.03			.06	.10					11
12	.18				.02		.29	.66					12
13	.22			.02			.35	.28	.20	.05	.12	.31	13
14	.04			.11	.07		.15	.28	1.61		.02	.19	14
15		.03			.02			.36	.24		.03		15
16		.02			.36	.50		.03	.39				16
17	.38		.10			.31		.34	.07		.01		17
18	.09					.47			.02		.69		18
19		.27				.03	.15	.32		.02	.69		19
20	.29	.11			.02	.03	.22	.40			.20	.31	20
21		.42			.02	.08	.05	.07	.46	.31	.04	.82	21
22	.02	.34	.45			.14		.54	.19	.38		.40	22
23		.57	.49			.22			.98		.20	.09	23
24		.11	.84	.03		.03	.05	.07	.02	.13		.32	24
25	.06	.36	.39	.01		.11		.03	.04	.14		.40	25
26	.27	.68	.14		.05	.10	.12			.04		.02	26
27		.36	.01		.26	.11	.40			.47	.02		27
28	1.04	.39	.13			.11	.02		.02	.14	.49		28
29		X	.29			.30			.64		.73		29
30		X	.05			.24	.12		.02	1.20	.04		30
31	.13	X	.43	X	.16	X	.02		X		X	.52	31
TOTAL	3.14	4.89	4.74	2.06	1.26	3.46	3.58	4.40	5.95	3.41	4.39	3.60	YEAR'S TOTAL
Days with "01 in. or more.	19	16	21	13	11	17	22	19	18	12	15	12	19.5
Days with "04 in. or more.	13	13	18	8	7	14	15	17	14	11	10	10	15.8

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Pione House, Verulam Dean

Sta No 670

in the County of HantsDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 14 ft. in." Ground " Sea Level 620 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.73		.05	.01								.01	1
2	.38	.38	.19	.06			.02	.03			.02	.01	2
3	.05			.26			.23	.31			.03		3
4		.35		.03		.05				.05		.02	4
5	.09	.08	.07	.06		.05	.03		.04	.08			5
6			.05			.30					.02	.03	6
7		.04	.10	.21		.04		.06		.08			7
8	.05	.06	.11	.03		.58	.05		.02	.10			8
9	.10	.01	.09	.02		.07			.51	.20			9
10	.28	.31		.10		.05		.05			.21	.05	10
11			.02	.20		.02		.01		.15	.18	.21	11
12	.77	.48	.02	.15						.06	.07	.11	12
13		.05				.38		.11					13
14	.13	.17		.30		.29		.02		.50	.47		14
15		.11		.28	.01					.03	.38		15
16		.22	.02	.03	.04					.25	.37	.42	16
17	.03		.04	.20	.53	.01				.05		.01	17
18	.50		.02		.05	.05				.23	.14		18
19			.06		.47	.24		.24		.54	.04	.12	19
20	.28		.23	.01	.01			.06		.06	.22		20
21	.51		.19	.15	.30	.06				.08	.69	.01	21
22			.29			.01				.45	.33	.06	22
23	.50				.05					.20	.20	.02	23
24	.12								.20	.16	.09	.30	24
25	.15					.05		.04		.11	.03	.45	25
26	.15		.02			.24	.10	.35		.124	.05	.08	26
27			.18	.07			.65	.03		.42		.80	27
28	.81		.13		.17	.05			.73			.10	28
29	.21	.21	.35			.12		.06	.02	.17	.11	.05	29
30	.02	X	.38			.08	.41					.15	30
31	.25	X	.37	X		X	.44		X		X	.01	31
TOTAL	6.11	2.47	2.99	2.15	1.63	2.74	1.93	1.37	1.52	5.21	3.65	3.02	YEAR'S TOTAL 34.79
Days with .01 in. or more.	21	13	22	18	9	20	8	13	6	22	19	21	192
Days with .04 in. or more.	19	12	17	12	7	17	6	9	4	21	15	13	152

FORM 1090.

REGISTER OF RAINFALL IN 1929 .

Sta No 670

Kept at Rowe House, Vernham Dean
in the County of Hants

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 12 ft. in.
Ground Sea Level 620 ft.

day - 2

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.12		.04		.07		.09		.56		.04	I
2		.26				.01	.15			.04		.41	2
3							.8	.15		.03		.36	3
4				.06	.46	.36		.28				.80	4
5					.65	.35	.06	.43		.89	.35	.16	5
6					.01	.02	.11	.11		.03	.19	.70	6
7										.43	.43	.65	7
8				.01	.01					.19		.35	8
9	.24	.20						.02		.02	.15	.47	9
10	.14			.04	.03			.01		.03		.37	10
11				.10	.15	.02		.01		.01	1.04	.11	11
12				.14	.11	.04					.01	.03	12
13	.05			.05	.20	.03		.05				.05	13
14					.39	.23						.37	14
15	.09	.07				.15					.40	.02	15
16													16
17										.04			17
18	.02							.05			.74		18
19									.02		.30		19
20							.14	.10		.58		.42	20
21	.09		.14				.04	.01				.06	21
22	.01	.01	.02				.02	.02			.67		22
23				.07		.02				.07	.02	.87	23
24			.06							.90	.78	.64	24
25		.07	.02	.01							.16		25
26		.03			.24						.8	.36	26
27				.36						.09	1.21	.09	27
28	.19			.04			.39			.29	.38	.65	28
29	.20	X		.25					.44	.24	.96		29
30	.03	X				.29	.05		.25	.04	.46	.20	30
31	.75	X		X		X	.46	.12	X		X	.04	31
TOTAL	1.81	.76	.24	1.11	2.25	1.52	1.50	1.45	.71	4.24	9.13	8.22	32.97
Days with or in. or more.	113	72	42	122	103	112	10X	145	3X	175	18X	242	141
Days with or in. or more.	8	.5	.2	9	7	7	9	9	2	12	17	22	109

Section

A

for the entry of Daily Observations.

679
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Rowe Home, Vernham Dean
in the County of Hants

Sta No 670.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 12 ft. 12 in.
,, Ground ,, Sea Level 620 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.28		.14		.05		.04			.48		1
2		.12	.02	.05	.10		.03	1.05			.20		2
3	.12	.11	.01	~~.02~~				.26		.04			3
4	.49			.18				.01	.10	.13			4
5					.06			.18		.18			5
6	.01		.08		.07		.11	.21	.28			.06	6
7	.21									.21	.31	.26	7
8				.11	.04				.04	.09	.01	.28	8
9	.40		.11		.25				.23				9
10	.60		.12		.30	.02		.15				.75	10
11	.20	.01		.06	.03					.02		.25	11
12	.19		.01	.02	.11			.02		.02		.25	12
13	.08		.12	~~.02~~	.05	.20	.11	.16	.43				13
14	.21	.12	.18	~~.35~~			.8			.02		.02	14
15	.03		.09				.53			.01	.15	.28	15
16				.06					.11			.15	16
17				.22				.01	.47	.19			17
18				.02	.05	.03	.03	.10	.20		.21	.08	18
19			.05	.26		.03	.02	.32	.68	.20	.57	.02	19
20				.10			.80	.71	.71		.17		20
21						.01	.08	.09	.01		.43		21
22	.37			.02	.10	.03	.02	.24	.05	.21	.27		22
23	.22		.13	.12		.25	.28		.11		.22	.07	23
24				.22	.04	.04			.03	.03	.25	.30	24
25	.04	.23		.01	.06					.10	.19	.07	25
26	.44	.02					.06		.30		.39	.30	26
27	.03						.01		.01	.06	.13	.43	27
28			.06				.30		.08	.01	.83		28
29	.10	X	.06				.40	.11	.18	.12	.13	.11	29
30	.02	X			.15	.32	.9				.02	.37	30
31	.41	X	.14	X	.16	X			X	.13	X	.16	31
TOTAL	4.23	.89	1.18	2.67	1.57	.98	2.95	3.66	4.02	1.77	4.96	4.15	33.03
* Days with or in. or more.	20	7	14	17	15	10	16	16	18	18	18	19	188
* Days with or more.	16	5	11	13	14	5	11	13	15	12	16	17	148

40-9999

*See Instruction 2 (f) on other side

2nd August is 1.05

(Signed) Charlotte M. Gamble

[P.T.O.]

Sec

For

Key

in

Dist

Heig

"

684

HAVANT, WARBLINGTON

1928-30

FOR OFFICIAL USE.
BRITISH RAINFALL ORGANIZATION.
FALL IN 1928.

late up 1923/7 ^{while} were OK

days ^{probably OK}

TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.03	.14								.04		1
2	.94	.39	.11					.05			.01	.02	2
3	.08			.36		.03	.15	.79			.03		3
4		.13		.03				.07			.03		4
5		.14	.10				.04	.85					5
6										.01		.12	6
7		.03	.11	.20		.40		.07		.01			7
8	.03	.03				.39	.03			.02			8
9						.10			.49	.14		.04	9
10	.06	.15		.07		.01		.01		.16	.25	.04	10
11	.05				.21					.77	.07	.27	11
12	.41	.36	.03	.06						.34	.06	.05	12
13		.21			.03	.92		.03			.08		13
14	.14	.07		.34		.09				.43	.43		14
15	.15										.36		15
16		.08		.61						.14	.29	.18	16
17				.07	.80					.11			17
18	.72				.23	.09				.38	.05		18
19					.08	.03		.18		.42		.11	19
20	.22		.14					.05		.39	.11	.01	20
21	.09		.15	.17	.21	.04				.47	.37		21
22			.20							.95	.28	.14	22
23	.48		.06		.04					.07	.32		23
24	.05								.15	.07	.03	.31	24
25	.18					.04				.14	.06	.14	25
26	.29				.03			1.54		1.45		.05	26
27			.03				.67	.05		.28		1.25	27
28	.62		.03						.50			.20	28
29	.34	.35	.50	.06		.01	.10			.04	.10	.57	29
30	.10	X	.23				.20					.07	30
31	.16	X	.22	X		X	.25		X	.07	X	.02	31
TOTAL	5.19	1.97	2.05	1.97	1.63	2.15	1.44	2.84	1.14	6.86	2.97	3.53	YEARS TOTAL
Days with ".01 in. or more.	20X	12X	14X	10X	8X	12X	7X	10X	3X	22X	19X	18X	33.74
Days with ".04 in. or more.	19	9	11	9	6	8	6	8	3	19	15	15	26.155

Section **A**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

FOR OFFICIAL USE.

Kept at (Sturminster Newton)
in the County of Dorset
Diameter of Funnel of Gauge..... 8 in.
Height of top of Gauge above Ground..... 1 ft..... in.
„ Ground „ Sea Level 22 ft.

late up 1923/7 fine
days mostly OK

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date.
1	.08	.03	.14								.04		1
2	.94	.39	.11					.05			.01	.02	2
3	.08			.36		.03	.15	.79			.03		3
4		.13		.03				.07			.03		4
5		.14	.10				.04	.85					5
6										.01		.12	6
7		.03	.11	.20		.40		.07		.01			7
8	.03	.03				.39	.03			.02			8
9						.10			.49	.14		.04	9
10	.06	.15		.07		.01		.01		.16	.25	.04	10
11	.05				.21					.77	.07	.27	11
12	.41	.36	.03	.06						.34	.06	.05	12
13		.21			.03	.92		.03			.08		13
14	.14	.07		.34		.09				.43	.43		14
15	.15										.36		15
16		.08		.61						.14	.29	.18	16
17				.07	.80					.11			17
18	.72				.23	.09				.38	.05		18
19					.08	.03		.18		.42		.11	19
20	.22		.14					.05		.39	.11	.01	20
21	.09		.15	.17	.21	.04				.47	.37		21
22			.20							.95	.28	.14	22
23	.48		.06		.04					.07	.32		23
24	.05								.15	.07	.03	.31	24
25	.18					.04				.44	.06	.14	25
26	.29				.03			1.54		1.45		.05	26
27			.03				.67	.05		.28		1.25	27
28	.62		.03						.50			.20	28
29	.34	.35	.50	.06		.01	.10			.04	.10	.57	29
30	.10	X	.23				.20					.07	30
31	.16	X	.22	X		X	.25		X	.07	X	.02	31
TOTAL	5.19	1.97	2.05	1.97	1.63	2.15	1.44	2.84	1.14	6.86	2.97	3.53	YEARS TOTAL 33.74
Days with 01 in. or more.	20X	12X	14X	10X	8X	12X	7X	10X	3X	22X	19X	18X	26155
Days with 04 in. or more.	19	9	11	9	6	8	6	8	3	19	15	15	128

Section



for the entry of Daily Observations.

674
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Warblington, Havant
in the County of Hants

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 22 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02				.01		.01		.16			1
2		.90				.11	.07			.34	.01	.46	2
3						.04	.82	.03		.07		.13	3
4				.03	.27	.20	.42	.14		.15		.44	4
5					1.15	.37	.47	.71		.43	.35	.12	5
6					.04	.02	.02	.30		.04	.09	.55	6
7					.01			.03		.40	.42	.47	7
8					.02	.09		.01		.34		.51	8
9	.07	.16									.12	.52	9
10	.23	.01		.02						.05	.09	.47	10
11				.09	.12	.01					.98		11
12				.03	.27	.23					.01	.03	12
13					.10	.01				.01		.01	13
14					.09	.09						.04	14
15	.03					.24					1.01	.07	15
16								.33	.19		.03		16
17	.09	.17											17
18								.07			.30		18
19	.01										.03		19
20							.02	.10		.29		.23	20
21	.10		.07									.26	21
22								.02			.09	.01	22
23		.09		.02						.07	.32	.39	23
24		.02	.04							.50	.81	.32	24
25										.15	.14	.04	25
26				.07	.04						.19	.12	26
27	.04			.03	.08						.98	.04	27
28	.25						.34			.49	.37	.48	28
29	.19			.47		.14			.05	.06	.22	.10	29
30	.02	X				.11	.03		.43		.36	.33	30
31	.38	X		X		X	.07	.02	X		X	.07	31
TOTAL	1.44	1.37	1.11	.76	2.19	1.67	2.06	1.77	.67	3.55	6.92	6.16	28.64
Days with ".01 in. or more.	11	7	2	8	5	11	2	14	9	5	12	3	25
Days with ".04 in. or more.	8	4	2	3	9	10	6	8	6	3	15	17	10

Kept at Warrington, Lancashire
in the County of Lancashire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 22 ft.

Total 28.65

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.71		.17				.01			.73		1
2	.02		.08		.01	.10	.11	.09			.26		2
3	.04	.11		.73	.03			.76		.04	.02		3
4	.67	.03		.02				.08	.03	.14			4
5				.04	.06			.29		.01			5
6					.01			.15	.35	.03			6
7	.19	.03	.01					.10	.01	.49	.26	.16	7
8	.09			.01	.05				.04			.24	8
9	.34		.01		.23			.04	.05				9
10	.39	.48	.05		.22			.02				.41	10
11	.12						.06			.07		.50	11
12	.17			.19	.12			.02				.23	12
13	.03		.01	.35	.12		.10	.29	.53				13
14	.05	.10	.15				.50		.02	.05		.01	14
15	.01	.03	.20				.27				.12	.07	15
16						.05			.26	.13		.20	16
17		.04	.19	.11					.32	.11			17
18			.16		.09			.04	.05		.22	.02	18
19			.09	.36				.03	.35	.09	.73	.14	19
20				.06		.01	.68	.40	.15	.20	.24		20
21	.01		.03					.11		.11	.54		21
22	.27			.07	.04	.02		.51	.08	.30	.21		22
23	.32		.16	.22		.30		.03	.02		.08	.19	23
24	.31	.03		.24	.05						.42	.16	24
25	.05	.29		.04	.11					.13	.05	.04	25
26	.22	.06			.02		.02		.02		.20	.15	26
27	.01		.01				.27			.03	.23	.06	27
28	.02		.01					.04	.11	.01	.37	.07	28
29	.06								.20	.03	.02	.04	29
30	.07	X			.12	.01	.14					.26	30
31	.45	X	.14	X	.08	X			X	.04	X	.10	31
TOTAL	4.01	1.43	1.30	2.58	1.36	.49	2.15	2.98	2.59	2.01	4.70	3.05	YEAR'S TOTAL 28.65
Days with .01 in. or more.	24	10	15	14	16	6	9	18	17	18	14	19	183
Days with .04 in. or more.	18	6	9	12	12	3	8	12	12	13	15	17	137

Kept at

Swainhill S.

in the County of

Hampshire

by

Frimley - Warnborough

WARNBOROUGH
SOUTH
SWAINSHILL
HANTS

1923 - 24

Rain should be measured daily

An Observer who prefers not to conform to the Rules for Rainfall Observers, sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Full instructions for the measurement of rain, and the use of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Gauge _____ in.
above Ground _____ ft. _____ in.
Sea Level _____ ft.the previous day.
Reading at 9 a.m. on

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	14	08	-	-	-	-	02	03	16	-	28	1
2	13	-	21	-	03	-	-	-	-	40	02	-	2
3	25	-	03	-	-	-	-	-	-	42	-	-	3
4	-	-	-	12	-	-	-	-	08	-	08	36	4
5	-	-	-	-	-	06	-	-	-	08	-	-	5
6	48	04	-	-	-	-	-	-	-	-	-	-	6
7	55	20	-	-	-	-	-	-	-	30	-	45	7
8	-	82	35	-	10	02	-	-	-	23	28	-	8
9	16	10	-	-	-	-	20	-	-	-	01	-	9
10	-	55	-	52	09	-	-	-	-	23	-	-	10
11	14	12	-	41	-	-	-	-	-	-	-	-	11
12	-	09	-	25	12	-	-	-	-	-	-	-	12
13	-	-	62	55	-	-	-	-	-	04	43	02	13
14	-	32	12	-	03	-	-	02	-	-	-	-	14
15	-	-	08	19	-	22	-	-	19	-	-	-	15
16	-	-	03	03	46	-	-	-	-	-	50	-	16
17	-	13	-	-	-	-	-	19	06	03	-	-	17
18	-	40	-	-	-	03	-	44	11	01	-	-	18
19	-	20	-	-	-	-	-	-	24	62	-	-	19
20	-	-	-	-	-	-	-	-	19	10	-	-	20
21	-	14	-	-	-	-	-	-	-	24	-	54	21
22	-	18	-	-	-	-	-	09	08	19	-	-	22
23	-	44	40	-	40	-	11	54	-	-	-	-	23
24	-	29	-	-	-	-	-	30	-	-	-	-	24
25	-	-	-	55	08	-	-	09	12	58	-	60	25
26	-	50	-	03	-	-	-	-	-	28	-	36	26
27	-	18	-	-	15	-	03	21	-	10	-	08	27
28	-	14	14	26	43	-	23	01	-	-	13	-	28
29	-	-	13	-	54	-	06	83	-	02	-	-	29
30	08	X	04	-	-	-	19	-	-	28	-	30	30
31	-	X	-	X	-	X	35	-	X	04	X	10	31
TOTAL	1.49	5.04	2.29	3.22	2.43	0.33	1.14	2.47	1.43	4.41	1.45	3.12	YEAR'S TOTAL
Days with 0.1 in. or more	4	19	12	10	11	4	4	10	10	20	4	10	124
Days with 0.4 in. or more	4	19	10	8	9	2	6	4	9	14	5	9	108

REGISTER OF RAINFALL IN 1923.

Kept at Swainhill, S. Wainborough
in the County of Hampshire
by Frimley & Wainborough District
Walsley

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

755
5 JAN 1924

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	14	08	-	-	-	-	02	03	16	-	28	1
2	13	-	21	-	03	-	-	-	-	40	02	-	2
3	25	-	03	-	-	-	-	-	-	42	-	-	3
4	-	-	-	12	-	-	-	-	08	-	08	36	4
5	-	-	-	-	-	06	-	-	-	08	-	-	5
6	48	04	-	-	-	-	-	-	-	-	-	-	6
7	55	20	-	-	-	-	-	-	-	30	-	45	7
8	-	82	35	-	10	02	-	-	-	23	28	-	8
9	16	10	-	-	-	-	20	-	-	-	01	-	9
10	-	55	-	52	09	-	-	-	-	23	-	-	10
11	14	12	-	41	-	-	-	-	-	-	-	-	11
12	-	09	-	25	12	-	-	-	-	-	-	-	12
13	-	-	62	55	-	-	-	-	-	04	43	02	13
14	-	32	12	-	03	-	-	02	-	-	-	-	14
15	-	-	08	19	-	22	-	-	19	-	-	-	15
16	-	-	03	03	46	-	-	-	-	-	50	-	16
17	-	13	-	-	-	-	-	19	06	03	-	-	17
18	-	40	-	-	-	03	-	44	11	01	-	-	18
19	-	20	-	-	-	-	-	-	24	62	-	-	19
20	-	-	-	-	-	-	-	-	19	10	-	-	20
21	-	14	-	-	-	-	-	-	-	24	-	54	21
22	-	18	-	-	-	-	-	09	08	19	-	-	22
23	-	44	40	-	40	-	11	54	-	-	-	-	23
24	-	29	-	-	-	-	-	~~54~~	30	-	-	-	24
25	-	-	-	55	08	-	-	09	12	58	-	60	25
26	-	50	-	03	-	-	-	-	-	28	-	36	26
27	-	18	-	-	15	-	03	21	-	10	-	08	27
28	-	14	14	26	43	-	23	01	-	-	13	-	28
29	-	-	13	-	54	-	06	83	-	02	-	-	29
30	08	X	04	-	-	-	19	-	-	28	-	30	30
31	-	X	-	X	-	X	35	-	X	04	X	10	31
TOTAL	1.49	5.04	2.29	3.22	2.43	0.33	1.14	2.47	1.43	4.41	1.45	3.12	YEAR'S TOTAL
Days with 01 in. or more	4	19	12	10	11	4	4	10	10	20	4	10	124
Days with 04 in. or more	4	19	10	8	9	2	6	4	9	14	5	9	108

REGISTER OF RAINFALL IN 1924.

Kept at Swainhill, Gwynedd
in the County of Hampshire
by Trinley & Larnborough Water Co.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.			in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	<i>April</i>	<i>March</i>	-	15	-	04	-	-	64	18	<i>RRR</i>
2	05	-	-	23	02	14	-	04	04	-	-	39	<i>coe</i>
3	-	-	-	04	29	12	31	16	-	03	-	-	3
4	-	-	-	-	12	60	-	-	11	05	-	34	4
5	-	-	-	-	04	-	41	05	-	-	-	-	5
6	-	-	-	-	-	-	-	-	04	56	-	-	6
7	-	-	-	-	11	33	-	-	61	25	-	-	7
8	-	-	-	-	-	-	-	-	04	20	-	-	8
9	26	24	14	-	06	10	-	-	24	02	-	-	9
10	31	-	-	-	41	24	-	-	05	08	-	-	10
11	04	-	34	-	24	48	-	-	-	04	44	-	11
12	04	-	03	-	09	34	-	-	30	-	21	-	12
13	04	-	65	-	33	-	-	30	39	-	11	21	13
14	-	-	19	-	-	-	-	22	-	-	-	-	14
15	-	-	-	-	-	-	-	20	-	-	-	65	15
16	04	-	-	-	-	-	-	-	10	-	-	03	16
17	31	-	-	-	-	21	44	11	05	-	-	-	17
18	44	-	-	-	50	10	05	11	-	04	-	-	18
19	23	10	-	-	-	-	-	-	03	09	-	04	19
20	18	-	-	-	-	-	23	12	25	28	-	-	20
21	18	-	-	-	04	-	05	06	23	64	-	-	21
22	24	-	-	52	-	-	1.41	03	25	-	-	-	22
23	-	-	-	20	44	-	-	30	13	-	-	50	23
24	33	11	13	49	04	-	-	-	1.00	-	-	1.05	24
25	-	03	11	49	-	-	50	-	03	11	06	06	25
26	-	05	58	-	-	-	-	06	-	25	94	55	26
27	-	-	59	-	-	-	1.30	-	-	21	11	69	27
28	-	-	05	-	-	-	22	24	-	04	-	02	28
29	-	03	10	-	08	-	21	21	04	44	50	50	29
30	-	X	38	-	15	-	-	43	45	64	38	63	30
31	-	X	-	X	50	X	-	05	X	13	X	21	<i>MP</i> 31
TOTAL	2.48	56	3.29	1.40	3.88	2.84	5.46	2.46	4.44	4.49	3.42	6.11	YEAR'S TOTAL 41.49
Days with 01 in. or more	14	6	12	6	14	11	11	18	20	19	9	16	159
Days with 04 in. or more	14	4	11	6	16	11	11	14	18	14	9	14	148

Sect 679
FORM
Hook
Key WARSASH, SOLENT COURT FARM
in t
Dia
He

1927-30

TRY.
RAINFALL ORGANIZATION.
1 in 1927..

620 A.

Hand 5.

Observers are requested to read the instructions
ed overleaf before filling in this form.

Every Observer should fill in section C
leaf.

TO THE PREVIOUS DAY.

Jan. 1, following.

An
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1							36	31			16		1
2	03	55	05	15			88			37	04		2
3	27		04							05			3
4	12		04	14	04		10						4
5	11	13	17	41			08				11		5
6			34	50		05		19	42		12		6
7	03	27		18		04	03						7
8	02		10	13	14	11	02	04	04		10		8
9			21	07			01	04	30			05	9
10			03				12	11	22				10
11				02				22					11
12	12							20					12
13	13							60	19		10	25	13
14				02	04		02		218			20	14
15							17	16	19				15
16					07	23	28		04				16
17	14		14			14		42					17
18						30		06			62		18
19		38						26			38		19
20	25	09					19	74			30	34	20
21		25						36	32		15	65	21
22	15	18			04	02			16	42	27	59	22
23		73	15			04		18	96			07	23
24		15	46	02		25		12	23	12		40	24
25		44	42			11		01				94	25
26	37	49	19				17					22	26
27	02	29	03		32	05	11			69			27
28	18	10	18	09		04				02	30		28
29	09		16			12			45		29		29
30	07	X				28	11		05	20			30
31		X		X	01	X			X	11	X	20	31
TOTAL	210	405	271	173	66	178	256	402	575	198	294	591	YEAR'S TOTAL
Days with 01 in. or more.	16	13	15	11	7	14	15	17	14	8	13	11	3419.
Days with 04 in. or more.	12	13	14	8	6	13	11	15	14	7	13	11	154

(Signed) Ernest M. Biggs P.T.O.

Sect

TRY.

620 A.

FORM 1091. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

HOOK-CUM-WARSASH. **Register of Rainfall in 1927.**

Kept at Soleah Court Fruit Farm
in the County of Hampshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 50 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							36	31			16		1
2	03	55	05	15			88			37	04		2
3	27		04							05			3
4	12		04	14	04		10						4
5	11	13	17	41			08				11		5
6			34	50		05		19	42		12		6
7	03	27		18		04	03						7
8	02		10	13	14	11	02	04	04		10		8
9			21	07			01	04	30			05	9
10			03				12	11	22				10
11				02				22					11
12	12							20					12
13	13							60	19		10	25	13
14				02	04		02		218			20	14
15							17	16	19				15
16					07	23	28		04				16
17	14		14			14		42					17
18						30		06			62		18
19		38						26			38		19
20	25	09					19	74			30	34	20
21		25						36	32		15	65	21
22	15	18			04	02			16	42	27	39	22
23		73	15			04		18	96			07	23
24		15	46	02		25		12	23	12		40	24
25		44	42			11		01				94	25
26	37	49	19				17					22	26
27	02	29	03		32	05	11			69			27
28	18	10	18	09		04				02	30		28
29	09		16			12			45		29		29
30	07	X				28	11		05	20			30
31		X		X	01	X			X	11	X	20	31
TOTAL	210	405	271	173	66	178	256	402	575	198	294	591	YEAR'S TOTAL
Days with .01 in. or more.	16	13	15	11	7	14	15	17	14	8	13	11	3419.
Days with .04 in. or more.	12	13	14	8	6	13	11	15	14	7	13	11	154
													137

(Signed) Ernest M. Biggs P.T.O.

Section **A** for the entry of Daily Observations.

643
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Solent Court Farm

in the County of Hampshire

Diameter of Funnel of Gauge..... 8" in.

Height of top of Gauge above Ground..... 1 ft. in.

Ground Sea Level ft.

Cur J2 sent 29/6/28
Name agrees file 731736/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25							.25					1
2	.81	.39	.15					.05			.05		2
3	.04		.07	.32				.83					3
4	.02			.06		.12							4
5		.26	.12			.04							5
6		.16				.16	.08						6
7	.06		.10	.20		.26		.10					7
8		.04				.36				.13			8
9				.03		.03		.03	.48	.07			9
10	.20	.16		.04						.15	.20	.25	10
11						.20				.78	.07		11
12	.66	.52						.10		.27	.08	.25	12
13						.75					.03		13
14	.13	.14		.40	.38	.05				.30	.75		14
15	.12			.52							.25		15
16				.05	.67			.05		.18		.32	16
17										.09			17
18	.67		.11		.15	.08				.38	.08		18
19						.03		.13		.13		.15	19
20	.20		.26		.10					.27	.09		20
21	.10		.09	.21	.26					.26	.24		21
22			.25							.64	.32		22
23	.45		.04		.06					.16	.24	.20	23
24									.18	.15		.25	24
25	.13		.07			.10		.07		.17		.17	25
26	.16		.08					.36		.06		.05	26
27	.72						.90		.16	.26		.16	27
28	.20		.09						.28			.17	28
29	.10	.34	.45				.24			.10	.10	.27	29
30	.25	X	.46			.05	.21		.01	.09		.07	30
31	.20	X	.20	X		X	.29		X	.07	X		31
TOTAL	5.47	2.01	2.54	1.83	1.62	2.23	1.72	1.97	1.11	5.41	2.60	3.31	YEAR'S TOTAL
Days with .01 in. or more.	20	8	15	9	6	13	5	10	5	21	13	12	31.72
Days with .04 in. or more.	19	8	18	8	6	11	5	10	4	21	12	12	32.12

Section



for the entry of Daily Observations.

667
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Hook-cum-Horwich

Kept at Soleat Court Farm

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level „ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						04				20			1
2		56				11	12			24		33	2
3							17					22	3
4						10	15			04		30	4
5					43	32	31	68		80	37	59	5
6					86		03	36		08	10	60	6
7					04			33		60	41	58	7
8										54		40	8
9	11										21	33	9
10	11	15										45	10
11											99		11
12				23	23	07							12
13					05	10						16	13
14					12	25						14	14
15					10						107		15
16								20					16
17	15												17
18											43		18
19							20				05		19
20	14							20		40		36	20
21			16									10	21
22											23	40	22
23		19								15	33		23
24										66	75	33	24
25											10	03	25
26					10						13	18	26
27					20						85		27
28	22						32			58	31	50	28
29	11			83					03	16	27	19	29
30		X				21			25		82	35	30
31	45	X		X		X	08		X		X	05	31
TOTAL	129	90	16	106	213	120	138	177	28	444	742	659	YEAR'S TOTAL
Days with 01 in. or more.	14	3	1	2	9	8	8	5	2	12	17	21	95
Days with 04 in. or more.	7	3	1	2	9	8	8	5	2	12	17	20	91

REGISTER OF RAINFALL IN 1920

Kept at SOLENT COURT FARM - WARSASH

in the County of HAMPSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 8 ft. 8 in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1 following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.64		.21							.68		1
2		.04	.10				.10	.42			.24		2
3	.18	.13		.62	.13			.72		.05			3
4	.65	.05						.15					4
5								.14		.24			5
6					.21			.14	.32	.08			6
7	.13							.26		.50	.35	.22	7
8	.12								.35			.29	8
9	.18				.19			.03					9
10	.44		.11		.31							.58	10
11	.18						.11			.06			11
12	.14				.12							.26	12
13				.50	.16		.27	.31	.27				13
14	.09	.10	.25				.32					.28	14
15			.22				.27			.15		.21	15
16				.25			.08		.20				16
17			.10						.30	.26			17
18			.12						.30		.20	.37	18
19			.05	.25				.11	.24	.12	.78		19
20					.12		.55	.38	.36	.15	.22		20
21					.10				.09	.22	.60		21
22	.27							.36		.32	.32		22
23	.22		.50	.18		.34	.08		.05		.20	.11	23
24	.21			.34	.05					.06	.20	.36	24
25	.41	.25		.08	.18				.10	.05	.22	.25	25
26							.08				.17	.06	26
27	.05									.13	.30		27
28									.20		.46	.13	28
29	.08							.30	.15			.09	29
30	.17	X			.15	.08	.15		.10			.23	30
31	.57	X	.18	X	.06	X			X	.20	X	.16	31
TOTAL	4.17	1.24	1.63	2.43	1.78	.42	2.51	3.32	3.03	2.59	4.94	3.57	31.13
Days with 0.1 in. or more.	18	6	9	8	12	2	12	12	14	15	14	15	125
Days with 0.4 in. or more.	18	6	9	8	12	2	10	11	14	15	14	15	134

700

RAINFALL ORGANIZATION.

IN 1921

56°N Long 1°19'30W

Observation 9 AM

Railway Station Swathley LSWR

of Funnel of Rain Gauge 5 in.

top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 45 ft.

and the result entered to the previous day.

is earnestly requested to add
provided for it at the end of

Jan. 1, following.

Kept at
in the C
by

WEST END, DAKLANDS

1921 - 30.

IMI
If an Obs
the reading

this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.41	0.15	0.06	—	—	—	—	0.03	—	—	0.13	0.15	1
2	0.03	—	—	—	—	—	—	0.08	—	0.05	0.10	0.04	2
3	0.03	—	—	—	0.07	0.05	—	0.05	—	—	0.20	—	3
4	0.16	—	—	—	0.08	—	—	0.06	—	—	0.44	—	4
5	~~0.26~~	—	—	—	—	—	—	0.24	—	—	0.14	0.01	5
6	0.20	—	0.07	—	0.20	—	—	—	—	—	0.01	—	6
7	0.78	—	—	—	0.38	—	—	—	—	—	0.05	—	7
8	0.03	—	0.02	—	0.06	—	—	—	—	—	—	—	8
9	—	—	0.03	0.03	—	—	—	—	0.04	—	—	—	9
10	0.18	—	—	—	—	—	—	0.01	—	—	—	0.01	10
11	0.18	—	0.02	—	—	—	—	—	0.73	—	—	—	11
12	0.49	—	0.02	—	0.01	—	—	0.55	0.01	—	—	0.06	12
13	0.03	—	0.18	0.18	—	—	—	0.15	0.01	0.03	0.02	—	13
14	—	—	0.12	—	0.18	—	0.15	—	—	—	—	0.15	14
15	—	—	—	0.01	—	—	0.20	0.03	—	—	0.05	0.01	15
16	0.10	—	0.01	0.51	—	—	—	0.82	—	—	0.78	0.01	16
17	0.11	—	0.15	0.18	—	—	0.08	0.06	0.08	—	—	—	17
18	0.06	—	—	0.01	—	—	—	—	—	0.06	—	—	18
19	—	—	0.14	0.09	—	—	—	—	—	—	0.01	0.05	19
20	—	—	0.06	0.01	—	—	—	—	—	0.39	—	—	20
21	0.02	—	—	—	—	—	—	—	—	—	0.10	—	21
22	—	—	—	0.07	—	—	—	—	—	0.06	—	0.32	22
23	0.07	—	—	0.04	—	—	—	0.08	—	0.26	—	0.01	23
24	—	0.11	—	—	—	—	—	—	—	—	—	0.06	24
25	0.02	0.07	—	—	—	0.03	0.02	—	—	—	—	0.11	25
26	0.04	—	—	—	0.03	—	—	—	—	—	—	0.35	26
27	0.01	—	—	0.12	—	—	—	—	—	—	—	0.04	27
28	—	—	0.24	—	0.08	—	0.02	—	—	—	—	0.12	28
29	0.03	~~X~~	0.04	—	0.28	—	—	—	—	—	—	0.01	29
30	0.53	~~X~~	—	0.02	0.03	—	—	—	—	—	0.25	0.12	30
31	0.05	~~X~~	—	~~X~~	0.01	~~X~~	—	—	~~X~~	—	~~X~~	—	31
TOTAL	3.49	0.33	1.16	1.27	1.41	0.08	0.47	2.16	0.87	0.85	2.28	1.63	YEAR'S TOTAL 16.00
Days with "01 in. or more	22	3	14	12	12	2	5	12	5	6	13	18	124
Days with "04 in. or more	14	3	9	7	8	1	3	9	4	5	10	12	85

Kept at OARland - West End
in the County of Hants
by Captain P. C. Pearson - R.N.

Lat. 50° 56' N Long. 1° 19' 30' W
Time of Observation 9 AM
Nearest Railway Station Swathley S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.41	0.15	0.06	—	—	—	—	0.03	—	—	0.13	0.15	1
2	0.03	—	—	—	—	—	—	0.08	—	0.05	0.10	0.04	2
3	0.03	—	—	—	0.07	0.05	—	0.05	—	—	0.20	—	3
4	0.16	—	—	—	0.08	—	—	0.06	—	—	0.44	—	4
5	~~0.16~~	—	—	—	—	—	—	0.24	—	—	0.14	0.01	5
6	0.20	—	0.07	—	0.20	—	—	—	—	—	0.01	—	6
7	0.78	—	—	—	0.38	—	—	—	—	—	0.05	—	7
8	0.03	—	0.02	—	0.06	—	—	—	—	—	—	—	8
9	—	—	0.03	0.03	—	—	—	—	0.04	—	—	—	9
10	0.18	—	—	—	—	—	—	0.01	—	—	—	0.01	10
11	0.18	—	0.02	—	—	—	—	—	0.73	—	—	—	11
12	0.49	—	0.02	—	0.01	—	—	0.55	0.01	—	—	0.06	12
13	0.03	—	0.18	0.18	—	—	—	0.15	0.01	0.03	0.02	—	13
14	—	—	0.12	—	0.18	—	0.15	—	—	—	—	0.15	14
15	—	—	—	0.01	—	—	0.20	0.03	—	—	0.05	0.01	15
16	0.10	—	0.01	0.51	—	—	—	0.82	—	—	0.78	0.01	16
17	0.11	—	0.15	0.18	—	—	0.08	0.06	0.08	—	—	—	17
18	0.06	—	—	0.01	—	—	—	—	—	0.06	—	—	18
19	—	—	0.14	0.09	—	—	—	—	—	—	0.01	0.05	19
20	—	—	0.06	0.01	—	—	—	—	—	0.39	—	—	20
21	0.02	—	—	—	—	—	—	—	—	—	0.10	—	21
22	—	—	—	0.07	—	—	—	—	—	0.06	—	0.32	22
23	0.07	—	—	0.04	—	—	—	0.08	—	0.26	—	0.01	23
24	—	0.11	—	—	—	—	—	—	—	—	—	0.06	24
25	0.02	0.07	—	—	—	0.03	0.02	—	—	—	—	0.11	25
26	0.04	—	—	—	0.03	—	—	—	—	—	—	0.35	26
27	0.01	—	—	0.12	—	—	—	—	—	—	—	0.04	27
28	—	—	0.24	—	0.08	—	0.02	—	—	—	—	0.12	28
29	0.03	—	0.04	—	0.28	—	—	—	—	—	—	0.01	29
30	0.53	~~X~~	—	0.02	0.03	—	—	—	—	—	0.25	0.12	30
31	0.05	~~X~~	—	~~X~~	0.01	~~X~~	—	—	~~X~~	—	~~X~~	—	31
TOTAL	3.49	0.33	1.16	1.27	1.41	0.08	0.47	2.16	0.87	0.85	2.28	1.63	YEAR'S TOTAL 16.00
Days with 0.1 in. or more	22	3	14	12	12	2	5	12	5	6	13	18	124
Days with 0.1 in. or more	14	3	9	7	8	1	3	9	4	5	10	12	85

REGISTER OF RAINFALL IN 1922.

Kept at Oaklands West End
 in the County of Hampshire
 by Capt. P.C. Pearson R.N.

Lat. 53° 56' N Long. 1° 19' 30" W
 Time of Observation 9 AM
 Nearest Railway Station Swathling 1.5 W. 2.2'
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.30	0.18	—	0.01	0.07	0.25	0.08	—	0.06	0.42	—	1
2	—	0.24	0.09	0.34	—	—	0.24	—	—	—	0.07	—	2
3	0.06	0.52	0.19	0.36	0.16	—	0.04	0.07	—	—	0.10	—	3
4	—	0.16	0.13	—	0.18	—	0.21	—	—	0.57	0.86	—	4
5	0.03	—	0.20	0.02	—	—	2.17	—	—	0.13	0.03	—	5
6	0.12	—	0.10	0.05	—	—	0.03	1.46	—	—	0.06	—	6
7	0.08	—	0.71	0.23	—	—	—	0.07	—	—	0.09	—	7
8	0.14	—	0.07	—	—	0.04	0.30	0.03	—	—	0.02	0.03	8
9	0.08	—	—	0.19	—	—	0.10	0.20	—	—	0.49	—	9
10	0.02	—	—	—	—	0.05	—	—	—	—	—	—	10
11	0.04	—	—	0.07	0.01	—	—	0.10	—	—	—	—	11
12	—	—	—	0.69	—	—	—	0.22	0.54	—	—	—	12
13	0.17	—	—	0.68	—	0.57	0.38	—	0.10	—	—	0.01	13
14	0.05	—	—	0.05	—	0.07	0.26	—	0.20	—	—	—	14
15	0.45	0.22	—	0.04	—	—	0.02	—	0.02	—	—	—	15
16	—	0.08	—	0.16	0.17	—	—	0.09	0.03	—	—	0.22	16
17	—	0.15	—	—	0.03	—	0.04	0.01	0.05	—	—	0.12	17
18	1.43	0.10	—	—	0.02	—	—	—	0.09	—	—	0.25	18
19	0.07	0.07	—	—	—	—	—	—	0.17	0.03	—	0.67	19
20	0.12	0.25	0.01	—	—	—	—	—	—	—	—	—	20
21	0.42	0.17	0.01	0.10	—	—	—	—	—	—	—	1.32	21
22	—	0.05	—	0.01	—	0.09	—	0.07	—	—	—	0.37	22
23	—	0.05	—	0.05	—	—	0.12	—	0.04	—	—	—	23
24	0.08	—	0.18	0.02	0.18	0.12	—	0.17	—	—	—	—	24
25	0.66	0.01	—	0.27	—	0.16	—	—	0.18	—	—	0.22	25
26	0.13	0.42	—	0.06	—	0.11	0.15	—	—	—	0.04	0.06	26
27	0.34	0.25	0.18	0.12	—	0.01	—	0.13	—	—	—	0.67	27
28	0.20	0.41	0.03	0.02	—	0.23	—	0.03	0.22	—	—	0.20	28
29	0.11	—	—	—	—	0.04	—	—	—	0.22	—	0.22	29
30	0.01	X	0.06	—	—	0.01	—	0.24	0.11	0.03	0.05	1.03	30
31	0.36	X	0.16	X	—	X	—	0.50	X	0.25	X	0.02	31
TOTAL	5.17	3.45	2.30	3.53	0.76	1.57	4.31	3.47	1.75	1.29	2.23	5.41	YEAR'S TOTAL
Days with 0.1 in. or more	23	17	15	20	8	13	14	16	12	7	11	15	171
Days with 0.4 in. or more	20	16	12	16	4	11	12	13	10	5	9	12	140

REGISTER OF RAINFALL IN 1923.

Kept at Oaklands - West End
in the County of Hampshire
by Captain P. C. Pearson R.N.

Lat. 50° 56' N Long. 1° 19' 30" W
Time of Observation 9 AM.
Nearest Railway Station Swatling, S.W.
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 45 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.13	0.01	0.31	—	—	—	—	—	0.01	0.08	0.03	0.51	1
2	0.19	0.03	0.22	—	—	—	—	0.03	—	0.07	0.02	—	2
3	0.03	—	0.03	—	0.02	—	—	—	0.07	0.72	0.02	0.11	3
4	—	—	—	—	—	—	—	—	0.03	—	—	0.20	4
5	0.57	—	—	—	—	0.02	—	—	—	0.57	0.03	0.02	5
6	0.59	0.32	0.09	0.04	—	—	—	—	—	—	—	—	6
7	0.03	1.41	0.01	—	0.06	—	—	—	—	0.33	—	0.47	7
8	—	0.03	0.05	—	0.06	—	—	—	—	0.16	0.21	—	8
9	0.07	0.64	—	—	—	—	0.12	—	—	0.06	—	—	9
10	—	0.45	—	0.57	0.07	—	0.27	—	—	0.13	—	0.01	10
11	—	0.14	—	0.37	0.01	—	—	—	—	0.73	—	0.01	11
12	—	0.20	0.46	0.47	0.05	—	—	—	—	0.39	—	0.01	12
13	0.01	0.09	0.01	0.07	—	—	—	—	—	—	0.59	—	13
14	—	—	0.03	0.03	0.09	—	—	—	0.38	—	—	—	14
15	—	0.02	0.01	0.22	0.09	0.23	0.04	—	0.03	—	0.38	—	15
16	—	0.18	—	—	0.01	—	—	—	—	—	0.17	—	16
17	—	0.46	—	0.05	0.03	—	—	0.04	0.18	—	0.08	—	17
18	0.03	0.16	—	0.03	—	0.01	—	0.16	0.06	—	0.04	—	18
19	0.03	0.06	—	—	0.01	—	—	—	0.03	0.87	—	—	19
20	—	0.23	—	—	0.02	—	—	—	0.22	0.07	—	—	20
21	—	0.01	—	—	—	—	—	—	0.04	0.16	—	0.17	21
22	—	0.40	0.05	—	—	—	—	0.14	0.16	0.12	—	0.09	22
23	—	0.52	0.04	—	0.27	—	0.05	0.52	0.02	0.33	—	0.10	23
24	—	0.07	—	0.14	—	—	—	0.21	0.36	0.06	—	0.10	24
25	—	0.46	—	0.67	0.02	0.03	—	—	0.03	0.77	—	0.38	25
26	—	0.07	—	0.09	—	—	—	0.07	—	0.17	—	0.42	26
27	—	0.12	0.18	—	0.05	—	—	—	—	0.08	—	0.09	27
28	—	0.01	0.08	0.15	0.46	—	0.10	0.08	—	—	0.05	0.10	28
29	0.01	—	0.09	0.01	0.35	—	0.11	0.083	—	0.01	—	0.25	29
30	—	X	0.01	—	—	—	0.05	0.89	—	0.27	—	—	30
31	—	X	—	X	—	X	0.74	0.86	X	0.01	X	0.18	31
TOTAL	1.63	6.09	1.67	2.91	1.67	0.29	1.48	2.23	1.62	5.66	1.62	3.22	YEAR'S TOTAL
Days with "01 in. or more	11	24	16	14	17	4	8	11	14	22	11	18	170
Days with "04 in. or more	5	18	10	11	10	1	8	9	8	20	7	14	121

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Oaklands, Kent
in the County of Kent
by Captain P. C. Pearson R. A.

Lat. 50° 56' N Long. 1° 19' 30" W
Time of Observation 9 AM
Nearest Railway Station Swanley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. 0 in.
" " " " Sea Level 4.5 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

1925

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.12	—	0.02	0.41	0.11	0.09	—	—	0.80	0.20	11/1
2	0.04	—	0.16	—	—	0.02	0.01	—	—	0.11	—	—	11/2
3	0.03	—	0.05	—	0.07	—	0.17	0.26	—	0.14	—	—	3
4	—	—	—	—	0.07	0.81	—	0.01	0.05	0.07	—	0.36	4
5	—	—	—	—	0.03	—	0.04	—	—	0.13	—	0.02	5
6	—	—	0.08	—	0.02	—	—	0.03	0.01	0.34	—	—	6
7	0.05	—	—	—	0.25	0.29	—	—	0.42	0.30	—	—	7
8	0.18	0.11	—	—	0.07	0.21	—	—	0.09	0.09	—	—	8
9	0.07	0.02	—	0.09	0.06	0.15	—	—	0.07	0.02	—	—	9
10	0.08	—	—	0.14	0.72	0.18	—	—	0.03	0.02	—	—	10
11	0.04	—	—	0.38	0.44	0.08	—	—	0.01	0.06	0.26	—	11
12	0.02	—	—	0.19	0.19	0.36	—	0.11	0.08	—	—	—	12
13	0.05	—	—	0.68	0.29	—	—	0.09	0.45	—	—	0.46	13
14	0.02	—	—	0.19	—	—	—	0.07	—	—	—	0.08	14
15	—	0.05	—	0.01	—	—	—	0.07	0.05	—	—	1.22	15
16	0.03	—	—	—	—	—	—	0.27	0.01	—	—	—	16
17	0.34	—	—	—	0.03	0.04	1.90	0.10	0.03	—	—	—	17
18	0.46	—	—	—	0.16	—	—	0.09	—	0.07	—	0.02	18
19	0.01	—	—	—	—	—	—	0.04	0.01	0.01	—	0.01	19
20	0.02	—	—	—	0.10	0.24	0.05	0.05	0.22	0.24	—	—	20
21	0.64	—	0.07	—	0.11	—	—	~~0.08~~	0.23	0.73	—	—	21
22	0.27	—	0.70	—	0.01	—	0.06	0.32	0.25	—	—	—	22
23	—	—	0.21	—	0.26	—	—	0.10	0.10	—	—	0.73	23
24	0.40	0.20	0.06	0.16	0.07	—	—	—	0.31	—	—	0.56	24
25	—	0.01	0.02	0.08	0.03	—	0.05	0.03	2.40	0.08	0.13	0.03	25
26	0.02	—	0.03	0.45	—	—	—	0.07	0.12	0.29	0.54	0.29	26
27	—	0.02	—	0.68	—	—	0.73	—	—	0.19	0.08	0.98	27
28	—	—	—	—	—	—	1.61	0.23	—	0.05	0.49	0.01	28
29	—	0.01	—	0.12	0.19	—	0.09	0.39	0.08	0.80	0.03	0.48	29
30	—	X	—	0.07	0.14	—	0.02	0.26	0.57	0.28	0.32	0.37	30
31	—	X	—	X	0.46	X	—	0.02	X	0.21	X	0.04	31
TOTAL	2.77	0.44	1.50	3.24	3.79	2.79	3.94	2.70	5.59	4.22	2.65	5.86	39.49
Days with 0.1 in. or more	19	8	10	13	23	11	12	21	22	21	8	17	185
Days with 0.4 in. or more	12	3	8	12	17	10	10	17	17	18	7	12	143
YEAR'S TOTAL													1003



Register of Rainfall in 1925.

Kept at Oaklands - West Endin the County of HantsDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 45 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.00	—	.06	.04	.01	—	—	.13	.04	—	.84	—	1
2	0.41	0.01	—	.03	—	—	.11	—	—	—	.76	—	2
3	0.22	0.02	—	—	.23	—	.04	—	—	—	.09	—	3
4	0.03	—	—	.30	.26	—	—	.20	—	—	.10	—	4
5	—	0.23	—	.98	.22	—	—	—	.20	—	.07	—	5
6	—	0.04	—	.02	.19	—	.30	.26	—	—	.87	—	6
7	—	0.22	—	—	.36	—	—	~~1.1~~	—	—	.05	—	7
8	0.09	0.01	—	—	.03	—	—	.01	—	—	—	.15	8
9	—	0.06	—	.28	—	—	—	.08	.01	—	—	.17	9
10	—	0.06	.02	.04	.08	—	—	.06	—	—	—	.01	10
11	—	0.10	—	—	.03	—	—	.05	—	—	.04	—	11
12	—	0.66	—	—	—	.33	—	.14	—	—	—	—	12
13	0.04	0.51	—	.10	—	—	—	—	—	—	—	.01	13
14	0.33	0.68	.03	.24	—	—	—	—	—	—	.03	—	14
15	0.12	—	—	.15	—	—	—	—	—	.08	—	—	15
16	0.06	—	—	—	—	—	—	—	.20	.37	—	.01	16
17	—	—	—	.02	—	—	.06	—	.04	—	—	—	17
18	—	—	—	—	.33	—	—	—	.05	.03	—	.02	18
19	—	0.05	—	.22	.02	—	.26	.11	.60	.63	—	.45	19
20	—	—	0.02	—	—	—	—	.10	.80	.60	—	.05	20
21	—	0.05	—	—	—	—	.78	.82	.16	.67	—	.41	21
22	—	0.16	—	.14	.20	—	.57	.13	.42	.71	—	.41	22
23	0.04	0.25	0.07	—	.14	—	—	<u>1.53</u>	—	.14	—	.08	23
24	0.33	0.32	.12	.06	.30	—	—	.11	—	.05	.04	.28	24
25	0.55	0.86	—	.04	.01	—	.04	—	.24	.04	—	.08	25
26	0.23	0.51	—	.10	.26	—	.34	.11	—	.36	—	.08	26
27	0.18	0.01	—	.02	.45	—	.11	.06	—	—	.02	.10	27
28	0.24	0.05	—	.18	—	—	—	—	—	—	~~0.02~~	.38	28
29	0.06	—	—	—	.15	—	.12	—	—	—	.07	.54	29
30	—	X	.06	.09	—	—	.35	—	—	.04	.69	.22	30
31	0.08	X	.08	X	—	X	.06	—	X	.07	X	—	31
TOTAL	4.01	4.96	0.46	3.05	3.27	0.33	3.14	3.90	2.76	3.79	3.08	3.45	YEAR'S TOTAL 36.20
Days with ".01 in. or more.	17	21	8	19	18	1	13	16	11	13	13	18	168
Days with ".04 in. or more.	16	17	5	15	13	1	13	15	10	12	11	14	142

(Signed).....

P. C. Pearson.
Captain R. N.

[P.T.O.]

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at Oaklands - West End
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 45 ft.

Circ E. 23/3/27.

Corr for Aneth agreed by Obs 757488/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date.
1	0.89	0.09	—	—	—	0.48	—	—	0.02	—	0.44	—	1
2	0.06	—	—	—	—	0.37	0.09	—	0.25	—	0.05	—	2
3	0.30	0.09	0.22	—	—	—	—	—	—	—	—	—	3
4	0.05	0.31	0.16	0.12	—	—	0.20	—	—	—	0.28	—	4
5	0.11	0.16	0.06	—	0.63	—	0.09	—	—	0.01	0.20	0.24	5
6	0.29	0.28	—	0.17	0.02	—	0.06	0.16	0.01	0.01	0.18	—	6
7	0.09	0.10	—	0.18	0.10	—	—	—	0.07	—	0.72	0.01	7
8	—	0.12	—	0.27	—	0.21	0.54	0.05	—	0.05	0.73	—	8
9	—	—	0.03	—	—	0.01	0.01	—	—	0.03	0.31	—	9
10	—	—	—	—	0.01	0.30	—	—	—	0.26	0.06	—	10
11	—	0.03	—	—	0.03	0.19	—	0.29	—	—	0.21	—	11
12	—	—	—	—	0.02	0.27	—	—	—	0.55	0.01	—	12
13	—	—	—	—	0.06	0.05	—	—	—	0.21	1.05	0.04	13
14	0.10	0.11	—	0.37	0.18	0.01	—	—	—	0.03	0.07	—	14
15	0.37	0.06	—	0.15	—	0.38	—	—	0.04	—	0.12	—	15
16	—	0.11	—	0.30	—	—	—	0.11	—	—	0.04	0.02	16
17	0.58	0.54	—	0.17	—	0.40	0.10	—	—	—	0.24	—	17
18	—	0.08	—	0.04	—	0.08	—	0.15	—	—	0.87	—	18
19	—	—	—	0.05	0.03	—	0.11	0.02	—	—	0.25	—	19
20	—	—	0.02	0.33	—	—	—	0.18	—	—	0.28	—	20
21	—	0.01	—	0.01	0.01	—	—	0.01	—	0.05	0.27	—	21
22	0.49	0.01	—	0.10	—	—	—	—	—	—	0.01	—	22
23	0.08	—	—	—	—	—	—	—	—	—	—	—	23
24	0.05	—	—	—	—	—	0.07	—	—	0.64	—	—	24
25	0.18	—	0.15	0.46	—	—	0.19	—	—	0.24	0.07	0.04	25
26	0.04	0.01	—	0.03	0.10	—	—	—	0.08	—	0.07	—	26
27	0.12	0.02	0.01	—	0.13	—	0.18	—	0.05	0.09	0.01	—	27
28	0.69	—	—	—	0.01	—	—	—	—	0.23	0.17	—	28
29	0.05	—	—	0.08	0.15	—	—	—	—	0.05	0.03	—	29
30	0.28	X	—	0.11	0.15	—	—	—	—	0.01	0.08	—	30
31	0.45	X	—	X	—	X	—	0.11	X	—	X	—	31
TOTAL	5.27	2.13	0.65	2.94	1.63	2.75	1.64	0.98	0.52	2.46	6.92	0.35	YEAR'S TOTAL
Days with 0.1 in. or more.	20	17	7	17	15	12	11	9	7	15	27	5	162
Days with 0.4 in. or more.	20	12	4	15	16	8	10	10	7	5	10	3	128

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

642
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Oaklands West End

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 45 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.64	0.04	—	—	0.12	0.82	0.28	—	0.35	0.20	—	1
2	0.01	—	0.05	0.22	—	—	—	—	—	0.01	0.01	—	2
3	0.22	0.01	0.05	—	—	—	0.12	—	0.60	—	—	—	3
4	0.07	—	0.06	0.10	0.07	0.05	0.31	—	—	—	—	—	4
5	0.84	0.08	0.29	0.38	0.03	0.04	0.01	—	—	—	0.08	0.01	5
6	0.01	—	0.44	0.44	—	0.01	0.01	0.16	0.56	—	0.02	—	6
7	—	0.23	—	0.27	—	0.18	0.04	—	—	—	—	—	7
8	0.02	—	—	0.22	0.04	—	0.40	0.05	0.06	—	0.02	—	8
9	—	—	0.26	0.08	0.01	—	0.03	0.05	0.17	—	—	0.10	9
10	—	—	0.06	—	—	—	—	—	0.27	—	—	—	10
11	—	—	—	0.01	—	—	—	0.16	—	—	—	—	11
12	0.12	—	—	—	—	—	0.05	0.06	—	—	—	—	12
13	0.12	—	—	—	—	—	0.24	0.63	0.17	—	0.11	0.34	13
14	0.02	—	—	0.04	0.04	—	0.23	0.02	2.36	—	0.01	0.13	14
15	—	—	—	—	0.01	—	—	0.17	0.07	—	0.02	—	15
16	0.02	—	—	—	0.13	0.19	—	0.01	0.26	—	—	—	16
17	0.19	—	0.17	—	—	0.19	—	0.57	0.02	—	—	—	17
18	0.02	—	—	—	—	0.31	—	0.04	0.01	—	0.83	—	18
19	—	0.30	—	—	—	—	0.01	0.38	—	0.02	0.40	—	19
20	0.35	0.10	—	—	0.02	—	0.14	0.66	—	—	0.27	0.30	20
21	—	0.36	—	—	—	0.02	0.01	0.42	0.41	0.25	0.13	1.00	21
22	0.16	0.24	0.21	—	0.04	0.03	—	0.02	0.14	0.21	—	5.56	22
23	0.01	0.95	0.46	—	—	0.17	0.01	0.72	1.01	—	0.26	0.08	23
24	—	0.10	0.55	—	—	0.11	—	0.23	—	0.05	—	0.43	24
25	—	0.35	0.21	—	—	0.01	0.32	0.09	0.07	0.05	—	0.47	25
26	0.35	0.55	0.07	—	—	0.09	0.22	—	—	0.08	—	0.17	26
27	0.07	0.31	0.08	—	0.36	0.07	0.01	—	—	0.58	—	—	27
28	0.27	0.27	0.12	0.08	—	0.19	0.01	—	—	0.03	0.43	—	28
29	0.10	—	0.20	—	—	0.30	0.01	—	0.69	0.02	0.55	—	29
30	0.23	X	0.04	—	—	0.28	—	—	0.02	0.33	—	—	30
31	—	X	0.43	X	—	X	0.03	—	X	0.01	X	0.34	31
TOTAL	2.42	4.49	3.79	1.84	0.75	2.36	3.03	4.72	6.89	1.99	3.34	3.93	YEARS TOTAL
Days with "01 in. or more.	21	14	19	10	10	18	21	19	17	13	15	12	189
Days with "04 in. or more.	14	13	19	9	6	14	11	16	13	9	10	11	145

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Oaklands - West Endin the County of HampshireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 45 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.58	0.01	0.10	0.01	—	—	—	0.69	—	—	—	—	1
2	0.81	0.66	0.11	0.03	—	—	—	0.04	—	—	0.56	0.02	2
3	—	—	—	0.22	—	—	0.17	0.86	—	—	0.04	—	3
4	0.03	0.18	—	—	—	0.05	—	0.03	—	—	—	—	4
5	0.02	0.25	0.24	0.02	—	0.13	0.10	—	0.01	0.03	—	—	5
6	0.01	—	0.02	—	—	0.19	—	—	—	0.03	—	0.09	6
7	—	0.01	0.07	0.33	—	0.26	—	0.09	—	0.02	—	—	7
8	—	0.04	—	0.05	—	0.38	—	—	—	0.02	—	—	8
9	0.01	—	—	0.02	—	—	—	—	0.53	0.07	—	0.03	9
10	0.24	0.20	—	0.06	—	0.03	—	0.01	—	0.40	0.16	0.08	10
11	0.05	—	—	0.01	—	0.01	—	—	—	0.70	0.07	0.21	11
12	0.42	0.55	—	—	—	—	—	—	—	0.18	0.06	0.04	12
13	—	0.06	—	—	—	0.63	—	0.03	—	—	0.03	—	13
14	0.12	0.09	—	0.47	0.15	0.04	—	0.05	—	0.45	0.51	—	14
15	0.11	—	—	0.39	—	—	—	—	—	0.01	0.27	—	15
16	0.00	0.08	—	0.05	0.05	—	—	—	—	0.14	0.40	0.31	16
17	0.03	—	0.02	0.02	0.40	0.02	—	—	—	0.05	0.02	—	17
18	0.46	—	0.05	—	0.09	0.05	—	—	—	0.40	0.10	—	18
19	0.28	—	0.08	—	0.25	0.08	—	0.12	—	0.67	0.08	0.09	19
20	0.16	—	0.19	—	—	—	—	0.02	—	0.03	0.11	—	20
21	—	—	0.21	0.05	0.09	0.01	—	—	—	0.36	0.33	0.01	21
22	0.49	—	0.43	—	—	—	—	—	—	0.99	0.36	0.11	22
23	0.04	—	0.05	—	0.07	—	—	—	—	0.29	0.35	0.04	23
24	0.08	—	0.08	—	—	—	—	—	—	0.16	0.02	0.23	24
25	0.25	—	—	—	—	0.05	—	0.30	0.19	0.24	0.05	0.18	25
26	—	—	0.01	—	0.01	0.01	0.03	0.28	—	1.38	0.03	0.05	26
27	—	—	0.11	—	—	—	0.78	—	—	0.33	0.04	0.12	27
28	0.68	—	0.15	—	—	0.01	—	—	0.10	—	—	0.16	28
29	0.39	0.27	0.57	—	—	—	0.06	—	0.48	0.05	0.06	0.19	29
30	0.03	×	0.60	—	—	0.17	0.19	—	—	0.08	—	0.08	30
31	0.27	×	0.41	×	—	×	0.42	—	×	0.03	×	—	31
TOTAL	55.6	2.40	3.50	1.73	1.11	2.12	1.75	2.52	1.37	7.11	3.11	3.24	YEAR'S TOTAL 35.46
Days with "01 in. or more.	23	12	19	14	8	17	7	12	54	25	21	18	181
Days with "04 in. or more.	17	10	16	8	7	11	6	8	4	18	17	15	137

REGISTER OF RAINFALL IN 1929.

Kept at Oaklands- West End
in the County of Hampshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 45 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	0.13	—	—	—	0.06	—	0.01	—	0.27	—	—	I
2	—	0.61	—	—	—	0.12	0.13	—	—	0.17	0.02	0.45	2
3	—	—	—	—	—	0.01	0.07	0.06	—	0.02	—	0.14	3
4	—	—	—	0.04	0.31	0.08	0.29	0.10	—	0.01	—	0.40	4
5	—	—	—	0.01	0.75	0.40	0.15	0.57	—	0.81	0.28	0.28	5
6	—	—	—	—	0.06	0.01	—	0.31	—	0.04	0.09	0.72	6
7	—	—	—	—	0.01	0.02	—	0.33	—	0.44	0.37	0.71	7
8	—	—	—	—	0.11	0.01	—	0.01	—	0.28	—	0.35	8
9	0.11	0.16	—	—	—	—	—	—	—	—	0.17	0.45	9
10	0.12	—	—	—	0.04	—	—	—	—	0.04	—	0.46	10
11	—	0.03	—	0.02	0.20	—	—	—	—	—	1.33	0.01	11
12	—	—	—	0.04	0.06	0.06	—	—	—	—	—	0.06	12
13	0.01	—	—	—	0.16	—	—	—	—	—	—	0.03	13
14	—	—	—	—	0.04	0.25	—	—	—	—	—	0.08	14
15	0.02	0.15	—	—	—	0.18	—	—	—	—	0.91	0.03	15
16	—	—	—	—	—	—	—	0.22	—	—	0.03	—	16
17	0.07	—	—	0.03	—	—	—	—	—	—	—	—	17
18	—	—	—	—	—	—	—	0.01	—	—	0.54	—	18
19	—	—	—	—	—	—	—	—	—	—	0.09	—	19
20	0.03	—	—	—	—	—	0.96	0.07	—	0.47	—	0.47	20
21	0.11	—	0.08	—	—	—	—	—	—	—	—	0.08	21
22	—	—	0.04	—	—	—	0.02	0.02	—	—	0.34	—	22
23	—	0.12	—	—	—	—	—	—	—	0.17	0.72	0.63	23
24	—	0.01	—	—	—	—	—	—	—	1.21	1.15	0.67	24
25	—	0.02	—	—	—	—	—	—	—	0.10	0.20	0.01	25
26	—	0.01	—	0.01	0.06	—	—	—	—	—	0.05	0.18	26
27	0.03	—	—	0.10	0.09	—	—	—	—	0.03	1.06	0.12	27
28	0.32	—	—	0.01	—	—	0.30	—	—	0.49	0.37	0.61	28
29	0.10	X	—	0.75	—	0.10	—	—	0.01	0.06	0.87	0.50	29
30	0.02	X	—	—	—	0.16	0.07	—	0.30	—	0.59	0.08	30
31	0.65	X	—	X	—	X	0.13	0.01	X	—	X	0.05	31
TOTAL	1.59	1.24	0.12	1.01	1.89	1.46	2.12	1.72	0.31	4.61	9.18	7.57	YEAR'S TOTAL 32.82
Days with "or in. or more.	12	9	2	9	12	13	9	12	2	16	19	25	140
Days with "04 in. or more.	7	5	2	4	11	9	8	7	1	13	17	21	105

Section

A

for the entry of Daily Observations.

708
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Oaklands, West End - 2 1/2 mi. S. of Southampton
in the County of Hants

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 45 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.08	0.83	—	0.23	—	—	—	—	—	—	0.47	—	1
2	0.04	0.02	0.05	0.06	0.18	—	0.08	0.40	—	—	0.77	—	2
3	0.06	0.11	—	0.74	0.43	—	—	0.65	—	0.02	—	—	3
4	0.83	0.02	—	—	—	—	—	0.36	—	0.21	—	—	4
5	0.02	—	0.05	0.01	0.04	—	—	0.11	—	0.03	—	—	5
6	—	—	—	—	—	—	—	0.80	0.54	0.02	—	0.06	6
7	0.12	—	—	—	—	—	—	0.35	—	0.43	0.27	0.17	7
8	0.14	—	—	0.04	—	—	—	0.01	0.07	—	—	0.26	8
9	0.28	—	0.01	—	0.26	—	—	—	0.12	—	—	—	9
10	0.70	—	0.05	—	0.28	—	—	0.02	—	0.02	—	0.81	10
11	0.21	—	0.01	0.03	0.02	—	0.13	—	—	0.05	—	0.34	11
12	0.18	—	—	0.06	0.15	—	—	0.06	—	—	—	0.25	12
13	0.03	—	0.05	0.29	0.07	—	0.09	0.21	0.40	—	—	—	13
14	0.04	0.10	0.21	0.05	—	—	0.27	—	0.04	0.02	—	0.08	14
15	0.07	—	0.37	—	—	—	0.36	—	—	0.09	0.08	0.19	15
16	—	—	—	—	—	—	—	—	0.17	—	—	0.20	16
17	—	—	0.06	0.19	—	—	—	0.01	0.42	0.35	—	—	17
18	—	—	—	0.01	0.09	—	0.01	0.05	0.26	0.01	0.17	0.22	18
19	—	—	0.23	0.05	—	0.02	—	0.21	0.40	0.26	0.60	0.02	19
20	—	—	—	0.16	0.02	—	0.62	0.71	0.15	0.02	0.35	—	20
21	0.01	—	0.04	—	—	—	—	0.01	0.02	0.08	0.50	—	21
22	0.42	—	—	0.04	0.05	0.04	—	0.68	0.04	0.28	0.34	0.04	22
23	0.35	—	0.17	0.20	—	0.27	0.16	0.03	0.07	—	0.29	0.12	23
24	0.18	—	—	0.38	0.10	0.02	—	—	—	0.02	0.29	0.47	24
25	0.05	0.37	—	0.09	0.31	—	—	—	—	—	0.08	—	25
26	0.28	0.01	—	—	0.06	—	0.05	—	0.09	—	0.34	0.34	26
27	0.02	—	—	—	—	—	0.02	—	—	0.07	0.17	0.07	27
28	0.08	—	0.02	—	—	—	—	—	0.25	0.01	0.57	0.23	28
29	0.12	—	—	—	0.02	—	0.05	0.06	0.26	0.04	0.03	0.06	29
30	0.12	X	—	—	0.12	0.09	0.48	—	—	—	—	0.37	30
31	0.58	X	0.16	X	0.15	X	—	—	X	0.13	X	0.13	31
TOTAL	5.01	1.46	1.48	2.63	2.05	0.44	2.32	4.73	3.20	2.16	5.32	4.43	YEAR'S TOTAL 35.33
*Days with 0.01 in. or more.	25	7	14	17	17	5	12	18	16	20	16	20	187
*Days with 0.04 in. or more.	21	4	11	14	14	3	10	13	15	11	15	19	150

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P. C. Pearson
Captain R.N.

[P.T.O.]

R

WEST MEON

WESTWOOD

HAMPSHIRE

1921 - 1926
1929 - 1930

Kept at WESTWOOD

in the County of HAMPSHIRE

by MAJOR G.E.G.

IMPORTANT NOTE

If an Observer prefers not to read the reading at 9 a.m. on this paragraph. Full instructions and particulars as to the sent post-free on application Square, London, N.W. 1.

ORGANIZATION.

21

g. 1° 5' 40" W

7 A.M.

WEST MEON L.S.W.Ry

Rain Gauge 5 in.

Above Ground 1 ft. 7 in.

Sea Level 470 ft.

entered to the previous day.

requested to add at the end of of rain gauges, fall Observers, n, 62, Camden

Jan. 1, following.

m.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.225	0.060	0.0									0.260	1
2	0.550	0.090	0.0								0.160	0.315	2
3	0.040	—	tr.	—	0.020	—	—	0.050	—	0.050	0.230	0.010	3
4	0.080	0.010	0.005	—	0.110	0.040	—	0.050	—	—	0.260	—	4
5	0.200	—	—	—	0.325	—	—	0.140	—	—	0.560	—	5
6	—	—	0.025	—	0.010	—	—	0.310	—	—	0.220	0.015	6
7	0.440	tr.	0.120	—	0.380	—	—	—	—	—	0.010	0.005	7
8	0.715	—	—	—	0.410	—	—	—	—	—	0.075	—	8
9	0.120	—	0.040	—	0.080	0.015	—	—	—	—	—	—	9
10	—	tr.	0.015	0.060	tr.	—	—	—	0.130	—	—	—	10
11	0.210	—	—	—	—	—	—	0.020	—	0.010	—	0.040	11
12	0.310	0.010	0.005	—	tr.	—	—	—	0.950	—	—	—	12
13	0.480	—	0.010	—	1.025	—	—	1.450	0.040	—	—	0.070	13
14	0.015	—	0.200	0.240	—	—	—	0.080	0.010	0.005	dew. tr.	—	14
15	tr.	—	0.100	—	0.140	—	0.005	—	—	—	—	0.250	15
16	0.020	tr.	—	0.100	0.010	—	0.100	—	—	—	0.055	—	16
17	0.145	—	0.040	0.405	—	—	—	1.190	—	—	0.685	0.005	17
18	0.175	—	0.195	tr.	—	—	—	0.190	0.240	0.050	—	0.010	18
19	0.030	—	—	0.010	—	—	—	—	—	0.050	imm. tr.	—	19
20	—	—	0.200	0.005	—	—	—	—	—	—	—	—	20
21	—	—	0.015	—	—	—	—	—	—	0.250	—	0.180	21
22	0.020	—	—	—	—	—	—	—	—	—	0.045	imm. tr.	22
23	0.005	—	—	0.230	—	—	—	—	—	0.080	—	0.295	23
24	—	—	—	0.140	—	—	0.010	0.210	—	0.280	—	0.020	24
25	0.040	0.115	tr. dew	—	—	—	—	—	—	—	—	0.190	25
26	—	0.060	tr. dew	—	—	0.100	—	—	—	—	0.005	0.095	26
27	0.030	—	—	—	0.015	—	0.040	—	—	—	dew. tr.	0.490	27
28	0.005	—	tr.	0.040	0.010	—	—	—	dew. tr.	dew. tr.	tr. dew.	0.060	28
29	—	—	0.280	—	0.070	—	0.060	—	tr. dew.	—	—	0.040	29
30	0.135	—	0.030	0.020	0.440	—	—	0.030	—	—	—	0.025	30
31	0.370	—	—	—	0.185	—	—	—	—	tr. dew.	—	0.230	31
TOTAL	4.195	1.375	1.375	1.250	3.150	0.165	0.405	3.790	1.180	0.725	2.305	2.605	YEAR'S TOTAL
Days with .01 in. or more	55	26	28	20	5	2	1	5	1	12	65	41	21.655
Days with .04 in. or more	16	4	8	7	11	2	4	78	4	5	10	13	90

REGISTER OF RAINFALL IN 1921

Kept at WESTWOOD WEST MEON.
in the County of HAMPSHIRE.
by MAJOR G.E.GALBRAITH.

Lat 51° 1' 20" N. Long. 1° 5' 40" W
Time of Observation 9 A.M.
Nearest Railway Station WEST MEON L.S.W.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
Sea Level 4.70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.225	0.060	0.010	—	—	0.010	—	0.010	—	—	—	0.260	1
2	0.550	0.090	0.085	tr.	—	—	—	0.030	—	—	0.160	0.315	2
3	0.040	—	tr.	—	0.020	—	—	0.030	—	0.050	0.230	0.010	3
4	0.080	0.010	0.005	—	0.110	0.040	—	0.050	—	—	0.260	—	4
5	0.200	—	—	—	0.325	—	—	0.140	—	—	0.560	—	5
6	—	—	0.025	—	0.010	—	—	0.310	—	—	0.220	0.015	6
7	0.440	tr.	0.120	—	0.380	—	—	—	—	—	0.010	0.005	7
8	0.715	—	—	—	0.410	—	—	—	—	—	0.075	—	8
9	0.120	—	0.040	—	0.080	0.015	—	—	—	—	—	—	9
10	—	tr.	0.015	0.060	tr.	—	—	—	0.130	—	—	—	10
11	0.210	—	—	—	—	—	—	0.020	—	0.010	—	0.040	11
12	0.310	0.010	0.005	—	tr.	—	—	—	0.950	—	—	—	12
13	0.480	—	0.010	—	1.025	—	—	1.450	0.040	—	—	0.070	13
14	0.015	—	0.200	0.240	—	—	—	0.080	0.010	0.005	dew. tr.	—	14
15	tr.	—	0.100	—	0.140	—	0.005	—	—	—	—	0.250	15
16	0.020	tr.	—	0.100	0.010	—	0.100	—	—	—	0.055	—	16
17	0.145	—	0.040	0.405	—	—	—	1.190	—	—	0.685	0.005	17
18	0.175	—	0.195	tr.	—	—	0.190	0.240	0.050	—	—	0.010	18
19	0.030	—	—	0.010	—	—	—	—	—	0.050	imm. tr.	—	19
20	—	—	0.200	0.005	—	—	—	—	—	—	—	—	20
21	—	—	0.015	—	—	—	—	—	—	0.250	—	0.180	21
22	0.020	—	—	—	—	—	—	—	—	—	0.045	imm.	22
23	0.005	—	—	0.230	—	—	—	—	—	0.080	—	0.295	23
24	—	—	—	0.140	—	—	0.010	0.210	—	0.280	—	0.020	24
25	0.040	0.115	tr. dew	—	—	—	—	—	—	—	—	0.190	25
26	—	0.060	tr. dew	—	—	0.100	—	—	—	—	0.005	0.095	26
27	0.030	—	—	—	0.015	—	0.040	—	—	—	dew. tr.	0.490	27
28	0.005	—	tr.	0.040	0.010	—	—	—	dew. tr.	dew. tr.	dew. tr.	0.060	28
29	—	—	0.280	—	0.070	—	0.060	—	dew. tr.	—	—	0.040	29
30	0.135	—	0.030	0.020	0.440	—	—	0.030	—	—	—	0.025	30
31	0.370	—	—	—	0.185	—	—	—	—	dew. tr.	—	0.230	31
TOTAL	4.360	0.345	1.375	1.250	3.150	0.165	0.405	3.790	1.180	0.725	2.305	2.805	YEAR'S TOTAL
Days with "01 in. or more	65	26	78	20	5	2	1	5	1	12	1	65	41
Days with "04 in. or more	16	4	89	7	11	2	4	78	4	5	109	13	90

REGISTER OF RAINFALL IN 1922.

Kept at WESTWOOD, WEST MEON,
in the County of HAMPSHIRE
by MAJOR G.E. GALBRAITH.

Lat. 51° 1' 20" N. Long. 1° 5' 40" W.
Time of Observation 9 A.M.
Nearest Railway Station WEST MEON, L. & S. W. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

see below
(11)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0".170	0".380	0".190	0".010	-	-	0".280	0".030	0".110	0".360	0".090	1
2	0".015	0".240	0".230	-	0".090	0".030	0".330	0".040	0".150	0".030	0".510	-	2
3	tr. dew	0".230	0".190	0".385	-	-	0".360	0".010	-	-	0".030	tr.	3
4	0".050	0".200	0".270	0".400	0".150	-	0".020	0".090	-	0".010	0".090	-	4
5	-	0".255	0".200	-	0".305	-	0".220	0".060	-	0".490	-	-	5
6	0".010	-	0".260	-	-	-	2".190	-	-	0".150	0".850	-	6
7	0".090	-	0".190	0".040	-	-	tr.	0".980	-	-	0".030	-	7
8	0".105	-	0".750	0".190	-	-	0".010	0".230	-	-	0".050	-	8
9	0".090	-	0".030	0".010	-	0".040	0".270	0".010	-	-	0".030	0".010	9
10	0".140	-	0".010	0".055	-	-	0".010	0".150	-	tr.	0".020	-	10
11	0".005	-	-	-	-	tr.	-	0".020	-	tr.	0".500	-	11
12	0".070	-	-	0".055	0".050	-	-	0".160	-	-	-	-	12
13	-	-	-	0".980	-	-	-	0".340	0".820	-	-	0".030	13
14	0".090	-	-	0".790	-	0".435	0".380	-	0".150	-	0".010	-	14
15	0".040	-	-	0".060	-	-	0".470	-	0".260	-	-	-	15
16	0".520	0".330	-	0".030	-	-	-	-	-	-	-	-	16
17	tr. dew	0".180	-	0".160	0".275	-	0".030	0".080	0".180	tr. dew	0".010	0".240	17
18	-	0".200	-	-	0".100	-	0".120	0".020	0".010	-	-	0".110	18
19	1".400	0".105	-	-	0".070	-	-	-	0".100	-	-	0".170	19
20	0".220	0".065	0".020	-	tr.	-	-	-	0".270	0".080	-	0".810	20
21	0".090	0".310	tr.	-	-	-	-	-	-	tr.	-	0".010	21
22	0".505	0".140	0".020	0".195	-	-	-	-	0".010	-	-	1".400	22
23	0".005	0".060	-	tr.	0".010	0".075	0".010	0".170	-	-	-	0".270	23
24	-	0".140	-	0".180	-	tr.	0".180	-	0".020	tr. dew	-	-	24
25	0".080	-	0".160	0".020	0".570	0".180	-	0".140	-	-	-	0".030	25
26	0".580	0".020	0".055	0".410	-	0".400	-	-	0".200	hear frost 0".010	-	0".360	26
27	0".365	0".475	0".010	0".150	-	0".130	0".160	-	0".040	-	0".010	0".130	27
28	0".415	0".190	0".160	0".100	-	0".020	-	0".400	-	0".010	-	0".610	28
29	0".365	~~X~~	0".025	tr.	-	0".280	-	0".070	-	-	-	0".130	29
30	0".010	~~X~~	-	-	-	0".020 0".220	0".010	0".020	-	0".295	-	0".260	30
31	0".010	~~X~~	0".060	~~X~~	-	~~X~~ 9 A.M. 0".040	0".040	0".440	~~X~~	-	~~X~~	0".740 0".110	31
TOTAL	5".270	3".310	3".020	4".400	1".570	1".830	4".810	3".710	2".240	1".185	2".500	5".510	YEAR'S TOTAL 39".355
Days with "01 in. or more	24	17	6	19	9	10	18	20	13	9	8	4	18
Days with "04 in. or more	19	16	12	15	8	8	12	14	9	5	6	12	137

REGISTER OF RAINFALL IN 1923.

Kept at WESTWOOD, WEST MEON.
in the County of HAMPSHIRE.
by MAJOR G.E.GALBRAITH.

Lat 51° 1' 20" N. Long 1° 5' 40" W.
Time of Observation 9 A.M.
Nearest Railway Station WEST MEON. L.S.W. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

07

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.260	-	0.010	-	0.020	0.010	-	0.010	0.050	0.005	1
2	0.180	0.040	0.360	-	-	-	-	-	0.040	0.070	0.010	0.540	2
3	0.330	0.020	0.480	-	0.020	-	-	0.070	-	0.140	0.040	-	3
4	0.010	-	0.020	-	-	-	-	-	-	0.630	0.020	0.120	4
5	-	-	tr.	-	-	-	-	-	0.150	tr. dew	-	0.100	5
6	0.520	-	0.010	0.050	-	-	-	-	-	0.110	0.130	0.010	6
7	0.620	0.350	0.100	0.100	-	-	-	-	0.005	-	tr. frost	tr.	7
8	0.080	1.490	0.210	-	0.060	0.020	0.140	-	-	0.400	-	0.580	8
9	0.010	0.030	0.010	-	0.070	tr.	-	-	-	0.205	0.340	-	9
10	0.100	0.540	-	-	-	-	-	-	-	0.030	0.020	0.010	10
11	0.010	0.550	-	0.550	0.080	-	0.160	-	-	0.210	-	0.015	11
12	-	0.080	-	0.480	0.040	-	-	-	-	0.760	-	0.015	12
13	-	0.140	0.660	0.370	0.100	0.030	-	-	-	0.540	0.010	-	13
14	-	0.100	0.090	0.070	-	-	-	-	-	tr. dew	0.720	0.030	14
15	0.010	tr.	0.070	0.010	0.060	-	tr. dew	0.010	0.260	0.020	0.010	-	15
16	-	0.010	0.010	0.380	0.130	0.290	0.060	-	0.090	-	0.340	0.010	16
17	tr. dew	0.180	-	0.240	0.040	-	-	-	-	-	0.185	-	17
18	0.040	0.390	-	-	tr.	-	-	0.180	0.150	tr.	0.010	-	18
19	-	0.230	-	-	0.010	-	-	0.040	0.020	-	tr.	-	19
20	0.050	0.005	-	-	-	0.040	-	0.005	0.150	0.990	0.010	0.020	20
21	0.080	0.230	0.010	-	0.040	-	-	-	0.260	0.150	0.010	-	21
22	-	0.040	-	0.090	tr.	-	-	-	0.020	0.230	-	0.350	22
23	-	0.460	0.080	-	-	-	-	0.050	0.150	0.435	0.020	0.190	23
24	-	0.400	0.020	-	0.480	-	0.090	0.760	0.040	0.380	-	0.100	24
25	-	0.090	-	0.120	-	-	-	0.510	0.300	0.090	-	0.070	25
26	-	0.580	-	0.860	tr.	0.015	0.010	0.160	0.030	0.740	-	0.400	26
27	-	0.090	-	0.110	-	-	-	0.020	tr. dew	0.305	0.030	0.240	27
28	-	0.100	0.510	~~0.220~~	0.020	-	0.010	0.470	0.005	0.060	-	0.115	28
29	-	~~0.080~~	0.080	0.220	0.490	-	0.450	0.030	-	-	0.055	tr.	29
30	0.050	~~0.050~~	0.050	0.010	0.390	-	0.130	0.740	-	0.040	-	0.130	30
31	-	~~0.020~~	0.020	~~0.020~~	-	-	0.450	0.030	~~0.030~~	0.250	~~0.030~~	0.320	31
TOTAL	2.090	6.145	5.050	3.680	2.040	0.390	1.520	3.085	1.670	7.750	2.010	3.420	35.880
Days with 0.1 in. or more	14	24	18	16	15	6	10	13	15	23	18	21	198
Days with 0.4 in. or more	10	20	11	12	12	2	2	9	10	20	7	13	136

REGISTER OF RAINFALL IN 1924.

Kept at WESTWOOD, WEST MEON.in the County of HAMPSHIRE.by Major G. E. GALBRAITH, F.R.A.S., F.R.Met.Soc.Lat. 51°1'20"N. Long. 1°5'40"W.Time of Observation 9.0 A.M.Nearest Railway Station WEST MEONDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 6 in." " " " Sea Level 470 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

0".050

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0".070	-	tr.	-	0".210	0".370	-	-	0".050	0".310	0".220	0".310	1
2	-	-	0".060	-	0".020	0".520	0".200	-	-	-	0".940	0".330	2
3	0".070	-	0".180	-	-	0".200	0".060	-	-	0".030	-	0".080	3
4	0".010	-	0".020	-	0".320	0".060	0".180	0".250	0".005	0".030	-	-	4
5	-	-	-	-	0".005	0".660	-	0".030	0".180	0".090	-	0".460	5
6	-	-	0".090	-	0".020	-	0".020	-	0".005	0".150	-	0".030	6
7	-	-	-	-	0".020	-	-	0".060	0".030	0".530	-	-	7
8	0".040	-	-	-	0".330	0".420	-	-	0".460	0".290	-	tr.d.	8
9	0".310	0".150	0".005	0".050	0".100	-	-	-	0".150	0".170	-	-	9
10	0".080	0".120	-	0".030	0".110	0".110	-	-	0".130	0".020	-	hour frost 0".010	10
11	0".220	-	-	0".110	0".890	0".350	0".005	-	0".100	0".070	-	-	11
12	0".080	0".010	-	0".300	0".380	0".580	-	-	0".050	0".050	0".440	-	12
13	0".040	-	-	0".110	0".180	0".380	-	0".120	0".180	tr.d.	0".080	0".010	13
14	0".070	-	-	0".840	0".110	0".005	0".030	0".800	0".580	tr.d.	0".030	0".430	14
15	0".005	-	-	0".190	-	-	-	0".150	-	tr.d.	0".010	0".090	15
16	-	0".005	-	-	-	tr.d.	-	0".510	0".110	-	-	0".980	16
17	-	-	-	-	-	-	-	0".150	0".030	-	-	0".010	17
18	0".370	-	-	-	0".015	0".210	0".790	0".170	0".110	-	tr.	0".005	18
19	0".720	0".060	-	-	0".030	0".080	-	0".020	-	0".090	0".030	0".020	19
20	0".210	tr.	-	-	0".010	-	-	0".040	0".010	0".040	-	0".030	20
21	0".020	-	0".005	-	0".010	0".010	0".200	0".020	0".310	0".170	-	-	21
22	0".480	-	0".030	-	0".080	-	0".060	0".120	0".340	0".520	-	-	22
23	0".250	-	0".820	-	tr.	-	0".120	0".260	0".420	-	-	-	23
24	-	-	0".330	-	0".330	-	-	0".400	0".130	tr.d.	-	0".990	24
25	0".450	0".090	0".060	0".210	0".190	-	-	-	0".300	tr.	-	0".400	25
26	0".010	0".010	0".060	0".070	0".140	-	0".250	0".005	2".860	0".110	0".080	0".030	26
27	-	-	-	0".820	-	-	0".060	0".050	-	0".290	0".830	0".500	27
28	0".005	0".050	-	0".970	-	-	0".710	0".050	-	0".260	0".030	0".920	28
29	-	-	-	0".150	-	-	1".780	0".510	-	0".090	0".580	0".010	29
30	-	X	-	-	0".160	-	0".180	0".280	0".100	0".930	0".040	0".610	30
31	-	X	-	X	0".110	X	-	0".140	X	0".300	X	0".350	31
TOTAL	3".510 3.44 17.18	0".495 8	1".660 10	3".850 4.06 12	3".777 3.937 22	3".955 4 13	4".645 4.185 22	4".135 4.185 22	6".630 6.89 22	4".540 4.45 21	3".310 3.40 12	6".775 6.465 22	1199.1 47.212 47.225 38197 190
Days with 01 in. or more	3	2	1	13	2	13	2	3	3	3	4	8	
Days with 04 in. or more	15	5	8	11	15	11	12	17	18	18	8	13	

Com for W.D. ✓ W.D. 40

FOR OFFICIAL USE.

681

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1925.

Kept at WESTWOOD, WEST MEON

in the County of HANTS

by MAJOR G.E. GALBRAITH.

Lat 51° 1' 20" N. Long. 1° 5' 40" W.

Time of Observation 9.0 AM.

Nearest Railway Station WEST MEON

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 470 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

0.010

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.050	0.100	0.080	0.110	0.020	-	-	0.060	-	-	0.120	0.090	1
2	1.275	-	0.140	0.020	0.010	-	-	0.420	0.100	-	0.920	-	2
3	0.510	0.020	-	0.050	-	-	0.090	-	-	tr. d.	0.720	-	3
4	0.210	0.020	-	-	0.210	-	0.030	-	-	-	0.180	-	4
5	0.050	tr. d.	-	0.300	0.320	-	-	0.340	0.050	-	0.130	-	5
6	0.010	0.460	-	0.920	0.180	-	-	-	0.240	-	0.040	-	6
7	tr. d.	0.090	-	0.010	0.270	-	0.590	0.360	0.010	-	0.740	-	7
8	-	0.340	0.010	-	0.420	-	-	-	-	-	tr.	0.320	8
9	0.140	0.040	-	-	0.200	-	-	0.010	0.030	-	-	0.160	9
10	0.010	0.060	-	0.170	0.030	-	0.010	0.110	0.160	-	tr. d.	0.020	10
11	-	0.100	-	tr.	0.070	-	-	0.400	0.020	-	0.060	-	11
12	0.010	0.150	0.010	tr. d.	0.020	-	-	0.180	0.020	-	0.040	-	12
13	-	0.940	0.020	-	-	-	-	0.240	-	0.005	-	-	13
14	0.040	0.760	0.070	0.150	-	-	-	0.010	-	-	-	0.080	14
15	0.570	0.100	0.040	0.275	-	-	-	-	-	-	-	-	15
16	0.100	0.020	-	0.170	-	-	-	-	-	0.120	-	0.010	16
17	0.100	0.020	-	-	-	-	-	-	0.300	0.160	tr. d.	0.010	17
18	tr. d.	-	-	0.040	-	-	0.070	-	0.040	-	tr. d.	-	18
19	tr. d.	0.110	-	0.010	0.320	-	0.010	-	0.030	0.010	tr. d.	0.250	19
20	tr. d.	0.060	-	0.070	0.010	-	-	0.010	0.590	0.830	-	0.350	20
21	-	-	0.060	-	-	-	-	0.200	0.680	0.900	-	0.070	21
22	-	0.010	0.030	-	-	-	0.820	0.250	0.160	0.720	tr. d.	0.410	22
23	-	0.350	0.010	0.250	0.150	-	0.600	0.160	0.750	1.100	-	0.410	23
24	0.040	0.080	0.110	-	0.230	-	-	1.280	0.010	0.290	0.010	0.130	24
25	0.320	0.370	0.070	0.040	0.470	-	-	0.120	-	0.090	0.040	0.200	25
26	0.440	0.280	0.080	0.070	tr. d.	-	0.080	-	0.240	0.090	-	0.080	26
27	0.050	0.550	-	0.160	0.630	0.020	0.520	0.240	-	0.530	-	0.240	27
28	0.150	0.010	-	0.390	0.260	-	0.440	0.090	-	-	0.020	0.050	28
29	0.240	X	-	0.210	-	-	0.010	-	0.020	-	-	0.350	29
30	0.160	X	-	-	0.300	-	0.140	-	0.005	-	0.130	0.760	30
31	-	X	0.060	X	-	X	0.310	-	X	0.130	X	0.310	31
TOTAL	4.475	5.740	0.790	3.415	4.120	0.020	3.720	4.480	3.455	4.975	3.160	4.300	42.61
Days with 0.1 in. or more.	4.525	5.920	0.820	3.325	4.100	0.020	3.780	4.420	3.455	5.105	3.120	4.220	42.650
Days with 0.1 in. or more.	203	240	14	19	18	1	15	17	19	13	13	20	42193
Days with 0.1 in. or more.	17	18	9	15	14	-	11	14	11	12	11	16	149148

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at WESTWOOD, WEST MEON.

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 9 in.

Ground Sea Level 470 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following

005

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.010	0.540	-	-	0.120	-	-	-	0.210	-	0.005	0.220	1
2	1.140	0.060	-	-	-	0.400	-	0.010	0.010	-	0.300	-	2
3	0.070	0.005	-	-	-	0.360	0.040	0.050	0.260	-	0.040	-	3
4	0.390	0.120	0.080	-	-	-	-	-	-	-	-	-	4
5	0.100	0.300	0.060	0.030	-	-	0.060	0.010	-	-	0.340	-	5
6	0.160	0.100	0.200	-	0.820	0.010	0.540	-	-	0.050	0.210	0.280	6
7	0.400	0.440	-	0.230	-	-	0.050	0.180	0.010	0.010	0.140	-	7
8	0.100	0.070	-	0.210	0.320	0.210	-	-	0.150	0.005	0.690	0.040	8
9	0.010	0.010	-	0.150	0.025	0.005	0.010	0.010	0.250	0.110	0.340	-	9
10	-	-	0.030	-	-	0.290	0.240	0.020	-	0.040	0.370	0.005	10
11	0.010	-	-	-	0.070	0.370	0.170	-	-	-	0.030	-	11
12	-	0.050	-	-	0.050	0.280	-	0.130	0.010	0.010	0.150	-	12
13	-	0.005	-	-	0.060	0.120	0.050	-	-	0.400	0.010	0.005	13
14	-	-	-	-	0.020	0.010	-	-	0.020	0.020	0.230	0.020	14
15	0.160	0.150	-	0.530	0.450	0.280	-	-	0.020	0.650	0.070	0.010	15
16	0.480	0.130	-	0.270	-	-	-	0.380	0.010	0.240	0.250	-	16
17	0.130	0.330	-	0.330	-	-	-	0.150	0.005	0.020	0.070	-	17
18	0.090	0.640	-	0.150	-	0.430	0.060	-	-	-	0.340	0.020	18
19	0.240	0.110	-	-	0.020	0.170	0.005	0.220	-	-	0.710	-	19
20	0.010	-	-	0.070	0.030	-	0.350	0.040	-	-	0.330	0.030	20
21	0.010	-	0.005	0.050	-	-	-	0.340	-	-	0.350	-	21
22	-	0.040	-	0.010	0.005	-	0.020	0.040	-	-	0.380	-	22
23	0.690	0.010	-	0.010	-	-	-	-	-	0.010	0.010	-	23
24	0.140	-	0.020	-	-	-	-	0.010	-	-	-	-	24
25	0.150	0.005	-	-	-	-	0.160	0.010	0.040	0.700	-	-	25
26	0.220	-	0.060	0.480	0.020	-	0.070	0.040	-	0.050	0.130	0.020	26
27	0.020	0.010	0.050	0.070	0.190	-	0.400	-	0.070	-	0.005	0.005	27
28	0.130	0.040	0.005	0.020	0.040	0.010	-	-	-	0.090	0.180	-	28
29	0.690	X	-	-	-	-	0.500	-	-	0.150	0.300	0.010	29
30	0.100	X	-	0.010	0.240	-	-	-	-	0.070	0.200	-	30
31	0.300	X	-	X	0.200	X	-	0.050	X	0.010	X	-	31
TOTAL	5.530	3.540	0.510	2.620	2.680	2.945	2.725	1.660	1.075	2.635	6.180	0.665	32.805
Days with 0.1 in. or more.	6.480	2.625	4.8	5.17	7.15	4.14	4.15	1.870	0.865	2.640	6.395	0.450	197
Days with 0.4 in. or more.	2.021	1.514	5	1.12	1.0	1.0	1.213	1.12	0.8	1.1	2.223	0.32	138

Please read the Notes and Instructions Overleaf.

G. S. Galtbraith, Major.

REGISTER OF RAINFALL IN 1929 .

Kept at WESTWOOD, WEST MEON
in the County of HAMPSHIRE

Diameter of Funnel of Gauge.....2 in.
Height of top of Gauge above Ground.....1 ft. 5 in.
Ground Sea Level +470 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	0.010	0.680					0.140	0.270		0.290		0.750	I
2		0.120		0.030		0.030		0.160		0.500		0.010	2
3		0.550				0.120	0.120			0.290	0.020	0.580	3
4						0.010	0.040	0.070		0.020		0.280	4
5	~~0.005~~			0.060	0.450	0.260	0.580	0.120				0.490	5
6		~~0.005~~			1.050	0.410	0.150	0.750		0.910	0.200	0.440	6
7	0.010				0.110	0.020	0.050	0.480		0.060	0.210	0.930	7
8					0.010	0.120		0.370		0.670	0.650	0.750	8
9					0.050	0.020		0.120		0.310		0.680	9
10	0.130	0.180		0.010						0.020	0.150	0.560	10
11	0.180	0.020			0.010					0.060	0.040	0.500	11
12		~~0.005~~		0.040	0.200	0.010				0.010	1.390	0.020	12
13				0.090	0.240	0.110					0.010		13
14	0.030				0.280							0.060	14
15					0.040	0.390						0.090	15
16		0.150				0.240					0.920	0.880	16
17	0.010							0.230			0.040		17
18	0.070			0.030				0.010					18
19	0.030							0.100			0.630		19
20	0.010										0.130		20
21	0.070		0.010				0.200	0.110		0.830	~~0.470~~	0.470	21
22	0.060		0.130			~~0.005~~						0.200	22
23	0.010	0.010	0.030				0.020				0.320	0.040	23
24	0.010	0.070		0.020						0.280	0.530	0.630	24
25							~~0.01~~	0.010	0.010	1.320	1.460	0.660	25
26		0.050								0.200	0.320		26
27	~~0.020~~				0.160						0.050	0.280	27
28	0.020			0.130	0.020				0.020	~~0.005~~	1.450	0.160	28
29	0.200			0.010			0.400			0.690	0.510	0.260	29
30	0.120	X		0.350		0.070	0.120			0.030	0.440	0.480	30
31	0.010	X		X		X			X		X	0.080	31
TOTAL	0.985	1.840	0.170	0.770	2.620	1.815	1.820	2.800	0.030	6.495	9.470	10.080	38.895
Days with "or in. or more.	17	10	3	10	12	14	10	13	2	17	20	25	153
Days with "04 in. or more.	7	7	1	5	9	8	9	10	-	13	18	23	111

REGISTER OF RAINFALL IN 1930.

Kept at **WESTWOOD, WEST MEON**
in the County of **HAMPSHIRE**

Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. **7** in.
" Ground " Sea Level **470** ft.

Circ F sent 24.8.31

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0".01	0".65	—	0".18	—	0".12	0".04	—	—	—	0".16	0".01	1
2	0".02	0".40	—	0".26	—	—	—	—	—	—	0".36	—	2
3	0".04	0".02	0".08	0".04	0".15	—	0".06	0".46	—	—	0".67	—	3
4	0".14	0".05	0".005	0".76	0".82	—	—	0".45	—	0".04	0".01	—	4
5	1".10	0".09	0".01	0".02	—	—	—	0".17	—	—	—	0".25	5
6	0".03	—	—	—	0".04	—	—	0".16	—	0".01	—	—	6
7	0".02	—	0".08	—	0".06	—	—	0".65	0".24	0".15	—	0".04	7
8	0".19	0".005	—	—	—	—	—	0".02	—	0".42	0".47	0".16	8
9	0".14	—	—	0".07	0".02	—	—	—	0".04	0".01	—	0".32	9
10	0".31	—	0".03	—	0".40	—	—	0".01	0".14	—	0".02	0".43	10
11	0".74	—	0".14	—	0".35	0".01	—	0".05	—	—	—	0".75	11
12	0".16	0".005	—	—	0".04	—	0".07	0".01	—	0".03	—	0".34	12
13	0".28	—	—	0".01	0".14	—	—	0".05	—	0".01	—	0".37	13
14	0".06	—	0".11	0".14	0".04	—	0".10	0".22	0".41	0".005	0".005	0".01	14
15	0".12	~~0".10~~	0".21	0".25	—	—	0".23	—	0".01	0".005	—	0".02	15
16	0".04	0".10	0".42	0".01	—	—	0".41	0".01	0".15	0".21	0".16	0".16	16
17	—	~~0".10~~	—	—	—	0".01	0".01	—	—	0".01	—	0".13	17
18	—	0".02	0".10	0".23	—	—	0".06	0".01	0".55	0".23	—	0".01	18
19	0".005	~~0".02~~	0".01	0".07	0".12	0".20	0".06	0".01	0".20	0".005	0".23	0".12	19
20	—	—	0".07	0".08	—	0".02	—	0".16	0".60	0".20	0".68	0".03	20
21	—	—	—	0".30	—	0".03	1".20	0".85	0".23	0".06	0".36	—	21
22	0".10	—	0".02	—	—	—	—	0".07	0".01	0".06	0".56	—	22
23	0".59	—	—	0".03	0".13	0".02	0".01	0".54	0".06	0".32	0".51	0".01	23
24	0".37	—	0".10	0".21	—	0".38	0".03	0".03	0".11	—	0".24	0".03	24
25	0".26	0".01	—	0".23	0".10	0".23	—	—	—	—	0".41	0".27	25
26	0".08	0".25	—	0".02	0".14	—	—	—	0".03	0".27	0".15	0".08	26
27	0".47	0".10	—	—	0".07	—	0".09	—	0".12	—	0".29	0".25	27
28	0".02	—	0".02	—	—	—	0".01	—	0".08	0".04	0".22	0".20	28
29	0".08	—	0".08	—	~~0".02~~	—	—	—	0".21	0".02	0".60	0".24	29
30	0".16	X	0".07	—	0".03	—	0".08	0".85	0".11	0".005	0".01	0".07	30
31	0".05	X	—	X	0".04	X	0".09	—	X	—	X	0".40	31
TOTAL	5.585	1.70	1.555	2.91	2.69	1.02	2.57	4.78	3.30	2.44	6.445	4.69	YEAR'S TOTAL
Days with "01 in. or more.	27	8	12	8	17	6	18	5	17	7	9	5	220
Days with "04 in. or more.	21	20	17	11	14	13	15	15	4	3	12	10	156

729
WESTON

ORGANIZATION.

667
JAN 1922
ong 10
9 a.m.
on Petard Hill, L.S.W. 1/2

Rain Gauge 5 in.
e above Ground 1 ft. — in.
,, Sea Level 330 ft.

ult entered to the previous day.
requested to add
it at the end of
ng of rain gauges,
ainfall Observers,
tion, 62, Camden
Place, Edinburgh.
form.

Jan. 1, following.

Kept at Weston
in the County of Hants
by Capt P.W.T.

HANTS

1921 - 1930

IMPORTANT NOTE

If an Observer prefers to
the reading at 9 a.m. on
this paragraph. Full inst
and particulars as to th
sent post-free on applica
Square, London, N.W. 1, c

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.73	0.23	0.08					0.04			0.17	0.31	1
2	0.03				0.08			0.10			0.19	0.05	2
3	0.05				0.23	0.05		0.06			0.30		3
4	0.20				0.20			0.16			0.42		4
5			0.09					0.36			0.29		5
6	0.41		0.15		0.37								6
7	1.14				0.57						0.09		7
8	0.14		0.02										8
9			0.02										9
10	0.29								0.05				10
11	0.30								0.81			0.02	11
12	0.34		0.04		0.72			0.75	0.04			0.05	12
13	0.12		0.11	0.23				0.05	0.03				13
14			0.05		0.05							0.21	14
15				0.04			0.31				0.11		15
16	0.26		0.15	0.62				1.12			0.83	0.01	16
17	0.16		0.26				0.03	0.17	0.07				17
18	0.04									0.12			18
19			0.18	0.09						0.38		0.17	19
20			0.04							0.13	0.03		20
21	0.04										0.05		21
22				0.12						0.06		0.30	22
23				0.17				0.38		0.23		0.07	23
24	0.06	0.03										0.17	24
25		0.07				0.09						0.17	25
26	0.04						0.03					0.70	26
27												0.12	27
28			0.28		0.08		0.10					0.10	28
29	0.20		0.12		0.53								29
30	0.24	X		0.03	0.17						0.34	0.17	30
31	0.24	X		X	0.20	X			X		X		31
TOTAL	5.03	0.33	1.50	1.30	3.26	0.14	0.47	2.19	1.03	0.92	2.82	2.62	YEAR'S TOTAL 22.55
Days with 0.1 in. or more	20	3	14	7	11	2	4	10	5	5	11	15	107
Days with 0.1 in. or more	19	2	12	6	11	2	2	10	4	5	10	13	96

Kept at Neston, Peterhead
in the County of Hampshire
by Capt P. W. Howard

Lat. 57° 10' Long. 1° 10'
Time of Observation 9 a.m.
Nearest Railway Station Peterhead L.F.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh..

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.73	0.23	0.08					0.04			0.17	0.31	1
2	0.03				0.08			0.10			0.19	0.06	2
3	0.05				0.23	0.05		0.06			0.30		3
4	0.20				0.20			0.16			0.42		4
5			0.03					0.36			0.29		5
6	0.41		0.15		0.37								6
7	1.14				0.57						0.09		7
8	0.14		0.02										8
9			0.02										9
10	0.29								0.08				10
11	0.30								0.81			0.92	11
12	0.34		0.04		0.72			0.75	0.04			0.05	12
13	0.12		0.11	0.23				0.05	0.03				13
14			0.05		0.05							0.21	14
15				0.04			0.31				0.11		15
16	0.26		0.15	0.62				1.12			0.83	0.01	16
17	0.16		0.26				0.03	0.17	0.07				17
18	0.04									0.12			18
19			0.18	0.09						0.38		0.17	19
20			0.04							0.13	0.03		20
21	0.04										0.05		21
22				0.12						0.06		0.30	22
23				0.17				0.38		0.23		0.07	23
24	0.06	0.03										0.17	24
25		0.07				0.09						0.17	25
26	0.04						0.03					0.70	26
27												0.12	27
28			0.28		0.08		0.10					0.10	28
29	0.20		0.12		0.53								29
30	0.24	~~X~~		0.03	0.17						0.34	0.17	30
31	0.24	~~X~~		~~X~~	0.20	~~X~~			~~X~~		~~X~~		31
TOTAL	5.03		1.50		3.20								YEAR'S TOTAL
Days with 0.1 in. or more	20	3	14	7	11	2	4	10	5	5	11	15	22.69
Days with 0.1 in. or more	19	2	12	6	11	2	2	10	4	5	10	13	22.69

REGISTER OF RAINFALL IN 1922.

Kept at Wiston, n. Petersfield
in the County of Hants
by Capt Percy W. Seward

Lat. 51° N Long. 1° W (about)
Time of Observation 9 a.m.
Nearest Railway Station Petersfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.32	0.14		0.16		0.32	0.03	0.21	0.01	0.47		1
2		0.55	0.25	0.55			0.36				0.04		2
3	0.09	0.19	0.30	0.56	0.15		0.08	0.09			0.12		3
4		0.40	0.15		0.20		0.07			0.47			4
5			0.34				2.44			0.25	1.05		5
6	0.13		0.36					1.21			0.05		6
7	0.08		0.73	0.33			0.05	0.32			0.04	0.02	7
8	0.08		0.03	0.01		0.07	0.44				0.08	0.03	8
9	0.11			0.05				0.09					9
10	0.02							0.02			0.70		10
11	0.04				0.06			0.19					11
12				1.15				0.26	0.74				12
13	0.16			0.78		0.55	0.28		0.07				13
14	0.06						0.43		0.24				14
15	0.85	0.32		0.05									15
16		0.28		0.15	0.24		0.04		0.24		~~0.22~~	0.32	16
17		0.26			0.10		0.11	0.05			~~0.14~~	0.14	17
18	1.70	0.07			0.07						~~0.28~~	0.28	18
19	0.28	0.10	0.03		0.02				0.31	0.10	~~0.87~~	0.87	19
20	0.14	0.26											20
21	0.58	0.26		0.16	0.16							1.47	21
22	0.01	0.05				0.11		0.05				0.25	22
23		0.08		0.18		0.03	0.06		0.08				23
24	0.03		0.23	0.06		0.27		0.17					24
25	0.76	0.04	0.02	0.47		0.23			0.15			0.38	25
26	0.28	0.54	0.05	0.05		0.14	0.13					0.49	26
27	0.50	0.41		0.04		0.02		0.21				0.48	27
28	0.37	0.31	0.07			0.25		0.03	0.05			0.20	28
29	0.06					0.06				0.18		0.16	29
30		X	0.12			0.23		0.61	0.11		0.14	0.72	30
31	0.18	X	0.40	X		X	(.20)	0.06	X	0.24	X	0.05	31
TOTAL	6.55	4.47	3.22	4.65	1.16	1.96	5.03	3.42	2.20	1.25	2.72	5.89	YEAR'S TOTAL
Days with "1 in. or more	23	17	15	15	9	11	13	15	10	6	9	15	158
Days with "4 in. or more	22	17	12	14	8	9	14	13	10	5	9	13	143

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Weston, Petersfieldin the County of Hampshire.by Capt Percy. W. SewardLat. 51 N (abt) long. 1 W (about)Time of Observation 9 a.m.Nearest Railway Station PetersfieldDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in." " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.20	0.06	0.43						0.03	0.10	0.06	0.82	1
2	0.29	0.08	0.10					0.05		0.07	0.07		2
3										0.88	0.07	0.16	3
4									0.12			0.28	4
5	0.59			0.05	0.01					0.11	0.04	0.07	5
6	0.72	0.33	0.09	0.13		0.03							6
7		1.60	0.15		0.08					0.44		0.89	7
8		0.07	0.04		0.11					0.22	0.23		8
9	0.13	0.32					0.17			0.04	0.02		9
10		0.63		0.71	0.15		0.03			0.23		0.02	10
11		0.04		0.67	0.05					0.79		0.05	11
12		0.16	0.62	0.35	0.14	0.02				0.82			12
13	0.01	0.11	0.19	0.18					0.02		0.74	0.04	13
14			0.08	0.11	0.11			0.02	0.25				14
15		0.01	0.02	0.23	0.22	0.26	0.09		0.12		0.38		15
16		0.31		0.21	0.06						0.24		16
17		0.58						0.22	0.11		0.04		17
18	0.04	0.24				0.02		0.11		0.02			18
19	0.10	0.03					0.02		0.18	1.08			19
20	0.05	0.40	0.06		0.07			0.02	0.19	0.14			20
21		0.05		0.11					0.13	0.27		0.40	21
22		0.54	0.11					0.09	0.18	0.33		0.15	22
23		0.58	0.07		0.35		0.10	1.26	0.02	0.45		0.14	23
24		0.11						0.65	0.41	0.19		0.10	24
25		0.65		0.92	0.04		0.02	0.28	0.09	0.60		0.45	25
26		0.08		0.08		0.02		0.07		0.40	0.12	0.33	26
27		0.15	0.28		0.01			0.13		0.08		0.13	27
28		0.07	0.09	0.22	0.57		0.30	0.07			0.09		28
29	0.10		0.21		0.53		0.14	1.08		0.04		0.12	29
30		X	0.03	0.02			0.09	0.03		0.25		0.22	30
31		X		X		X	0.24	0.05	X	0.06	X	0.13	31
TOTAL	2.23	7.40	2.57	3.99	2.50	0.35	1.20	4.13	1.85	7.61	2.10	4.53	YEAR'S TOTAL
Days with 0.1 in. or more	10	24	16	14	15	5	10	15	13	23	12	18	40.26
Days with 0.4 in. or more	9	21	14	13	13	1	7	12	11	22	11	17	175

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

County No. _____
River Dist. _____
Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Weston, Peterfield
in the County of Hants
by Capt P. W. Seward

Lat. 51 N Long. 1 W
Time of Observation 9 a.m.
Nearest Railway Station Peterfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 330 in.
" " " " Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.09			0.33	0.23	0.05			1.06	0.60	1 RRR
2	0.08		0.27		0.03	0.09				0.02		0.02	2 RRR
3			0.14		0.32	0.04	0.23	0.23		0.05			3
4					0.13	0.98			0.05	0.32		0.68	4
5			0.15		0.03		0.05		0.04	0.23			5
6							0.02	0.04	0.10	0.62			6
7	0.08				0.30	0.61			0.78	0.32			7
8	0.30	0.19			0.17	0.04			0.07	0.13			8
9	0.09	0.14		0.15	0.09	0.10			0.08	0.02			9
10	0.33			0.20	0.79	0.65			0.19	0.09			10
11	0.04			0.41	0.46	0.47			0.09	0.09	0.15	0.05	11
12	0.08			0.15	0.15	0.37		0.09	0.30		0.08		12
13	0.05			0.90	0.15	0.01	0.05	0.46	0.62		0.14	0.32	13
14	0.02			0.19				0.14					14
15								0.19	0.17			1.43	15
16	0.09							0.64	0.06			0.07	16
17	0.50					0.19	1.03	0.11	0.10				17
18	0.72	0.05			0.23	0.20		0.04			0.03	0.04	18
19	0.06				0.02			0.12	0.02	0.19		0.06	19
20	0.02				0.05		0.21	0.02	0.40	0.20			20
21	0.49		0.04		0.09		0.05	0.02	0.31	0.63			21
22	0.34		1.02		0.02		0.02	0.56	0.62				22
23			0.53		0.75			0.46	0.03			1.15	23
24	0.45	0.10	0.09	0.17	0.46				0.32			0.26	24
25		0.02		0.12	0.30		0.23	0.03	1.91	0.28	0.15		25
26				0.73			0.10	0.04	0.02	0.24	0.77	0.39	26
27		0.06		0.95			0.78			0.28	0.13	1.00	27
28							1.46	0.55		0.06	0.54		28
29				0.15	0.24		0.22	0.30	0.06	1.05	0.04	0.43	29
30		X		0.12	0.22			0.20	0.31	1.30	0.50	0.40	30
31		X		X	0.57	X		0.02	X	0.25	X	0.10	31 1329
TOTAL	3.77	0.56	2.33	4.27	5.60	4.08	4.68	4.34	6.63	5.42	3.62	7.00	52.32
Days with "01 in. or more.	17	6	8	12	22	13	14	21	23	20	11	16	183
Days with "04 in. or more	15	5	5	12	18	12	11	17	20	18	10	15	161

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Weston, Petersfield,
in the County of Hants.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground „ Sea Level 330 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.59		0.04	0.05	0.04			0.49	0.06		1.00		1
2	0.87			0.08			0.45				1.00		2
3	0.32	0.11			0.28		0.08				0.08		3
4	0.03	0.01		0.26	0.26			0.14			0.22		4
5		0.60		1.11	0.26				0.25		0.09		5
6		0.06		0.06	0.20		0.47	0.27	~~0.25~~		0.87		6
7		0.34	0.03		0.45						0.04	0.25	7
8		0.04	0.04		0.22			0.05	0.05		0.02	0.22	8
9		0.04		0.14				0.15	0.09				9
10		0.16	0.06	0.04	0.10			0.63			0.20		10
11		0.12			0.05			0.11	0.12		0.20		11
12		1.32						0.15					12
13	0.09	0.86	0.06	0.11				0.02				0.02	13
14	0.73	0.10	0.03	0.29									14
15	0.15			0.09						0.06			15
16	0.12	0.05							0.23	0.32			16
17				0.03			0.05		0.08				17
18		0.08		0.03	0.54								18
19				0.10			0.08	0.01	0.68	1.05		0.45	19
20			0.07					0.13	0.78	0.87		0.10	20
21			0.02				0.45	0.15	0.17	0.78		0.51	21
22		0.40	0.03	0.28	0.22		0.66	0.36	0.87	1.35		0.36	22
23		0.19	0.06	0.05	0.38		0.02	<u>1.78</u>		0.18		0.30	23
24	0.30	0.49	0.05	0.26	0.65			0.05		0.07	0.07	0.34	24
25	0.27	1.20	0.20				0.10	0.15	0.36	0.06		0.10	25
26	0.10	0.70		0.11	0.44	0.01	0.92	0.04		0.78		0.25	26
27	0.19	0.04		0.41	0.59		0.45				0.05	0.07	27
28	0.24			0.27								0.38	28
29	0.24				0.35		0.22				0.12	0.85	29
30		X	0.05	0.04			0.42			0.05	0.05	0.25	30
31	0.12	X	0.09	X		X	0.08		X	0.06	X		31
TOTAL	5.47	7.02	0.83	3.84	5.74	0.01	4.15	4.77	3.74	5.63	4.02	4.15	29.07
Days with 0.1 in. or more.	15	20	14	20	16	1	14	17	12	12	14	15	170
Days with 0.4 in. or more.	14	19	10	18	16	—	13	15	12	12	13	14	156

(Signed)..... [Signature] [P.T.O.]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Weston Parkfield
in the County of Bucks
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. in.
,, Ground ,, Sea Level.....330 ft.

W W W J M J
Con for Airl

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.39	0.12				0.50	0.06		0.07		0.35		1
2	0.19					0.38			0.22		0.19		2
3	0.36	0.16	0.19				0.05						3
4	0.05	0.36	0.05				0.40				0.49		4
5	0.21	0.08	0.22		0.57		0.06		0.02		0.18	0.16	5
6	0.26	0.49		0.19				0.15	0.20	0.05	0.14		6
7	0.08	0.06		0.20	0.32	0.18			0.25		0.93		7
8				0.31	0.04	0.06			0.01	0.17	0.73		8
9			0.05			0.36	0.10	0.02		0.13	0.48		9
10					0.05	0.17	0.04				0.06		10
11		0.07			0.10	0.24		0.08	0.05		0.12		11
12					0.06	0.15				0.45	0.03		12
13	0.01				0.07			0.02	0.02		1.76		13
14	0.08	0.18		0.60	0.42	0.34				0.70	0.14		14
15	0.84	0.16		0.40					0.01	0.24	0.19	0.06	15
16	0.26	0.20		0.47				0.20		0.02	0.04		16
17	0.22	0.77		0.17		0.43	0.04				0.24	0.04	17
18	0.32	0.11			0.06		0.04	0.13			0.76		18
19				0.04	0.07		0.46	0.06			0.49	0.02	19
20			0.03	0.43				0.32			0.17		20
21		0.02					0.06	0.02			0.36		21
22	0.78										0.05		22
23	0.14												23
24	0.17						0.20			0.69			24
25	0.27		0.27	0.58			0.10			0.08	0.14	0.03	25
26	0.06				0.04		0.22		0.06				26
27	0.19	0.05		0.04	0.15					0.15	0.08		27
28	0.94			0.04	0.04		0.40			0.24	0.43		28
29	0.09			0.04	0.22					0.15	0.14		29
30	0.40	X		0.18	0.30		~~0.05~~	0.05			0.13		30
31	0.76	X		X		X	~~0.05~~	0.28	X		X		31
TOTAL	8.07	2.83	0.54	3.69	2.54	2.81	2.23	1.33	0.91	3.07	8.82	0.31	YEARS TOTAL
Days with 0.1 in. or more.	23	14	6	14	15	10	14	11	10	12	26	5	160
Days with 0.4 in. or more.	22	13	5	14	15	10	14	8	6	11	25	3	146


Please read the Notes and Instructions Overleaf.

Pearkward

Kept at Merton, Peterhead
in the County of Aberdeen
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.
Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.54		0.04		0.04	0.95	0.22		0.58	0.42		1
2	0.02		0.10	0.29						0.03			2
3	0.33		0.05				0.15					0.04	3
4	0.14		0.08	0.18			0.10						4
5	0.18	0.11	0.47	0.55	0.28	0.09		0.06			0.07		5
6			0.59	0.39			0.03	0.23	0.34		0.05		6
7		0.29	0.02	0.27		0.16		0.19					7
8	0.06			0.75	0.11		0.13	0.13	0.15		0.02		8
9				0.23	0.06		0.19	0.15	0.21			0.03	9
10			0.14				0.02	0.02	0.54				10
11								0.58					11
12	0.21						0.11	0.04					12
13	0.21						0.23	0.63	0.32		0.09	0.42	13
14	0.02			0.11			0.27	0.04	2.68			0.15	14
15								0.23	0.15				15
16					0.16				0.28				16
17	0.36		0.25			0.51		0.40					17
18	0.01					0.70		0.10	0.06		0.88		18
19		0.32				0.02		0.28			0.66		19
20	0.25	0.11					0.20	0.95	0.03		0.43	0.32	20
21		0.40			0.04	0.04	0.01	0.70	0.62	0.47	0.17	1.42	21
22	0.32	0.26	0.36		0.05	0.11	0.09		0.18	0.43		0.78	22
23	0.03	1.15	0.61			0.24		0.50	0.94		0.58	0.15	23
24		0.19	0.63	0.03		0.16	0.01	0.06		0.07		0.51	24
25		0.89	0.30			0.04	0.03	0.02	0.09	0.13		1.39	25
26	0.31	0.68	0.15			0.66	0.30		0.08	0.12		0.69	26
27	0.10	0.50	0.11		0.41	0.28	0.21		0.98				27
28	0.32	0.19	0.16	0.10		0.17	0.02			0.12	0.45		28
29	0.14		0.25			0.80			0.75		0.71		29
30	0.17	X	0.05			0.27	0.02		0.06	0.31			30
31		X	0.88	X		X	0.12		X	0.04	X	0.39	31
TOTAL	3.18	5.43	5.20	2.94	1.11	3.69	3.19	5.44	7.48	3.28	4.53	6.29	YEAR'S TOTAL
Days with "01 in. or more.	18	13	18	11	7	16	20	20	17	11	12	12	175
Days with "04 in. or more.	15	13	17	10	7	15	13	18	16	10	11	11	154



Section

for the entry of Daily Observations.

696.
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928 .

Kept at WESTON, PETERSFIELD

in the County of HANTS

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft. in.

„ Ground „ Sea Level 330' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.61	0.04	0.22	0.03									1
2	1.12	0.48	0.12	0.04				0.05			0.03		2
3				0.34			0.18	0.76			0.03		3
4	0.04	0.34						0.10			0.02		4
5	0.09	0.33	0.17			0.04	0.14		0.02				5
6			0.06			0.19				0.02		0.13	6
7	0.04	0.04	0.07	0.18		0.24		0.14		0.05			7
8		0.09		0.07		0.75	0.03			0.13			8
9		0.03	0.02	0.08		0.04			0.42	0.13			9
10	0.34	0.36		0.09		0.04		0.02		0.42	0.20	0.07	10
11				0.04						0.65	0.10	0.28	11
12	0.75	0.57	0.03							0.12	0.32	0.07	12
13		0.02				0.95		0.29			0.10		13
14	0.24	0.08		0.30	0.05	0.18		0.02		0.63	1.12		14
15	0.09			0.65						0.17	0.35		15
16		0.18		0.04	0.07					0.22	0.57	0.57	16
17	0.03			0.02	1.00					0.10			17
18	0.64		0.05		0.42	0.16				0.58	0.17		18
19					0.10			0.28		0.63	0.08	0.13	19
20	0.30		0.17		0.06					0.19	0.29		20
21	0.17		0.20	0.20	0.33	0.03				0.46	0.32		21
22			0.45					0.03		0.88	0.50	0.20	22
23	0.81		0.09		0.05					0.34	0.47		23
24	0.07		0.12						0.14	0.16	0.08	0.60	24
25	0.13					0.15		0.15		0.16		0.39	25
26	0.28				0.02	0.03	0.05	0.51		2.10	0.03	0.10	26
27			0.18				0.94	0.02		0.35	0.07	1.30	27
28	1.18		0.13						0.50			0.31	28
29	0.49	0.47	0.67	0.06		0.01				0.12	0.07	0.36	29
30	0.15	X	0.18			0.17	0.41			0.18		0.12	30
31	0.37	X	0.30	X		X	0.27		X		X	0.02	31
TOTAL	7.94	3.03	3.23	2.14	2.10	3.00	2.02	2.37	1.08	8.82	4.92	4.55	YEAR'S TOTAL 45.20
Days with "01 in. or more.	21	13	18	14	9	14	7	12	4	23	20	15	170
Days with "04 in. or more.	21	11	16	12	8	11	6	8	3	22	16	14	148

REGISTER OF RAINFALL IN 1929

Kept at Merton Parkfield
in the County of Bants

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ✓ in.
,, Ground ,, Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		0.11						0.08		0.35			I
2		0.75				0.16	0.08			0.24	0.02	0.88	2
3							0.33	0.12				0.26	3
4				0.08	0.80	0.18	0.13	0.04		0.05		0.35	4
5					1.37	0.46	0.27	0.81		0.78	0.22	0.65	5
6					0.10	0.04	0.06	0.49		0.10	0.15	0.76	6
7						0.08		0.24		0.72	0.70	0.97	7
8						0.03				0.35		0.47	8
9	0.12	0.16									0.21	0.47	9
10	0.17									0.06		0.53	10
11				0.08	0.25	0.04					1.71		11
12				0.08	0.19	0.19							12
13					0.30							0.08	13
14					0.03	0.31						0.13	14
15	0.08	0.20				0.31					1.25	0.04	15
16								0.23	0.23		0.07		16
17	0.09												17
18								0.04			0.61		18
19											0.14		19
20							0.41	0.12		0.62		0.50	20
21	0.08		0.08								0.02	0.35	21
22							0.06				0.39		22
23		0.08		0.03						0.21	0.47	0.69	23
24			0.04							0.17	1.39	0.62	24
25		0.10								0.13	0.92		25
26					0.04						0.05	0.26	26
27	0.02			0.08	0.03						1.62	0.13	27
28	0.33						0.35			0.62	0.60	0.89	28
29	0.13			0.36		0.10			0.02	0.03	0.39	0.38	29
30		X				0.09	0.12		0.35		0.68	0.22	30
31	0.70	X		X		X	0.23		X		X		31
TOTAL	1.72	1.40	0.12	0.71	3.11	1.99	2.04	2.17	0.60	4.43	10.91	9.63	YEAR'S TOTAL 38.83
Days with "or in. or more.	9	6	2	6	9	12	10	9	3	14	20	21	121
Days with "04 in. or more.	8	6	2	5	7	11	10	9	2	13	18	21	112

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Milton Petersfield
in the County of Hampshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.16	0.64		0.25							0.87		1
2	0.08	0.05	0.13	0.07	0.17		0.20	0.47			1.12		2
3	0.10	0.08		0.84	0.23			0.53		0.04			3
4	1.22	0.03		0.03				0.20		0.22			4
5	0.02				0.07			0.22		0.01			5
6			0.03		0.04			0.48	0.36	0.06		0.04	6
7	0.28							0.15		0.56	0.50	0.19	7
8	0.11											0.30	8
9	0.21				0.41				0.18				9
10	0.70		0.10		0.43			0.05				0.85	10
11	0.31			0.07	0.04		0.10			0.07		0.48	11
12	0.34			0.07	0.12			0.08				0.40	12
13	0.05		0.07	0.31	0.06		0.23	0.23	0.58			0.01	13
14	0.19	0.10	0.18				0.23		0.01				14
15		0.04	0.27				0.71			0.24	0.16	0.24	15
16							0.03		0.19			0.06	16
17			0.08	0.25				0.01	0.65	0.40			17
18				0.04	0.06		0.01	0.02	0.18		0.27	0.08	18
19			0.10	0.08				0.77	0.63	0.19	0.88	0.02	19
20				0.30			1.38	0.79	0.20	0.08	0.34		20
21								0.14		0.12	1.04		21
22	0.70			0.07	0.13	0.01		0.64		0.34	0.32		22
23	0.40		0.09	0.30		0.37		0.14	0.12		0.26	0.09	23
24	0.30			0.18	0.13	0.10				0.15	0.46	0.26	24
25	0.06	0.40			0.13				0.08	0.13	0.42		25
26	0.43				0.04		0.13		0.05		0.18	0.32	26
27									0.03	0.03	0.30	0.19	27
28	0.09								0.28		0.78	0.26	28
29	0.10		0.20				0.08	0.90	0.32	0.08		0.20	29
30	0.08	X			0.13	0.07	0.15				0.02	0.48	30
31	0.74	X	0.12	X	0.15	X			X		X	0.15	31
TOTAL	6.77	1.24	1.37	2.86	2.34	0.53	3.25	5.82	3.86	2.72	7.92	4.62	43.42
* Days with "or in. or more.	21	7	11	14	16	4	11	17	18	16	16	19	168
* Days with "04 in. or more.	21	6	10	13	16	3	9	15	13	14	15	18	163

40-9999

* See Instruction 2 (f) on other side.

(Signed) Peter W. Howard [P.T.O.]

RE

WICKHAM

LOWER HSE

HANTS

1921-1930.

IZATION.

627
FEB 1922

Kept at The Lower House

in the County of

by Major Gen Sir

IMPORTANT NOTE

If an Observer prefers not to conform to the instructions given in this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Gauge in.
Ground ft. in.
Sea Level ft.
to the previous day.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	56	37	05		113			21		0.2	-14	0.28	1
2	05				.5								2
3	05				.5						-10		3
4	1.15				.8			2			-18		4
5	1.05	05			.55			12			.30	0.04	5
6					.5			20			-18		6
7							3						7
8	1												8
9													9
10	20												10
11	28												11
12	42							65					12
13			14	116	10			65					13
14			06					12		02			14
15	16		06									15	15
16			06						06				16
17	14		16								70		17
18	05												18
19			14										19
20													20
21								2.7					21
22	03									09			22
23													23
24	0.8												24
25												10	25
26	03	03											26
27			03	12	24							05	27
28	06		25		28							45	28
29													29
30			04									10	30
31	50											08	31
TOTAL	3.88	0.40	0.98	0.84	1.50	0.20	0.70	2.66	0.79	0.62	2.25	1.91	16.73
Days with .01 in. or more	17	2	10	7	9	1	3	10	3	5	10	14	91
Days with .04 in. or more	15	1	9	5	9	-	-	9	3	3	10	113	77

YEAR'S TOT.

REGISTER OF RAINFALL IN 1921

627
9 FEB 1922

Kept at The Swan House, Wickham

in the County of Hants

by Major Gen Sir C. Herbert Powell KCB

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	56				113					0.2	-14	0.23	1
2	0.5							21					2
3	0.5				.5						-10		3
4	1				0.8						-18		4
5	0.05	0.5			.55			12			.30	0.04	5
6								30					6
7					0.5		3				-18		7
8	12												8
9													9
10	20												10
11	22												11
12	42							65	65				12
13			14	116	10								13
14			06					12					14
15	16		06									15	15
16			06						06				16
17	14		16								70		17
18	0.5												18
19			14										19
20													20
21								2.7			5	0.8	21
22	0.9				10					0.9	20		22
23												82	23
24	0.8												24
25												10	25
26	0.3	0.3		12	2.4								26
27			0.3		2.8						1	0.5	27
28	0.6		2.5									45	28
29													29
30			0.4		0.5						30	10	30
31	50											0.8	31
TOTAL	3.88	0.40	0.98	0.84	1.50	0.20	0.70	2.66	0.79	0.62	2.25	1.91	16.73
Days with 0.1 in. or more	17	2	10	7	9	1	3	10	3	5	10	14	91
Days with 0.4 in. or more	15	1	9	5	9	-	-	9	3	3	10	113	77

REGISTER OF RAINFALL IN 1922

Kept at The Tower House, Wickham
in the County of Hampshire
by Major Gen Sir C.H. Powell KCB

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		33	10		14		13	015	12		54	03	1
2	06	26	12	43									2
3		44	29	43	16		27	16		55			3
4		22							05				4
5	01				25		12			10	15		5
6	10		25				45	75			65		6
7	10		28	21									7
8	15		73										8
9				07			23	10			05		9
10							18	25	59				10
11	08			64							05		11
12						38		05					12
13							34	72	28		05		13
14						05							14
15	32	16		15	27		22				28		15
16		10						06	14			28	16
17				07			05				10	16	17
18	15	17											18
19	19	07				02	03	08	25			22	19
20	38	09		25		01							20
21													21
22	24	17				19	25	20	03				22
23		13									03		23
24	10	06				10	22	25	19	01		98	24
25		05			28	20						18	25
26	4		05	34				05					26
27	18	34	10			25				05		33	27
28		29		07								29	28
29	40	28	04					25	41			10	29
30	31		21			14			10	20	07		30
31	20									10		55	31
TOTAL	5473	529	246	333	11	7	398	279	171	201	208	467	3302
Days with .01 in. or more	21	16	13	11	5	7	12	16	11	6	11	15	135
Days with .04 in. or more													

Form 1090.

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at The Tower House, Wickham
in the County of Hampshire
by Major General Sir C. H. Powell K.C.

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Wickham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level _____ ft.

694
FEB MAR 1924

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10		32	08				04		06	06	30	1
2	5	5	10					18	18	06	05	04	2
3		03	03							17			3
4										20		10	4
5	46		05							26	34	20	5
6	57	02	01		10					26		44	6
7		1-8								16			7
8										08		02	8
9	17	41		50						20	51	03	9
10		36		98						75	23	03	10
11			20										11
12		07		36	10	32	05			21			12
13		20	06	06						10	18		13
14		41		02	10					16			14
15		20		23						20			15
16		35		24						12			16
17		18								02	06		17
18		08								02	05		18
19		08	06							20			19
20		20	09	05						12		25	20
21		50		06		02	10			18		13	21
22		57								10			22
23		5	22	02						73		80	23
24		11	08	20	03					20		33	24
25		10	10							02	08	10	25
26		05	08	55						27		10	26
27		X		X	46	X		47	X		X	10	27
28		X										10	28
29												10	29
30												10	30
31												10	31
TOTAL	1-41	5-41	1-60	2-94	1-98	3-4	5-4	2-56	1-64	6-101	5-93	10	YEAR'S TOTAL
Days with 0.1 in. or more	17	20	13	14	10	2	5	11	8	10	9	19	29.71
Days with 0.4 in. or more	9	20	10	11	9	1	5	11	8	10	9	19	127

REGISTER OF RAINFALL IN 1924

Kept at Lower House
 in the County of Hants
 by W. H. H. H.

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	20		11		05	26	13	20	2			~~X~~	1
2			13		08	15	08	15	5	53		08	2
3			10			88	04		5	10			3
4	10				09							32	4
5			10					06	50	05			5
6		05			12	34			17			04	6
7	08				21				08	80			7
8	17				10	20			10	21			8
9	10			14	05	43			08	14			9
10	08			13	05								10
11	08	15		20	40	28		12	12	02	31	25	11
12				11	17			12	08	04	02		12
13				63				17	63	04	06	1-20	13
14	03				05			16	08				14
15	43												15
16	50			14				60	08		02		16
17						14	1-80	04	08	03			17
18								10	04	10		05	18
19	03							06	20	20			19
20	65												20
21	25						07	15	35	50			21
22	42	03	83						35				22
23			20	12	15			10	35				23
24			07		25		06	08	52	49	08	18	24
25		18	~~X~~	70	25					16	60		25
26			~~X~~						2-12	35	90	28	26
27		04	~~X~~	61	19		69	35	09	30		78	27
28					10			35					28
29				20	90		1-18	20	15	08	08	34	29
30		~~X~~					06	08	~~X~~	65	~~X~~	29	30
31		~~X~~		~~X~~		~~X~~							31
TOTAL	3-14	0-45	1-54	2-98	3-21	2-75	4-17	3-72	5-88	4-74	2-55	5-28	3977
Days with 01 in. or more	13	5	7	10	19	9	11	11	21	11	11	14	
Days with 04 in. or more													

Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
.20	.05	.11	.14	.05	.26	.13	.20	.02	.53	~~.31~~	~~.85~~
.10	.15	.13	.13	.08	.15	.08	.15	~~.05~~	.10	.02	.08
.08	.03	.10	.20	.09	.83	.04	.06	~~.05~~	.05	.06	.32
.19	.18	.10	.11	.12	.37	1.80?	.12	.50	.17	.02	.04
.10	.04	.83	.63	.20	.20	.06	.17	.08	.30	.08	~~2.50?~~
.08	4.5	.20	.14	.10	.09	.07	.10	.70	.21	.60	1.20
.08	✓	.07	.12	.05	.43	.06	.60	.08	.14	.20	.05
.03		~~.62~~	.70	.54	.28	.69	.04	.12	.02	.29	.80
.43		~~.14~~	.61	.40	.14	1.18	.10	.08	.04	.08	.18
.50		2.30	.20	.17	2.75	.06	.20	.63	.04	.89	.28
.03		1.54	2.98	.05		4.17	.15	.08	.03	2.55	.78
.65				.05		✓	.10	.08	.10	✓	.37
.25				.06			.80?	.08	.21		.23
.42				.15			.35	.04	.50		.06
3.12				.25			.35	.20	.47		~~7.74~~
✓				.19			.20	.35	.16		7.74
				.10			.03	.35	.35		4.64
				.30			3.72	.52	.30		
				3.21				2.12	.08		
								.09	.65		
								.09	2.9		
								.25	4.74		
								5.88			

3.14
4.5
1.54
2.30
2.98
3.21
2.75
4.17
3.72
5.88
4.74
2.56
4.64

43.63
39.77
59

76
2.25
85
386

Pensione Frey
26 Via Liguria
Rome VI. Italy.

21 Jan 1925

Dear Sir

My brother, Major General
Sir C. Herbert Powell, K.C.B. of The
Lower House, Wickham, Hants,
has sent me the Rainfall
figures recorded at his place by
his gardener. He has sent it to
me for perusal & to forward
to you. I regret the record is
so untidy, not to say difficult to
interpret. I have redrafted the

figures I cast up the totals on the
accompanying sheet of paper I now
leave the matter with you.

Yours very truly

Lyle S. Powell

The Superintendent
British Rainfall Organization
Adas trial House, Kingsway
London W.C.2.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192 .

Kept at Wickham
in the County of Hants.
by Major General

Lat. 51° 15' N Long. 1° 15' W
Time of Observation 11.15
Nearest Railway Station Wickham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " Sea Level 0 ft.

County No. 651
River Dist. 1
Station No. 1

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.20		0.6	x			0.8	18	10		77		1
2	0.02		0.9	x	6		8	5	5		77		2
3	30						5	15	8		77		3
4	03			78					12		35		4
5		24		x	14		32						5
6		18			16						70		6
7		16			24			35			06	13	7
8	11				66			18				11	8
9		07		20	12			10					9
10		612						14			94		10
11			8					8					11
12		62		15	25			3					12
13		90	03	25	20			22			03	04	13
14		14						25					14
15	12	6											15
16	11				10								16
17													17
18												04	18
19		13		15								48	19
20			01				15	80	26	80		07	20
21		10			81		85			74		48	21
22		15	05	21	20		60	35	54	66		30	22
23		10	05	8	33							15	23
24	30	50		08				30	28	145	03	36	24
25	60	85	14	06			4			14		06	25
26	26	45	5		46		15	06				09	26
27	18		8		18		8	12				09	27
28	18			8			12					36	28
29		2		8								74	29
30	0.04	X					50	2		08		26	30
31	10	X	0.5	X	4.21	X			X	10	X		31
TOTAL	4.94	1.89	6.56	1.88	4.10		2.91	2.61	2.90	4.34	3.21	3.76	YEAR'S TOTAL
Days with ".1 in. or more.	18	17	11	8	15		11	14	12	8	10	16	140
Days with ".04 in. or more	17	16	9	8	15		11	15	12	9	8	16	132
4.94	4.89	.67	1.96	4.21	-	3.94	3.60	2.90	4.34	3.21	3.76	38.42	
18	17	11	12	14	-	13	16	12	11	11	16	151	
17	16	9	12	14	-	12	15	12	11	9	16	143	

Jan 54	Feb 54	March 67
1.50 ✓ 39	.02 52	.04
.54 ✓	.34	.09
.30 ✓	.18	.08
.03 ✓	.16	.03
.11 ✓	.07	.01
.08 ✓	.12	.05
.42 ✓	.62	.05
.12 ✓	.90	.14
.11 ✓	.14	.05
.08 ✓	.06	.08
.30 ✓	.13	.05
.60 ✓	.10	<u>.67</u>
.26 ✓		

~~1.50~~ (Needs comparing with other records)

.18 X	.10
.13 ✓	.50
.04 ✓ ¹⁶	.85
.04 X	.45
.10 ✓	

should be
15 on
Feb. 22nd

4.94 ✓ ~~6.24~~
4.89

April	May 59	June
.78	~~.08~~ 42	
.20	.06	
.15	.14	
.25	.16	
.15	.24	
.21	.66	
.08	.12	
.06	.25	
~~1.88~~	.20	
1.96	.10	
	.81	
	.20	
	.33	
	.76	
	.18	
	<u>4.29</u>	

04.21

Nil

I don't think we
need write 4.16.

July 44	Aug 50	Sept 40
.08 29	.18 26	.10 29
.05	.15	.05
.32	.35	.08
.15	.13	.12
.85	.14	.10
.60	.03	.08
.04	.22	.05
1.15	.25	.50
.08	.30	.80
.12	.35	.20
.50	1.30	.54
<u>3.94</u>	.06	.28
	.12	<u>2.90</u>
	.02	
	<u>3.60</u>	

Oct 24	Nov 51	Dec 86
.40 33	.77 32	.13 37
.80	.77	.11
.24	.35	.04
.66	.08	.04
1.05	.70	.48
.14	.06	.07
.45	.34	.48
.10	.03	.30
<u>4.34</u>	.03	.15
	.08	.36
	<u>3.21</u>	.06
		.09
		.09
		.36
		.74
		.26
		<u>3.76</u>

Jan 4.94	47
Feb 6.24	67
March 6.7	39
April 1.88	
May 4.29	
June 3.94	
July 3.60	
Aug 2.90	
Sept 4.34	
Oct 3.21	
Nov 3.76	
Dec 3.74	
<u>38.42</u>	

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

Kept at *Hickham, Tisbury.*

in the County of *Hampshire*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *5* ft. *5* in.
" Ground " Sea Level *5* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.63	.06				.64			20		30		1
2	.03	.11				.24							2
3	.31	.37	.18				.04		21	.00	.06		3
4	.04	.07	.16	.02							.43		4
5	.12	.34	.06		.98			.11			.17	.26	5
6	.23	.21		.29	.03		.10			.06		.08	6
7	.03	.01		.44	.16	.19	.12				.55		7
8				.41		.04					.42		8
9						.25	.22						9
10						.15		.39			.06		10
11		.04			.06	.20			.19		.09		11
12		.09				.06				.29	.39		12
13		.05			.02	~~.46~~				.66	<u>1-58</u>	.62	13
14	.06	.13		.39	.14	.46				.04	.12	.03	14
15	.50	.57		.19			.05			.03	.14		15
16	.06	.07		.32				.14					16
17	.19			.21		.38	.10				.62		17
18	.34	.11		~~.05~~		.01					.21		18
19				~~.05~~	.11						.63		19
20			.03	.18				.15 25		.08			20
21											.59		21
22	.51			.13			.10				.28		22
23	.07											.02	23
24	.03						.75			.84	.06	.05	24
25	.22		.12	.47						.14			25
26	.01			.04	.05						.08	.01	26
27	.12	.03			.11		.27				.05		27
28	.58									.06	.25		28
29	.02			.11	.17			.03			.63		29
30	.20	X		.08	.25						.10		30
31	.36	X		X		X			X		X		31
TOTAL	4.66	2.26	.55	3.33	2.08	2.62	1.93	1.02	.81	2.66	6.44	.42	YEARS TOTAL 28.78
Days with .01 in. or more.	22	15	5	15	11	11	10	6	5	11	22	7	140
Days with .04 in. or more.	17	13	4	14	9	10	10	5	5	19	20	2	118

(Signed)..... [P.T.O.]

REGISTER OF RAINFALL IN 1927.

Kept at M. V. ...
in the County of ...
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level ft.

11/14/27/5

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2		71		24			1-9	1-2	02	1-1	25		2
3	37		65	11	01	07					02		3
4			04		04		12						4
5			25	45		08	04				06		5
6	15		40	49				22	29				6
7		26		24	03	15	03						7
8			06	23				08			56		8
9				65			05	06	34				9
10	02		17		26		31	11					10
11								50	19				11
12	16	01		03				45					12
13					02		24	44	20		13	33	13
14	12			5			24	01			01	18	14
15		01	1		04			29	2/50	04			15
16	14		1		10				23				16
17			15			35		8	23				17
18	09				06	32					30		18
19	30	20						25			10		19
20		10		02		21	22	08	01		31	31	20
21	13	33			03			40	21	30		83	21
22		16	25			21		9	08	26	15	60	22
23		90	41			15					62	10	23
24	01		44			08		15	25	06		33	24
25			11			15	02		10	05		1-10	25
26		55	08			26	53			03	03		26
27	24	34		08	37		07			64		15	27
28	03	11	10			34	02				33		28
29	15		25		03	26	06		18	22	43	25	29
30	20	X	05						02				30
31	12	X	38	X		X			X		X		31
TOTAL	2-60	4-52	3-20	1-92	-99	2-66	3-01	4-52	6-23	202	3-80	4-18	YEAR'S TOTAL 39-50
Days with 01 in. or more.	14	13	15	9	6	13	12	16	13	8	11	10	140
Days with 04 in. or more.	16	15	16	11	11	13	15	12	16	9	14	10	160

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

654
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Lower House Wickham

in the County of Hampshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			14					24					1
2	64	40	12	3				5		1		5	2
3				23	1		14	90		2	5		3
4	2	19			1						3		4
5	3	16	7			5	10						5
6	02	2		1	2	5						8	6
7	2	1	5	26		17	3	12		19			7
8	02	2	5			23							8
9	27			9		46			53			10	9
10	51	19				5				2	20	2	10
11	14	1				3				25	10		11
12		50	6			5				47	8		12
13		2				22				15	5		13
14	15	8		45		5		13		24	6		14
15		11		55	40						28		15
16	12		3							20	33	30	16
17			4		3	6					2		17
18	66		8		50					50	8		18
19			11		24	5		22		60	5		19
20	31		12		18	4				15		12	20
21				12	22					81	15		21
22	10		93		1					67	21		22
23	60		19		7			5		12	27	15	23
24				1	+	9			18	10	33	8	24
25	13				2			57		16	2		25
26	1						3			1-34	3	30	26
27			18				1-20		11	20	4		27
28	64		7	3		5			25	8		1-10	28
29	32	25	44				7			15	6	18	29
30	7	X	24			68	24					26	30
31	25	X	20	X		X	37		X		X		31
TOTAL	5-132-4	2-57	1-77	1-88	2-8	2-12	2-20	1-96	6-3	8-95	3-11		YEARS TOTAL
Days with 01 in. or more.	21	13	18	9	9	16	8	8	4	22	20	14	162
Days with 04 in. or more.	15	8	16	6	6	15	6	8	4	19	16	13	132

REGISTER OF RAINFALL IN 1924

Kept at Wickham Hall
in the County of _____
Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" Ground " Sea Level _____ ft. _____ in.

total 24
18 24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							10			22	01	36	1
2		11					12			16		25	2
3		02			32	13	21			01		35	3
4				14		19	29	06		03		36	4
5					18	20		02		65		63	5
6					07			72		07		63	6
7						4		86		48	56	24	7
8					03			19		41	26	28	8
9	11	18				3		03		05		41	9
10	20							02				05	10
11		01		14	17						1-22	06	11
12					11	9						12	12
13				02	15							04	13
14					4	15					1-16	00	14
15						25					02		15
16		16						18			41		16
17	5												17
18				02				01				40	18
19												11	19
20	7						19	10				02	20
21	5		15							52		08	21
22							5	02			35	41	22
23										12	32		23
24		6	14							61	35		24
25				12	06					03	47		25
26	3				9						05	15	26
27											1-17	5	27
28	27						36			52	31	51	28
29	11			65		15	36		03	07	30	34	29
30		X					08		31		1-5	14	30
31	50	X		X		X	03		X		X	02	31
TOTAL	1-35	1-31	19	85	2-02	1-11	1-18	1-95	31	3-91	8-52	6-78	YEAR'S TOTAL 30.16
Days with "01 in. or more.	9	6	2	7	10	9	9	11	2	15	14	6	121
Days with "04 in. or more.	6	5	2	4	9	8	8	6	1	12	15	22	100

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Wickham (Lower House)
in the County of _____

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
,, Ground ,, Sea Level _____ ft.

*The Leigh Powell has supplied water from his brother's
gauge & has explained to the gardener
about date of entry. Return should be sent
next year. See 1931 f 666206/26.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

12

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	0.7	88		22									I
2	0.1	12	0.7	9	0.10		10	26			10		2
3	0.1	03			0.09			68			1-20		3
4	85							30					4
5	0.2			41	0.8			16	15	21			5
6	0.7		0.2					78		0.5		20	6
7					30			30		52	30		7
8	12				36				10			26	8
9	18				0.5			12				62	9
10	58		0.8		10			8	21				10
II	19						18			18			II
12	13		0.3	11	10							23	12
13	2.2			50			18	24					13
14	0.7		16				27	1.0	60		10	0.4	14
15	0.2	10	24				20						15
16	33			16					25	30		16	16
17	23		12						40				17
18	23		0.5		0.2			26	28		28		18
19	0.4	Inch 45	12	12	30			30	25	20	20	21	19
20	24			18			78	46	16	16	80	10	20
21	0.7		0.2					0.2		20	37		21
22	15				0.6	0.4		50		22	50		22
23	15		16	18		32	0.5				20		23
24	60			45		10			16	18	22	25	24
25		15		0.1	0.5						35		25
26		35			15		0.5				20	80	26
27					10						14	35	27
28					15				37	0.5	47	0.8	28
29			0.5				0.8		19		0.2	12	29
30		X	10		10	12		57		18		11	30
31		X	18	X		X			X		X	33	31
TOTAL	4.56	1.53	1.71	2.06	2.11	58	2.09	5.23	29.7	2.60	5.02	3.60	33.96
Days with or in. or more.	23	3	15	10	16	4	9	15	12	12	16	15	152
Days with 0.4 in. or more.	19	4	13	8	15	4	9	14	12	12	15	15	140

40-9999

Totals supplied by the Leigh Powell.

[P.1]

FORM 1090.

METEOROLOGICAL

Kept at Park Place

in the County of Wiltshire

by W. A. S.

692

WICKHAM

PARK PLACE

HANTS

1924 - 1930

SE.

County No. 644

Station No. A

River Dist. Wickham - Southern Ry.

Level 1 1/2 in.

DAY.

Jan. 1, following.

0.13

An observer who does not conform to this rule should insert the reading in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11	—	—	—	—	0.40	—	—	0.05	0.30	0.30	0.35	1 RUV
2	—	—	0.15	—	—	0.30	0.15	0.06	—	—	0.87	0.06	2 608
3	0.07	—	0.21	—	—	—	—	—	—	0.58	0.05	0.03	3 c
4	0.02	—	0.06	—	0.15	0.07	0.05	0.34	0.06	0.15	—	—	4 608
5	—	—	—	—	0.10	0.96	0.01	—	—	0.05	—	0.36	5
6	—	—	0.10	—	0.13	—	—	0.06	—	0.12	—	0.02	6
7	—	—	—	—	0.29	—	—	—	0.05	0.28	—	—	7
8	0.07	0.16	—	—	0.09	0.40	—	—	0.55	0.25	—	—	8
9	0.11	0.08	—	—	0.06	0.20	—	—	0.10	0.10	—	—	9
10	0.06	—	—	0.16	0.03	0.13	—	—	0.16	0.05	—	—	10
11	0.12	—	—	0.22	0.60	0.30	—	—	0.10	0.06	—	—	11
12	0.02	—	—	0.25	0.47	0.25	—	—	0.10	0.04	0.28	—	12
13	0.02	—	—	0.13	0.10	0.10	—	0.15	0.11	—	0.01	—	13
14	0.01	—	—	0.52	0.20	—	—	0.31	0.66	—	0.04	0.23	14
15	—	—	—	0.21	—	—	—	0.11	—	—	—	0.04	15
16	0.03	0.02	—	—	—	—	—	0.10	0.11	—	—	1.16	16
17	0.04	—	—	—	—	—	—	0.60	0.02	—	—	0.01	17
18	0.25	—	—	—	—	0.10	0.96	0.08	0.04	—	—	—	18
19	0.35	0.06	—	—	—	0.02	0.02	0.15	—	0.20	0.02	0.01	19
20	0.02	—	—	—	0.02	—	—	0.27	0.02	0.05	—	0.02	20
21	0.02	—	—	—	0.03	0.02	0.11	0.05	0.25	0.24	—	—	21
22	0.72	—	0.02	—	0.10	—	0.06	—	0.34	0.50	—	—	22
23	0.15	—	0.20	—	—	—	—	0.06	0.36	—	—	—	23
24	—	0.16	0.25	—	0.31	—	—	0.09	0.02	—	—	0.79	24
25	0.38	0.02	0.30	0.11	0.10	—	—	0.02	0.50	—	—	0.18	25
26	—	—	—	0.10	0.24	—	0.06	0.08	2.36	0.20	0.07	—	26
27	—	0.02	0.02	0.72	—	—	—	—	—	0.20	0.62	0.26	27
28	—	—	—	0.67	—	—	0.70	—	0.04	0.29	0.10	0.74	28
29	—	—	—	0.02	—	—	1.30	0.30	—	0.04	0.39	—	29
30	—	X	—	0.17	0.20	—	0.14	0.36	0.12	0.69	0.01	0.35	30
31	—	X	—	X	0.10	X	—	0.21	X	0.45	X	0.32	31 10/13
TOTAL	2.57	0.52	1.31	3.28	3.32	3.26	3.56	3.40	6.12	4.84	2.76	4.93	39.88
Days with .01 in. or more.	18	17	9	12	19	12	11	19	22	21	12	17	181
Days with .04 in. or more.	11	4	7	11	17	10	9	19	19	21	9	12	149

Cond to

E.

644 A

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Park Place - Brickham
in the County of Hants 5
by Major A. S. Blifford

Lat. _____ Long. _____
Time of Observation 9-a.m.
Nearest Railway Station Brickham - Southern Ry.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft 1 1/2 in.
" " " " Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

0.13

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11	—	—	—	—	0.40	—	—	0.05	0.30	0.30	0.35	1 RUV
2	—	—	0.15	—	—	0.30	0.15	0.06	—	—	0.87	0.06	2 WOK
3	0.07	—	0.21	—	—	—	—	—	—	0.58	0.05	0.03	3 C
4	0.02	—	0.06	—	0.15	0.07	0.05	0.34	0.06	0.15	—	—	4 C
5	—	—	—	—	0.10	0.96	0.01	—	—	0.05	—	0.36	5
6	—	—	0.10	—	0.13	—	—	0.06	—	0.12	—	0.02	6
7	—	—	—	—	0.29	—	—	—	0.05	0.28	—	—	7
8	0.07	0.16	—	—	0.09	0.40	—	—	0.55	0.25	—	—	8
9	0.11	0.08	—	—	0.06	0.20	—	—	0.10	0.10	—	—	9
10	0.06	—	—	0.16	0.03	0.13	—	—	0.16	0.05	—	—	10
11	0.12	—	—	0.22	0.60	0.30	—	—	0.10	0.06	—	—	11
12	0.02	—	—	0.25	0.47	0.25	—	—	0.10	0.04	0.28	—	12
13	0.02	—	—	0.13	0.10	0.10	—	0.15	0.11	—	0.01	—	13
14	0.01	—	—	0.52	0.20	—	—	0.31	0.66	—	0.04	0.23	14
15	—	—	—	0.21	—	—	—	0.11	—	—	—	0.04	15
16	0.03	0.02	—	—	—	—	—	0.10	0.11	—	—	1.16	16
17	0.04	—	—	—	—	—	—	0.60	0.02	—	—	0.01	17
18	0.25	—	—	—	—	0.10	0.96	0.08	0.04	—	—	—	18
19	0.35	0.06	—	—	—	0.02	0.02	0.15	—	0.20	0.02	0.01	19
20	0.02	—	—	—	0.02	—	—	0.27	0.02	0.05	—	0.02	20
21	0.02	—	—	—	0.03	0.02	0.11	0.05	0.25	0.24	—	—	21
22	0.72	—	0.02	—	0.10	—	0.06	—	0.34	0.50	—	—	22
23	0.15	—	0.20	—	—	—	—	0.06	0.36	—	—	—	23
24	—	0.16	0.25	—	0.31	—	—	0.09	0.02	—	—	0.79	24
25	0.38	0.02	0.30	0.11	0.10	—	—	0.02	0.50	—	—	0.18	25
26	—	—	—	0.10	0.24	—	0.06	0.08	2.36	0.20	0.07	—	26
27	—	0.02	0.02	0.72	—	—	—	—	—	0.20	0.62	0.26	27
28	—	—	—	0.67	—	—	0.70	—	0.04	0.29	0.10	0.74	28
29	—	—	—	0.02	—	—	1.30	0.30	—	0.04	0.39	—	29
30	—	X	—	0.17	0.20	—	0.14	0.36	0.12	0.69	0.01	0.35	30
31	—	X	—	X	0.10	X	—	0.21	X	0.45	X	0.32	31 10/13
TOTAL	2.57	0.52	1.31	3.28	3.32	3.26	3.56	3.40	6.12	4.84	2.76	4.93	39.88
Days with 0.1 in. or more.	18	17	9	12	19	12	11	19	22	21	12	17	181
Days with 0.4 in. or more.	11	4	7	11	17	10	9	19	19	21	9	12	149

Section



for the entry of Daily Observations.

Com for W.D.

✓✓

with

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

652

Kept at Park Place - Wickham, Fareham

in the County of Hants

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 1/2 in.

Ground Sea Level ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

0.01

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.13	0.10	—	0.05	—	—	—	0.04	—	—	0.06	0.08	1
2	1.38	—	—	0.10	0.03	—	—	0.21	0.06	—	0.44	—	2
3	0.56	0.02	—	0.05	—	—	0.10	—	—	—	0.48	—	3
4	0.30	0.04	—	—	0.24	—	0.04	—	0.02	—	0.06	—	4
5	0.03	—	—	0.18	0.28	—	—	0.19	0.04	—	0.24	—	5
6	—	0.36	—	0.63	0.20	—	—	0.02	0.20	—	0.14	—	6
7	—	0.04	—	—	0.23	—	0.35	0.34	—	—	0.66	—	7
8	—	0.23	0.03	—	0.63	—	—	—	—	—	0.13	0.12	8
9	0.10	0.01	—	—	0.21	—	—	0.01	—	—	—	0.13	9
10	—	0.04	—	0.20	0.05	—	—	0.13	—	—	—	—	10
11	—	0.05	0.06	—	0.18	—	—	0.14	—	—	0.06	—	11
12	—	0.11	—	—	0.02	0.06	—	0.03	—	—	0.21	—	12
13	—	0.62	—	—	—	—	—	0.23	—	—	—	—	13
14	0.04	0.96	0.04	0.14	—	—	—	—	—	—	—	—	14
15	0.42	0.13	—	0.31	—	—	—	—	—	—	0.03	—	15
16	0.13	0.10	—	0.11	—	—	—	—	0.14	0.09	—	—	16
17	0.10	—	—	—	—	—	—	—	—	0.32	—	—	17
18	—	—	—	0.01	—	—	0.05	—	0.05	—	—	—	18
19	—	—	—	0.03	0.24	—	0.06	0.02	0.06	0.05	—	0.05	19
20	—	0.12	—	0.13	0.02	—	0.02	—	0.51	0.45	—	0.48	20
21	—	—	0.02	—	—	—	—	0.25	0.65	0.40	—	0.04	21
22	—	—	—	—	—	—	0.66	0.11	0.20	0.58	—	0.49	22
23	—	0.18	0.03	0.20	0.33	—	0.56	0.22	0.54	1.04	—	0.28	23
24	0.08	0.24	0.06	0.03	0.16	—	—	1.42	—	0.13	—	0.15	24
25	0.33	0.35	0.15	0.09	0.49	—	—	0.03	—	—	0.03	0.36	25
26	0.59	0.84	0.05	0.02	—	—	0.06	—	0.22	0.08	—	0.06	26
27	0.24	0.44	—	0.05	0.30	—	0.84	0.14	—	0.40	—	0.09	27
28	0.18	—	—	0.05	0.51	—	0.10	0.10	—	—	—	0.10	28
29	0.14	—	—	0.16	—	—	0.04	—	—	—	—	0.34	29
30	0.04	X	—	—	0.22	—	0.14	—	—	—	0.04	0.68	30
31	—	X	0.02	X	—	X	0.45	—	X	0.03	X	0.25	31
TOTAL	4.85	5.04	0.46	2.54	4.40	0.06	3.47	3.69	2.72	4.14	3.24	3.43	38.28
Days with .01 in. or more.	17	19	10	18	18	1	15	17	12	12	13	16	168
Days with .04 in. or more.	16	17	6	15	15	1	14	12	11	10	11	15	143

(Signed)

A. J. Bluff

(P.T.O.)

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

637

Kept at *Paul Place, Wickham, Fareham*

in the County of *Hants*

Diameter of Funnel of Gauge *8* in. *S*

Height of top of Gauge above Ground *1* ft. *9 1/2* in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

0.01

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	0.38	—	—	0.09	—	—	—	0.19	—	—	0.09	1
2	0.63	0.05	—	—	—	0.56	—	—	—	—	0.30	—	2
3	0.04	—	—	—	—	0.35	0.09	—	0.21	—	0.08	—	3
4	0.29	0.11	0.20	—	—	—	—	—	—	—	—	—	4
5	0.05	0.37	0.18	0.03	—	—	—	—	—	—	0.31	—	5
6	0.17	0.07	0.07	—	0.85	—	0.06	0.15	—	0.02	0.17	0.29	6
7	0.27	0.37	—	0.33	0.03	—	0.15	—	0.03	—	0.13	—	7
8	0.03	0.15	—	0.46	0.18	0.21	—	—	0.07	—	0.59	0.02	8
9	—	—	—	0.45	—	0.05	0.02	0.02	—	0.10	0.41	—	9
10	—	—	0.03	—	—	0.27	0.23	0.03	—	0.14	0.51	—	10
11	—	—	—	—	—	0.13	0.02	—	—	—	—	—	11
12	—	0.06	—	—	0.10	0.24	—	0.36	—	—	0.30	—	12
13	—	—	—	—	—	0.07	—	—	—	0.28	0.01	—	13
14	—	—	—	—	0.05	—	—	—	—	—	1.42	0.03	14
15	—	0.09	—	0.43	0.19	0.41	—	—	—	0.63	0.12	0.01	15
16	0.11	0.05	—	0.19	—	—	—	—	0.01	0.11	0.14	—	16
17	—	0.16	—	0.34	0.01	—	—	0.16	0.01	0.03	0.02	—	17
18	0.20	0.60	—	0.18	—	0.40	0.08	—	—	—	0.20	0.01	18
19	0.35	0.11	—	0.01	—	—	0.06	0.12	—	—	0.62	—	19
20	—	—	—	0.05	0.11	—	0.17	0.03	—	—	0.27	0.01	20
21	—	—	—	0.21	—	—	—	0.22	—	—	0.27	—	21
22	—	—	—	—	—	—	—	0.01	—	0.07	0.29	—	22
23	0.47	—	—	0.11	—	—	—	—	—	—	0.01	—	23
24	0.06	—	—	—	—	—	—	—	—	—	—	—	24
25	0.05	—	—	—	—	—	0.11	—	—	0.81	—	—	25
26	0.19	—	0.15	0.50	—	—	—	—	—	0.15	0.05	0.03	26
27	0.02	0.02	—	0.04	0.09	—	0.60	—	0.05	—	0.09	—	27
28	0.13	0.03	—	0.01	0.12	—	—	—	0.08	0.13	0.05	—	28
29	0.56	X	—	—	0.02	—	0.28	—	—	0.33	0.25	—	29
30	0.03	X	—	0.10	0.18	—	—	—	—	0.06	0.02	—	30
31	0.21	X	—	X	0.26	X	—	0.03	X	—	X	—	31
TOTAL	3.87	2.62	0.63	3.44	2.28	2.69	1.87	1.13	0.65	2.86	6.63	0.49	29.16
Days with 0.1 in. or more.	4	2	5	3	2	10	12	11	7	13	24	8	156
Days with 0.4 in. or more.	17	13	4	13	12	10	10	6	4	11	21	2	121

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

631
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1921

Kept at Park Place, Wickham

in the County of Hants

Diameter of Funnel of Gauge..... 8 in.

Height of top of Gauge above Ground..... 1 ft. 9 1/2 ins

„ Ground „ Sea Level 150 feet - approx ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

0.30

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	0.01	0.11	0.37	—	—	0.23	0.06	0.01	0.02	—	—	1
2	0.01	0.66	—	—	—	—	1.07	0.39	—	0.46	0.27	—	2
3	0.03	—	0.05	0.24	—	—	—	—	—	0.01	0.02	—	3
4	0.34	—	0.03	—	—	—	0.13	—	—	—	—	—	4
5	0.09	—	0.04	0.11	0.05	0.08	0.03	—	—	—	0.01	—	5
6	0.14	0.13	0.21	0.49	—	0.09	—	—	—	—	0.07	—	6
7	—	—	0.40	0.43	—	0.01	0.02	0.24	0.31	—	0.05	—	7
8	0.02	0.26	—	0.27	—	0.15	0.09	—	—	—	—	—	8
9	0.02	—	—	0.23	0.27	—	0.09	0.05	0.10	—	0.02	—	9
10	—	—	0.07	0.05	0.02	—	0.14	0.07	0.31	—	—	0.01	10
11	—	—	0.18	—	—	—	—	0.03	0.23	—	—	—	11
12	—	—	—	0.01	—	—	—	0.50	—	—	—	—	12
13	0.15	—	—	—	—	—	0.01	—	—	—	—	—	13
14	0.08	—	—	—	—	—	0.32	0.84	0.23	0.01	0.11	0.29	14
15	0.02	—	—	0.06	0.05	—	0.23	—	2.41	—	—	0.17	15
16	—	0.01	—	—	0.01	—	—	0.29	0.19	—	0.01	—	16
17	0.01	—	—	—	0.11	0.17	—	—	0.24	—	—	—	17
18	0.17	—	0.15	—	—	0.20	—	0.34	0.03	—	—	—	18
19	0.02	—	—	—	—	0.33	—	0.04	—	—	0.85	—	19
20	—	0.27	—	—	—	—	0.04	0.29	—	0.02	0.55	—	20
21	0.22	0.11	—	—	0.02	—	0.23	0.81	0.01	—	0.30	0.30	21
22	—	0.31	—	—	0.01	0.04	—	0.39	0.34	0.33	0.16	0.79	22
23	0.13	0.17	0.15	—	—	0.18	—	—	0.09	0.23	—	0.58	23
24	—	0.81	0.45	—	—	0.20	—	0.08	0.93	—	0.32	0.10	24
25	—	0.16	0.41	—	—	0.16	—	0.16	0.01	0.07	—	0.33	25
26	—	0.40	0.12	—	—	—	0.01	—	0.10	0.07	—	0.81	26
27	0.25	0.52	0.02	—	—	0.11	0.59	—	0.01	0.04	—	0.06	27
28	0.03	0.33	—	—	0.39	0.15	0.09	—	—	0.68	0.02	—	28
29	0.17	X	0.17	0.11	—	0.29	—	—	—	0.06	0.34	—	29
30	0.15	X	0.24	—	—	0.37	0.01	—	0.66	—	0.43	—	30
31	0.15	X	0.05	X	0.02	X	0.05	—	X	0.23	X	—	31
													38.72
TOTAL	2.21	4.15	2.85	2.37	0.95	2.53	3.38	4.58	6.21	2.23	3.53	3.44	38.43
Days with 0.1 in. or more.	21	14	17	10	10	16	18	16	19	12	16	11	41.80
Days with 0.1 in. or more.	12	12	15	9	5	14	13	15	13	9	11	10	138.139

Section



for the entry of Daily Observations.

cond for W.D.

655
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Park Place, Wickham

in the County of Hants

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 200 ft. approx

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.30	0.22	0.29	0.22	—	—	0.64	0.35	—	—	0.03	—	1
2	0.29	—	0.16	—	—	—	—	0.24	—	—	—	—	2
3	0.74	0.41	0.09	0.03	—	—	—	0.03	—	—	0.04	—	3
4	—	—	—	0.20	—	—	0.17	0.96	—	—	0.03	—	4
5	—	0.18	—	—	—	0.04	—	—	—	—	—	—	5
6	0.02	0.15	0.08	—	—	0.07	0.08	—	—	—	—	—	6
7	—	—	0.01	—	0.07	0.19	—	—	—	—	—	0.07	7
8	0.01	—	0.05	0.22	—	0.25	—	0.10	—	0.08	—	—	8
9	0.01	0.03	—	0.01	—	0.41	0.08	—	—	0.15	—	—	9
10	0.01	—	—	0.02	—	0.04	—	—	0.57	0.2	—	0.03	10
11	0.25	0.19	—	0.05	—	0.02	—	0.03	—	0.23	0.19	0.07	11
12	0.01	—	—	—	—	0.07	—	—	—	0.78	0.9	0.18	12
13	0.45	0.53	—	0.01	—	—	—	0.01	—	0.19	0.13	0.14	13
14	—	0.05	—	—	—	0.83	—	0.05	—	—	0.14	—	14
15	0.11	0.07	—	0.42	0.47	0.05	—	—	—	0.44	0.63	—	15
16	0.18	—	—	0.36	—	—	—	—	—	—	0.27	—	16
17	—	0.11	—	0.03	0.01	—	—	—	—	—	0.31	0.29	17
18	0.02	—	—	0.03	0.68	0.01	—	—	—	0.19	—	—	18
19	0.58	—	0.12	—	0.33	0.05	—	0.19	—	0.38	0.04	—	19
20	—	—	0.02	—	0.16	0.04	—	—	—	0.65	0.04	0.02	20
21	0.29	—	0.12	—	—	—	—	—	—	0.13	0.14	—	21
22	0.09	—	0.13	0.10	—	0.03	—	—	—	0.29	0.23	—	22
23	—	—	0.37	—	0.26	—	—	—	—	0.67	0.29	0.15	23
24	0.52	—	0.05	—	0.06	—	—	—	—	0.9	0.31	—	24
25	—	—	0.06	—	—	—	—	0.04	0.10	0.4	0.4	0.30	25
26	0.12	—	—	—	—	0.06	—	—	—	0.15	—	0.17	26
27	0.11	—	0.01	—	—	—	0.03	0.52	—	1.25	—	0.05	27
28	—	—	0.09	—	—	—	1.28	—	0.07	0.30	—	1.05	28
29	0.60	—	0.12	—	—	—	—	—	0.25	—	—	0.18	29
30	0.29	×	0.47	0.02	—	0.01	0.05	—	—	0.08	0.12	0.23	30
31	0.08	×	0.25	×	—	×	0.24	—	×	0.17	×	0.7	31
TOTAL	22	29	22	1.42	2.04	64	35	2.54	0.99	5.28	3.00	2.90	YEAR'S TOTAL
Days with 01 in. or more.	5.18	1.94	2.49	1.50	2.04	2.17	2.54	2.17	0.99	5.21	2.97	15	32.79
Days with 04 in. or more.	22	10	18	14	8	10	8	11	4	20	18	15	1643
Days with 04 in. or more.	16	9	15	46	4	13	7	8	4	19	16	13	1322

REGISTER OF RAINFALL IN 1929.

Kept at Park Place, Wickham, F.
in the County of Hampshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level ft.

Feb 1 high
May 1 low.
7.00 o.d. for WD
Feb corr agreed by obs
38824/30.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.
0-02 ✓

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		0-45					0-11	0-5		0-38		1-4	I
2		0-11				0-5				0-23		0-1	2
3		7-77				0-11	0-11			0-18	0-3	0-44	3
4						0-2	0-15	0-4		0-2		0-23	4
5					0-37	0-10	0-12	0-3		0-1		0-35	5
6					1-0	0-50	0-14	0-73		0-70	0-38	0-42	6
7					0-7			0-40		0-12	0-11	0-61	7
8					0-3	0-5		0-31		0-44	0-52	0-67	8
9								0-1		0-39		0-45	9
10	0-3	0-9									0-29	0-35	10
11	0-19				0-2					0-5	0-1	0-42	11
12					0-19	0-1					1-21	0-5	12
13				0-5	0-11	0-9						0-7	13
14					0-18							0-3	14
15					0-4	0-17						0-10	15
16						0-29					1-14	0-5	16
17								0-23			0-2		17
18	0-3			0-1									18
19								0-2			0-40		19
20		0-15									0-6		20
21	0-5						0-24	0-13		0-58		0-32	21
22	0-4		0-17									0-15	22
23							0-5	0-3			0-29		23
24		0-7								0-15	0-31	0-56	24
25										0-73	0-55	0-42	25
26										0-3	0-6	0-1	26
27				0-5	0-8						0-5	0-14	27
28				0-6	0-11						1-15	0-6	28
29	0-27			0-2			0-40			0-54	0-33	0-53	29
30	0-8	X		0-67		0-17			0-5	0-8	0-30	0-25	30
31	45	X		X		X	0-9		X		X	0-26	31
TOTAL	0-69	1-19	0-17	0-86	1-20	1-56	1-45	1-98	0-5	4-63	7-21	7-99	YEAR'S TOTAL
Days with "or in. or more.	8X	5X	1	6	11	12X	9	10X	2X	15X	20X	26	30-39.41
Days with "04 in. or more.	6X	5X	1	4	9	10X	9	6X	2X	12X	17X	22X	103

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Park Place, Wrexham
in the County of Hants
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level ft.

Cond. for
W/D

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

011

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	0.2	0.53	—	0.19	—	0.14	0.11	—	—	—	0.15	—	I
2	0.7	0.77	—	0.23	0.11	—	—	—	—	—	0.58	—	2
3	—	—	0.7	0.6	0.13	—	0.8	0.44	—	—	0.69	—	3
4	0.5	0.12	—	0.57	—	—	—	0.65	—	0.3	—	—	4
5	0.8	0.3	—	—	—	—	—	0.22	—	0.18	—	—	5
6	0.2	—	—	—	0.6	—	—	0.27	—	0.2	—	—	6
7	—	—	0.3	—	0.1	—	—	0.80	0.26	0.4	—	0.3	7
8	0.13	—	—	—	—	—	—	0.42	—	0.52	0.30	0.14	8
9	0.12	—	—	0.5	—	—	—	—	0.9	—	—	0.21	9
10	0.19	—	—	—	0.30	—	—	0.2	0.21	—	—	—	10
II	0.54	—	0.10	—	0.37	—	—	0.3	—	—	—	0.51	II
12	0.16	—	—	0.2	—	—	0.21	—	—	0.13	—	0.32	12
13	0.18	—	—	0.6	0.16	—	—	0.2	—	—	—	0.18	13
14	0.1	—	0.2	0.52	0.8	—	0.13	0.22	0.36	—	—	—	14
15	0.7	0.11	0.18	—	—	—	0.19	—	0.2	0.2	—	0.4	15
16	—	0.3	0.25	—	—	—	0.39	—	—	0.11	0.1	0.15	16
17	—	—	—	—	—	—	0.2	—	0.20	—	—	0.16	17
18	—	—	0.13	0.16	—	—	—	0.1	0.41	0.30	—	—	18
19	—	—	0.3	0.2	0.33	—	0.5	0.1	0.24	—	0.20	0.21	19
20	—	—	0.5	0.22	—	—	—	0.30	0.39	0.23	0.75	0.1	20
21	—	—	0.42	0.10	—	0.1	0.75	0.45	0.14	0.14	0.28	—	21
22	—	—	—	—	—	—	—	—	0.2	0.8	0.61	—	22
23	0.33	—	—	0.4	0.5	0.3	—	0.51	0.5	0.33	0.28	—	23
24	0.35	—	0.16	0.17	0.1	0.36	0.4	—	0.2	—	0.23	0.8	24
25	0.23	0.3	—	0.42	0.6	0.13	—	—	—	0.2	0.22	0.41	25
26	0.5	0.35	—	0.3	0.16	—	—	—	0.1	0.12	0.30	0.1	26
27	0.29	—	—	—	0.9	—	0.8	—	0.10	—	0.12	0.24	27
28	—	—	—	—	—	—	0.1	—	—	0.5	0.25	0.8	28
29	0.5	—	0.4	—	—	—	—	—	0.32	—	0.36	0.12	29
30	0.16	X	0.11	—	0.2	—	0.2	0.69	0.24	0.3	—	0.10	30
31	0.11	X	—	X	—	X	0.7	—	X	—	X	0.34	31
TOTAL	3.11	1.97	1.59	2.86	1.94	0.67	2.15	5.06	3.08	2.36	5.05	3.24	33.17
*Days with or in. or more.	3.62	1.44	1.78	2.67	2.08	64	2.04	14.13	17	2.50	4.90	3.45	33.26
*Days with 0.4 in. or more.	21	7	13	15	15	5	14	16	17	17	15	19	176
	1918	45	1110	1812	1213	3	1110	11	13	1213	1413	1617	1389

40-9999

*See Instruction 2 (f) on other side.

(Signed)

A. T. B. M. A.

P.T.O.

Kept at The Yewes - Whitech
in the County of Hampshire
by Chas. Echlin Gosah

WHITESHURCH
THE YEWES
HANTS

1923 - 28

NIZATION.

3.
13. (?)
Camp.

Station. Whitech

Gauge 5 in.

Ground 1 ft. — in.

Sea Level 230 ft.

previous day.

Jan. 1, following.

Rain should be measured daily at 9
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on
January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and par-
ticulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free
on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry,
Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.10	.23	—	—	—	—	—	—	.24	.01	.45	1
2	.28	.03	.05	—	.05	—	—	.01	—	.13	.02	—	2
3	—	—	.05	.01	.01	—	—	—	.10	.74	.05	.07	3
4	—	—	—	—	.01	—	—	—	.01	—	.04	.19	4
5	.46	—	.02	.13	.02	—	—	—	—	.12	.02	.01	5
6	.64	.25	.11	.08	—	—	—	—	—	—	—	—	6
7	.06	.85	.04	—	.04	—	—	—	—	.39	—	.26	7
8	.02	.08	.10	—	.02	—	—	—	—	.20	.38	—	8
9	.07	.45	—	—	.04	—	.01	—	—	—	.01	—	9
10	—	.23	—	.67	.05	.01	.05	—	—	.13	—	—	10
11	.01	.07	—	.34	.05	—	—	—	—	.70	—	.01	11
12	—	.14	.57	.37	.12	—	—	—	—	.40	—	.02	12
13	—	.12	.06	.13	—	—	.01	—	—	.02	.81	.01	13
14	—	.01	.06	.07	.03	—	—	.02	.59	—	.02	—	14
15	—	—	.02	.21	.41	.24	.13	—	.05	—	.31	.01	15
16	—	.10	—	.01	.10	—	—	.01	—	—	.16	.01	16
17	.02	.23	—	—	.05	.02	.02	.22	.18	.04	.03	.02	17
18	—	.18	—	—	—	.09	—	.16	.03	.14	—	—	18
19	.10	.01	—	—	—	—	.03	—	.15	.67	—	.04	19
20	.01	.13	—	—	.04	—	—	—	.24	.07	.01	—	20
21	—	.16	—	—	—	—	—	—	.01	.35	—	.31	21
22	.01	.31	.02	—	.07	—	—	.04	.34	.17	.01	.08	22
23	—	.25	.08	—	.34	—	.05	.68	.03	.35	.01	.16	23
24	—	.07	—	.06	—	—	.01	.35	.28	.05	—	.05	24
25	—	.30	—	.45	.03	.02	.02	.04	.15	.79	—	.66	25
26	—	.07	—	.06	—	—	—	—	.01	.43	—	.34	26
27	—	.13	.35	—	.01	—	—	.20	—	.12	—	.13	27
28	—	.26	.21	.30	.25	—	.13	.07	—	—	.01	—	28
29	.04	X	.12	.01	.19	—	.01	.85	—	.01	—	.11	29
30	—	X	.06	.01	—	—	.18	.01	.01	.36	—	.35	30
31	—	X	—	X	—	X	.14	—	X	—	X	.18	31
TOTAL	1.80	4.53	2.15	2.91	1.93	.38	.79	2.66	2.18	6.62	1.90	3.47	YEAR'S TOTAL 31.37
Days with 01 in. or more	13	24	17	16	21	5	13	13	15	23	16	22	198
Days with 04 in. or more	8	21	14	12	14	2	6	9	9	21	6	15	137

REGISTER OF RAINFALL IN 1923.

Kept at The Yewes - Whitechurch
in the County of Hampshire
by Chas. Echlin Gosally

Lat. 51° 20' Long. 1° 13' (?)
Time of Observation 9 am G.M.P.
Nearest Railway Station 5 1/2 miles. Whitechurch
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 230 ft.
(about)

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.10	.23	—	—	—	—	—	—	.24	.01	.45	1
2	.28	.03	.05	—	.05	—	—	.01	—	.13	.02	—	2
3	—	—	.05	.01	.01	—	—	—	.10	.74	.05	.07	3
4	—	—	—	—	.01	—	—	—	.01	—	.04	.19	4
5	.46	—	.02	.13	.02	—	—	—	—	.12	.02	.01	5
6	.64	.25	.11	.08	—	—	—	—	—	—	—	—	6
7	.06	.85	.04	—	.04	—	—	—	—	.39	—	.26	7
8	.02	.08	.10	—	.02	—	—	—	—	.20	.38	—	8
9	.07	.45	—	—	.04	—	.01	—	—	—	.01	—	9
10	—	.23	—	.67	.05	.01	.05	—	—	.13	—	—	10
11	.01	.07	—	.34	.05	—	—	—	—	.70	—	.01	11
12	—	.14	.57	.37	.12	—	—	—	—	.40	—	.02	12
13	—	.12	.06	.13	—	—	.01	—	—	.02	.81	.01	13
14	—	.01	.06	.07	.03	—	—	.02	.59	—	.02	—	14
15	—	—	.02	.21	.41	.24	.13	—	.05	—	.31	.01	15
16	—	.10	—	.01	.10	—	—	.01	—	—	.16	.01	16
17	.02	.23	—	—	.05	.02	.02	.22	.18	.04	.03	.02	17
18	—	.18	—	—	—	.09	—	.16	.03	.14	—	—	18
19	.10	.01	—	—	—	—	.03	—	.15	.67	—	.04	19
20	.01	.13	—	—	.04	—	—	—	.24	.07	.01	—	20
21	—	.16	—	—	—	—	—	—	.01	.35	—	.31	21
22	.01	.31	.02	—	.07	—	—	.04	.34	.17	.01	.08	22
23	—	.25	.08	—	.34	—	.05	.68	.03	.35	.01	.16	23
24	—	.07	—	.06	—	—	.01	.35	.28	.05	—	.05	24
25	—	.30	—	.45	.03	.02	.02	.04	.15	.79	—	.66	25
26	—	.07	—	.06	—	—	—	—	.01	.43	—	.34	26
27	—	.13	.35	—	.01	—	—	.20	—	.12	—	.13	27
28	—	.26	.21	.30	.25	—	.13	.07	—	—	.01	—	28
29	.04	X	.12	.01	.19	—	.01	.85	—	.01	—	.11	29
30	—	X	.06	.01	—	—	.18	.01	.01	.36	—	.35	30
31	—	X	—	X	—	X	.14	—	X	—	X	.18	31
TOTAL	1.80	4.53	2.15	2.91	1.93	.38	.79	2.66	2.18	6.62	1.90	3.47	YEAR'S TOTAL 31.32
Days with "01 in. or more	13	24	17	16	21	5	13	13	15	23	16	22	198
Days with ".04 in. or more	8	21	14	12	14	2	6	9	9	21	6	15	137

623

County No. _____

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

River Dist.

Station No. _____

Lat. $51^{\circ} 20'$ Long. $1^{\circ} 13'$

Time of Observation 9 am winter - 1/2

Nearest Railway Station *10 am Sunrise Great Western Whitechurch*

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground / ft. in.

" " " " Sea Level *about 230 ft.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.03	-	.04	.12	.03	.12	-	.01	.59	.23	1 RRR
2	.06	-	.08	-	.03	.26	.13	.01	-	.13	-	.12	2 LOS
3	.02	-	.05	.01	.16	.14	.50	.29	.02	.01	-	-	3
4	-	-	-	-	.02	.72	-	.01	.01	-	-	.32	4
5	-	-	.20	-	-	-	.16	-	-	.09	-	.06	5
6	-	-	-	-	.03	.01	.01	.07	-	.39	-	-	6
7	.05	-	-	-	.17	.39	-	-	.25	.37	-	-	7
8	.19	.06	-	.08	.03	-	.01	-	.03	.18	-	-	8
9	.05	.10	-	.02	.04	.09	-	-	.10	.01	-	-	9
10	.16	-	-	.18	.66	.38	-	-	.03	.03	-	-	10
11	.38	-	-	.24	.29	.07	-	-	.01	.11	.39	-	11
12	.16	-	-	.05	.09	.13	-	.12	.27	-	.06	-	12
13	.09	-	-	.62	.17	-	.03	.01	.39	-	-	.17	13
14	.01	-	-	.03	-	-	-	.09	-	-	-	.04	14
15	-	.01	-	-	-	-	.01	.05	.04	-	.01	.79	15
16	.02	-	-	-	-	-	-	.13	.02	-	-	.01	16
17	.21	-	-	-	.01	.10	.66	.11	.08	-	-	.01	17
18	.46	.05	-	-	.06	-	.03	.04	-	.13	.01	.02	18
19	.13	-	-	-	.07	-	-	-	.03	.03	-	.01	19
20	.03	-	.03	-	.32	.30	.26	.06	.32	.27	-	-	20
21	.65	-	.02	-	.16	-	.02	.02	.11	.90	-	-	21
22	.25	-	.38	-	.04	-	.60	.35	.24	-	-	-	22
23	-	-	.13	.02	.35	-	.01	.07	.02	-	-	.67	23
24	.46	.12	.09	.20	.08	-	-	-	.34	-	-	.22	24
25	.01	-	.13	.10	.03	-	.34	.01	1.75	.14	.09	.03	25
26	-	.01	-	.36	-	-	.01	.03	.06	.17	.90	.35	26
27	-	.03	-	.65	-	-	.86	.01	-	.38	.14	.57	27
28	-	-	-	.05	-	-	.86	.43	-	.03	.37	.01	28
29	-	.02	-	.29	.43	-	.56	.32	.02	.61	.26	.43	29
30	-	X	-	.34	.16	-	-	.15	.40	.60	.32	.42	30
31	.01	X	-	X	.54	X	.01	.24	X	.10	X	.24	31 1011
TOTAL	3.40	.40	1.14	3.27	3.98	2.71	5.09	2.74	4.54	4.69	3.14	4.72	YEAR'S TOTAL 39.82
Days with 01 in. or more.	20	8	10	16	24	12	20	23	22	21	11	20	207
Days with 04 in. or more.	14	4	7	12	18	11	10	16	13	15	9	14	143

(Signed).....*Charles L. Gable*..... [P.T.O.]



REGISTER OF RAINFALL IN 1926.

Kept at *The Yew-Whitchurch*
in the County of *Hants*

Diameter of Funnel of Gauge.....*5*.....in.

Height of top of Gauge above Ground.....*1*.....ft.....in.

„ Ground „ Sea Level *about 230*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50	.08	-	-	.03	.42	-	-	.04	-	.28	-	1
2	.09	.01	-	-	-	.42	-	-	.59	-	.45	-	2
3	.22	.11	.17	-	-	-	-	-	-	-	-	.01	3
4	.03	.15	.13	<u>1.19</u>	-	-	.24	-	-	-	.67	-	4
5	.16	.11	.15	-	.33	-	.60	-	-	.12	.05	.26	5
6	.36	.33	-	.32	.01	-	.08	.20	.08	.03	.95	.06	6
7	.01	.07	-	.14	.58	.23	-	-	.18	-	.79	.02	7
8	-	.01	-	.12	.05	-	-	.04	.01	.14	.81	-	8
9	-	-	.01	-	.01	.38	.04	.06	-	-	.18	-	9
10	-	-	-	-	.14	.11	.04	.07	-	-	.23	-	10
11	-	.03	-	-	.14	.18	-	.03	-	.04	.02	-	11
12	-	.01	-	-	.21	-	-	-	-	.23	.10	.01	12
13	.01	-	-	-	.05	.10	-	.04	.03	.06	.88	.01	13
14	.19	.15	-	.39	.32	.18	-	-	-	.49	-	.02	14
15	.25	.03	-	.12	-	-	-	-	-	.40	.06	-	15
16	.15	.03	-	.27	-	-	-	.14	.01	-	.09	-	16
17	.24	.49	-	.06	-	.40	.02	-	-	-	.32	.04	17
18	.18	.10	-	.05	.06	.07	.03	.07	-	-	.85	-	18
19	-	-	-	.04	.01	-	.13	.01	-	-	.32	.01	19
20	.01	-	.01	.27	-	.04	-	.18	-	-	.18	-	20
21	.01	.01	-	-	.03	-	.06	.03	-	.07	.02	-	21
22	.45	.05	-	.03	-	-	-	-	-	.01	-	-	22
23	.13	.02	.01	-	-	-	-	-	-	-	-	-	23
24	.03	-	-	-	-	.03	.22	.01	-	.46	-	-	24
25	.07	-	.18	.59	-	-	.02	-	-	.13	.14	.03	25
26	.02	.01	.01	.06	.17	-	.73	-	.08	-	.04	-	26
27	.15	.01	.08	.03	.07	-	-	-	.02	.06	.05	-	27
28	.42	-	-	.09	-	-	.27	-	-	.53	.01	-	28
29	.04	X	-	.08	.22	-	-	-	-	.02	.36	-	29
30	.13	X	-	.24	.04	-	-	-	-	-	.30	-	30
31	.30	X	-	X	-	X	-	.14	X	-	X	-	31
TOTAL	4.15	1.81	.75	4.39	2.47	2.56	2.48	1.02	1.04	2.79	8.15	.47	32.08
Days with 01 in. or more.	25	20	9	18	18	12	13	13	9	15	25	10	187
Days with 04 in. or more.	18	10	6	16	13	11	10	9	5	12	22	3	134

Please read the Notes and Instructions Overleaf.

Kept at The Yews, Whitechurch, Hamb
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" Ground " Sea Level about 290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.90	.26	-	-	-	.93	.30	-	.25	.60	-	1
2	.01	.01	.05	.14	.01	-	-	-	-	.02	.04	-	2
3	.16	.01	.07	.01	-	-	.07	-	-	-	-	.04	3
4	.07	-	.06	.10	.03	-	.08	-	-	-	.01	-	4
5	.13	.10	.29	.45	-	.15	.01	-	-	-	.12	.01	5
6	.01	-	.23	.41	-	.01	.01	.16	.55	-	.01	.01	6
7	.02	.26	-	.10	-	.50	.03	.04	-	-	.06	-	7
8	.03	.01	.01	.57	-	-	.20	.04	.06	-	-	-	8
9	-	-	-	.14	-	-	-	.06	.50	-	.01	.11	9
10	-	-	-	.03	-	-	.20	.05	.02	-	-	-	10
11	.01	-	-	.02	-	-	.26	.08	-	-	-	-	11
12	.42	-	.01	-	.02	-	.08	.16	-	-	.03	-	12
13	.13	.01	-	.01	-	-	.38	.27	.79	.04	.08	.29	13
14	.04	-	-	.13	.06	-	.25	.19	2.14	-	.02	.15	14
15	-	.01	-	-	.08	-	-	.19	.18	-	.02	-	15
16	.01	.02	-	-	.26	.34	-	.03	.39	-	-	-	16
17	.37	-	.10	-	-	.19	-	.36	.08	-	-	-	17
18	-	-	-	-	-	.34	-	.01	.02	-	.46	-	18
19	-	.25	-	-	-	.02	.06	.39	-	.02	.62	-	19
20	.28	.07	-	-	.03	.02	.43	.28	-	-	.25	.36	20
21	-	.21	.01	-	.03	.07	.01	.14	.40	.18	.09	.75	21
22	-	.24	.33	-	.02	.05	-	.01	.36	.33	-	.69	22
23	.22	.63	.26	-	-	.17	-	.12	.86	.01	.25	.14	23
24	.05	.09	.55	.04	-	.05	.03	.09	.02	.09	.01	.39	24
25	-	.25	.27	-	-	.08	.01	.34	.08	.05	.01	1.17	25
26	.10	.53	.23	-	.12	.03	.22	-	.03	.08	-	.04	26
27	.11	.35	.08	-	.23	.16	.14	-	-	.46	-	-	27
28	.55	.30	.16	.02	-	.26	.03	-	.05	.05	.54	-	28
29	.04	X	.21	-	-	.36	-	-	.57	.02	1.04	-	29
30	.11	X	.04	-	-	.31	.04	.01	.03	.23	.02	-	30
31	.06	X	.33	X	.01	X	.04	-	X	.07	X	.54	31
TOTAL	2.93	4.25	3.55	2.17	.90	3.11	3.51	3.32	6.53	1.85	4.29	4.69	YEARS TOTAL
Days with ".01 in. or more.	22	19	20	14	12	18	22	22	19	15	21	14	218
Days with ".04 in. or more.	16	13	17	9	5	14	15	18	14	10	12	12	155

Please read the Notes and Instructions Overleaf.

(Signed) Charles Gehlin Gerahly [P.T.]

REGISTER OF RAINFALL IN 1928.

Kept at The Yew & Whitchurch
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 230 ft.
about

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.52	—	.09	.01	—	—	—	—	—	—	~~.03~~	—	1
2	.51	.52	.16	.05	—	—	—	.11	—	—	~~.03~~	.02	2
3	.01	—	.01	.25	—	—	.17	1.28	—	—	.06	—	3
4	—	.19	—	—	.01	.01	—	.03	—	.17	—	~~.02~~	4
5	.06	.11	.18	—	—	.09	.07	—	.02	.01	—	—	5
6	—	—	.07	—	—	.17	—	—	—	—	—	.04	6
7	.02	.02	.05	.16	—	.10	—	.09	—	.02	—	—	7
8	—	.04	—	.01	—	.46	.07	—	—	.15	—	—	8
9	.04	—	.04	.03	—	.01	—	.01	.88	.40	—	.03	9
10	.25	.22	—	.07	—	.03	—	.02	—	.30	.15	.01	10
11	.01	.01	.01	.15	—	—	—	.01	—	.24	.16	.22	11
12	.56	.44	—	.09	—	—	—	—	—	.11	.04	.06	12
13	—	.09	—	.01	—	.38	—	.09	—	—	.02	—	13
14	.09	.14	—	.26	—	.17	—	—	—	.40	.45	—	14
15	.07	.01	—	.56	.02	.01	—	—	—	.01	.26	—	15
16	—	.12	—	.09	.05	—	—	—	—	.23	.23	.37	16
17	.02	—	.02	.06	.54	—	—	—	—	.02	—	.01	17
18	.22	—	.03	—	.13	.17	—	—	—	.23	.14	—	18
19	—	—	.02	—	.29	.08	—	.25	—	.46	.03	.11	19
20	.25	—	.21	.02	.14	—	—	.19	—	.11	.09	—	20
21	.30	—	.19	.03	.66	.04	—	—	—	.19	.43	.01	21
22	—	—	.25	—	.01	—	—	.01	—	.48	.27	.09	22
23	.43	—	.06	.01	.03	—	—	—	—	.11	.15	.02	23
24	.06	—	.01	—	—	—	—	.01	.16	.13	.04	.25	24
25	.11	—	—	—	—	.11	—	.03	—	.09	.02	.20	25
26	.20	—	.02	—	—	.16	.05	.30	—	1.36	.05	—	26
27	.01	—	.09	.03	—	—	.58	.02	.08	.33	—	1.00	27
28	.64	—	.12	—	.01	—	—	—	.64	—	—	.16	28
29	.21	.14	.30	.01	.02	.05	—	.06	—	.11	.12	.05	29
30	.04	×	.53	—	—	.05	.40	—	—	.01	—	.24	30
31	.21	×	.23	×	—	×	.26	—	×	—	×	—	31
TOTAL	4.94	2.05	2.69	1.90	1.91	2.09	1.60	2.51	1.78	5.67	2.73	3.01	YEAR'S TOTAL
Days with "01 in. or more.	24	13	22	19	12	17	7	16	5	24	19	19	197
Days with ".04 in. or more.	19	10	15	10	6	13	7	8	4	19	15	12	138

Copied from M.S. Record

FORM 1090. METEOROLOGICAL

Kept at Saint Cross
in the County of Hampshire
by A. F. G.

THE MORNING

An observer who does not
following year in the space of
Re

WINCHESTER
ST. CROSS
HANTS

1921-1925
1928-1930

County No.
River Dist.
Station No.

age in.
ound ft. in.
Level ft.

S DAY.
y 1st of the

Jan. 1, following.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.29	.05	.01	.01	.01	.01	.01	.01	.01	.01	.14	.17	1
2	—	—	—	—	—	—	—	—	—	—	.16	.03	2
3	.03	—	.01	—	.01	—	—	—	—	.48	—	—	3
4	.12	—	—	—	.31	—	—	—	—	.23	—	—	4
5	—	—	.01	—	.04	—	—	—	—	.26	.03	—	5
6	.40	—	.24	—	.18	—	—	—	—	.01	.01	—	6
7	.26	—	—	—	.37	—	—	—	—	.07	—	—	7
8	.03	—	.03	—	.12	—	—	—	—	—	—	—	8
9	—	—	.01	.02	.01	—	—	—	.04	—	—	—	9
10	.22	—	.01	—	—	—	—	—	—	—	—	.03	10
11	.37	—	.06	—	—	—	—	.71	—	—	—	—	11
12	.33	—	.05	—	.21	—	—	.02	—	—	.07	—	12
13	.03	—	.17	.20	—	—	.03	.01	.03	—	.01	—	13
14	—	—	.10	—	.27	—	.01	—	—	—	.20	—	14
15	—	—	.01	.03	.01	—	—	—	—	.10	.02	—	15
16	.10	—	.01	.40	—	—	—	—	—	.48	.02	—	16
17	.15	—	.17	.04	—	—	.05	.07	—	—	—	—	17
18	.04	—	.01	.03	—	—	—	—	.16	.02	—	—	18
19	—	—	.17	—	—	—	—	—	—	.01	.07	—	19
20	—	—	.08	.01	—	—	—	—	.14	.03	—	—	20
21	.01	—	.01	—	—	—	—	—	.01	.05	—	—	21
22	—	—	—	.14	—	—	—	—	.12	.01	.15	—	22
23	—	—	—	.02	—	—	.21	—	.22	—	—	—	23
24	.05	.11	.01	—	—	—	—	—	—	—	.11	—	24
25	.02	.03	—	—	—	.02	—	—	—	—	.09	—	25
26	.03	—	—	—	.02	—	—	—	—	—	.23	—	26
27	.01	—	.01	.26	—	—	—	—	—	—	.10	—	27
28	—	.01	.20	—	—	—	—	—	—	—	.01	—	28
29	.08	X	.07	—	—	—	—	—	—	—	.02	—	29
30	.50	X	—	—	.04	—	.04	—	—	.23	.17	—	30
31	.08	X	—	X	.03	X	—	X	—	X	.01	—	31
TOTAL	3.15	.20	1.48	1.15	1.74	.04	—	.85	.80	2.28	1.55	—	YEAR'S TOTAL
Days with ".01 in. or more.	21	4	22	10	14	2	—	5	7	15	20	—	
Days with ".04 in. or more	14	2	11	5	10	0	—	3	5	10	10	—	

REGISTER OF RAINFALL IN 1911

USE

ATION.

County No.

River Dist.

Station No.

Kept at Saint Cross, Winchester,
in the County of Hants.
by A. F. Gatch, Esq.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29	.05	.04	—	—	—	—	—	—	—	.14	.17	1
2	—	—	—	—	.06	—	—	—	—	.12	.16	.03	2
3	.03	—	.01	—	.07	.02	—	—	—	—	.48	—	3
4	.12	—	—	—	.31	—	—	—	—	—	.23	—	4
5	—	—	.01	—	.04	—	—	—	—	—	.26	.03	5
6	.40	—	.24	—	.18	—	—	—	—	—	.01	.01	6
7	.26	—	—	—	.37	—	—	—	—	—	.07	—	7
8	.03	—	.03	—	.12	—	—	—	—	—	—	—	8
9	—	—	.01	.02	.01	—	—	—	.04	—	—	—	9
10	.22	—	.01	—	—	—	—	—	—	—	—	.03	10
11	.37	—	.06	—	—	—	—	—	.71	—	—	—	11
12	.33	—	.05	—	.21	—	—	—	.02	—	—	.07	12
13	.03	—	.17	.20	—	—	.03	—	.01	.03	—	.01	13
14	—	—	.10	—	.27	—	.01	—	—	—	—	.20	14
15	—	—	.01	.03	.01	—	—	—	—	—	.10	.02	15
16	.10	—	.01	.40	—	—	—	—	—	—	.48	.02	16
17	.15	—	.17	.04	—	—	—	.05	.07	—	—	—	17
18	.04	—	.01	.03	—	—	—	—	—	.16	.02	—	18
19	—	—	.17	—	—	—	—	—	—	—	.01	.07	19
20	—	—	.08	.01	—	—	—	—	—	.14	.03	—	20
21	.01	—	.01	—	—	—	—	—	—	.01	.05	—	21
22	—	—	—	.14	—	—	—	—	—	.12	.01	.15	22
23	—	—	—	.02	—	—	—	.21	—	.22	—	—	23
24	.05	.11	.01	—	—	—	—	—	—	—	—	.11	24
25	.02	.03	—	—	—	.02	—	—	—	—	—	.09	25
26	.03	—	—	—	.02	—	—	—	—	—	—	.23	26
27	.01	—	.01	.26	—	—	—	—	—	—	—	.10	27
28	—	.01	.20	—	—	—	—	—	—	—	—	.01	28
29	.08	X	.07	—	—	—	—	—	—	—	—	.02	29
30	.50	X	—	—	.04	—	—	.04	—	—	.23	.17	30
31	.08	X	—	X	.03	X	—	—	X	—	X	.01	31
TOTAL	3.15	.20	1.48 1.45	1.15 1.19	1.74	.04	—	—	.85	.80	2.28	1.55	YEAR'S TOTAL
Days with .01 in. or more.	21	4	22	10	14	2	—	—	5	7	15	20	
Days with .04 in. or more	14	2	11	5	10	0	—	—	3	5	10	10	

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

AIR MINISTRY.

REGISTER OF RAINFALL IN 1922.

County No. _____
River Dist. _____
Station No. _____

Kept at Saint Cross, Winchester
in the County of Hants.
by A. F. Gatch, Esq.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.22	.16	—	.04	.10	.22		.21	—	.32	—	1
2	—	.13	.10	.26	.01	—	.28		—	—	.08	.01	2
3	.09	.28	.33	.29	.11	—	.02		—	.02	.06	—	3
4	—	.26	.16	—	.19	—	.06		—	.39	—	—	4
5	.05	—	.17	.02	.01	—	2.04		—	.16	.75	—	5
6	.13	—	.19	.02	—	—	.02		—	—	.11	—	6
7	.07	—	.44	.19	—	—	.04		—	—	.07	—	7
8	.10	—	.06	.02	—	.05	.29		—	—	.07	.02	8
9	.11	—	—	.07	—	—	.04		—	.04	.03	—	9
10	.01	—	—	—	—	—	.01		—	.01	.33	—	10
11	.08	—	—	.12	.04	—	—		—	—	—	—	11
12	—	.02	—	.63	—	—	.05		.56	—	—	.01	12
13	.15	—	—	.61	—	.39	.32		.21	—	—	—	13
14	.04	—	—	.07	—	.02	.46		.24	—	.02	—	14
15	.42	.25	—	.04	—	—	—		.02	—	—	—	15
16	—	.07	—	.16	.20	—	—		.06	—	—	.24	16
17	—	.21	—	—	.03	—	—		—	—	—	.22	17
18	.44	.10	—	—	.06	—	—		.18	—	—	.15	18
19	.01	.09	.01	—	—	—	—		.13	.05	—	.56	19
20	.13	.22	—	—	—	—	—		.02	.02	—	—	20
21	.27	.22	—	.14	—	—	—		—	—	—	.85	21
22	.01	.03	—	.01	—	.03	—	.13	—	—	—	.35	22
23	—	.05	—	.14	—	—	—	—	.04	—	—	—	23
24	.07	.01	.4	.10	.19	.13	—	.09	—	—	—	.02	24
25	.69	.02	.15	.28	—	.16	—	—	.16	—	—	.23	25
26	.10	.32	.03	.32	—	.07	—	.01	.04	—	.04	.19	26
27	.29	.13	.04	.06	—	—	—	.17	—	.03	.01	.29	27
28	.16	.25	.23	.01	—	.16	—	.02	—	—	—	.12	28
29	.02	X	.05	—	—	.03	—	.02	—	.20	—	.32	29
30	.01	X	—	.01	—	.16	—	.23	.13	.07	.05	.76	30
31	.27	X	.07	X	—	X	—	.13	X	.35	X	.05	31
			.19										
TOTAL	4.73	2.88	2.35	3.57	.88	4.30			2.00	1.34	1.94	4.39	YEAR'S TOTAL
Days with ".01 in. or more.	25	19	16	22	10	11			13	11	13	17	
Days with ".04 in. or more	19	15	14	16	7	8			11	7	10	13	

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

County No.

River Dist.

Station No.

Kept at Saint Cross, Winchester

in the County of Hants

by A. F. Gatch, Esq.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.04	.29	—	—	.01	—	—	.02	.09	.01	.50	1
2	.17	.02	.05	—	.04	—	—	—	—	.27	.02	.09	2
3	.01	—	.04	—	—	—	—	—	.11	.44	.03	.17	3
4	—	—	—	—	—	—	—	—	.03	.01	.01	.02	4
5	.47	—	.02	.03	—	—	—	—	—	.14	.15	—	5
6	.68	.50	.12	.05	—	—	—	—	—	—	—	—	6
7	—	1.07	.02	—	.05	—	—	—	—	.37	—	.37	7
8	.10	.04	.07	—	.01	—	—	—	—	.15	.31	—	8
9	.03	.75	.01	—	—	—	—	—	—	.03	.02	—	9
10	.01	.20	—	.45	.06	—	.05	—	—	.11	—	.02	10
11	.02	.05	—	.34	.04	—	—	—	—	.80	—	—	11
12	—	.15	.46	.36	.11	.01	—	—	—	.36	.01	.02	12
13	.01	.10	.02	.11	—	—	—	—	—	.02	.70	—	13
14	—	.01	.05	.03	.05	—	—	—	.67	.03	.04	.02	14
15	—	.01	.02	.21	.34	.31	—	—	.11	—	.43	.01	15
16	—	.21	—	.39	.09	—	—	—	.01	—	.15	.01	16
17	.02	.31	—	—	.01	.02	—	—	.29	.03	.05	—	17
18	—	.17	—	.01	.01	.05	—	—	.05	.01	.02	—	18
19	.04	.04	.01	.01	—	—	—	—	.20	.79	—	.01	19
20	—	.24	—	—	.02	—	—	—	.21	.09	—	.01	20
21	.02	.11	—	.03	—	—	—	—	.04	.14	—	.25	21
22	—	.39	.07	—	—	—	—	—	.08	.23	—	.24	22
23	—	.40	.03	—	.65	—	—	—	.02	.27	—	.14	23
24	—	.06	—	.08	.01	—	—	.09	.30	.03	—	.04	24
25	—	.48	—	.50	.02	.02	—	.06	.07	.80	—	.28	25
26	—	.08	—	.13	.01	—	—	—	—	.25	—	.36	26
27	—	.06	.19	—	.01	—	—	.15	—	.12	—	.07	27
28	—	.11	.08	.31	.37	—	—	.03	—	.02	.03	—	28
29	.02	X	.18	.01	.31	—	—	.78	—	.01	—	.09	29
30	—	X	.03	.02	—	.01	—	.01	.03	.25	—	.32	30
31	—	X	—	X	.01	X	—	—	X	.01	X	.16	31
TOTAL	1.68	5.60	1.76	3.07	2.22	.43	—	—	2.24	5.87	1.98	3.20	YEAR'S TOTAL
Days with ".01 in. or more.	14	25	19	18	20	7	—	—	16	28	15	22	
Days with ".01 in. or more	6	22	11	11	11	2	—	—	11	18	7	14	

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

AIR MINISTRY.

REGISTER OF RAINFALL IN 1924.

County No. _____
River Dist. _____
Station No. _____

Kept at Saint Cross, Winchester
in the County of Hants
by A. F. Gatch, Esq.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.09	—	.02	.21	.10	—	—	.01	.69	.47	1
2	.04	—	.11	—	—	.09	.03	—	—	.07	—	.09	2
3	.02	—	.09	—	—	.06	.23	—	.04	.10	—	—	3
4	.02	.01	—	—	.02	.58	—	—	.05	.04	—	.28	4
5	—	—	.15	—	.01	.02	.07	—	—	.12	—	.04	5
6	—	—	—	—	.05	.01	—	—	.07	.34	—	—	6
7	.04	—	—	—	.04	.33	—	—	.23	.29	—	—	7
8	.04	.11	—	.05	.04	.01	.03	—	.07	.11	—	—	8
9	.21	.05	—	.03	.04	.11	—	—	.10	.02	—	—	9
10	.12	—	—	.15	.59	.24	—	—	.07	.04	—	—	10
11	.07	—	—	.30	.28	.07	—	—	—	.13	.34	—	11
12	.02	—	—	.09	.08	.27	—	—	.17	—	.03	—	12
13	.06	—	—	.58	.09	.01	—	—	.42	—	.03	—	13
14	.02	—	—	.10	—	—	—	—	—	—	.02	—	14
15	—	—	—	—	—	—	—	—	.05	—	—	1.50	15
16	.02	—	—	—	—	—	—	—	.02	—	—	—	16
17	.29	—	—	—	.04	.12	—	—	.05	—	—	.03	17
18	.36	.04	—	—	.39	—	—	—	—	.10	.01	—	18
19	.19	—	—	—	.01	—	—	—	.02	.01	—	.01	19
20	.04	—	—	—	.11	.03	—	—	.18	.21	—	—	20
21	.46	—	.02	—	.16	—	—	—	.25	.70	—	—	21
22	.25	—	.57	—	.03	—	—	—	.29	—	—	—	22
23	—	—	.08	.15	.27	—	—	—	.03	—	—	.60	23
24	.43	.19	.09	.19	.15	—	—	—	.48	—	—	.44	24
25	.02	—	.07	.24	.04	—	—	.03	1.65	.08	.08	.08	25
26	—	—	—	—	.01	—	—	.05	.07	.15	.74	.21	26
27	—	.04	—	.70	—	—	—	.01	—	.24	.10	.48	27
28	—	—	—	—	—	—	—	.38	—	.04	.42	.03	28
29	—	—	—	.13	.14	.01	—	.26	.10	.73	.05	.48	29
30	—	X	—	.20	.17	—	—	.06	.47	.25	.10	.26	30
31	.02	X	—	X	.40	X	—	.04	X	.17	X	.04	31
TOTAL	2.74	.44	1.27	2.91 2.73	3.18	2.17	—	—	4.88	3.95	2.61	5.04	YEAR'S TOTAL
Days with ".01 in. or more.	21	6	9	13	24	16	—	—	22	22	12	16	
Days with ".04 in. or more	14	5	8	12	18	10	—	—	19	19	8	13	

Section

Extracted from Monthly Despatches
for the entry of Daily Observations.

July corr by sun ph
Sept pt & Oct est from sun ph

683 A

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at (Saint Cross, Winchester)
in the County of Hampshire

Observers are requested to read the instructions
printed overleaf before filling in this form.

Every Observer should fill in section C
overleaf.

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft. in.
" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.79		.10		.04			.39	.01		.73		1
2	.23	.03		.10			.14	.01			.42		2
3	.16	.01			.13		.02				.07		3
4	.02	.03		.40	.21			.13	.01		.06		4
5		.31		.84	.17			.03	.25		.05		5
6		.04		.01	.21		.40	.15			.44		6
7	.01	.19			.33				.01		.02	.20	7
8	.14	.03	.01		.14			.02	.01			.10	8
9		.03		.20	.03		.02	.09	.16			.02	9
10		.06	.03	.02	.07		.01	.02	.01		.01		10
11		.10			.02			.69					11
12		.57						.13					12
13	.02	.36	.06	.11				.01				.07	13
14	.27	.25	.01	.19							.02		14
15	.08			.11						(3.25)			15
16	.07	.03											16
17	.01			.01	.27								17
18		.05		.03	.18							.07	18
19		.06		.06	.02		.22	.07				.40	19
20			.06					.06	(2.50)			.04	20
21		.02	.03				.65	.60				.37	21
22		.30		.13	.25		.48					.48	22
23	.09	.03	.08		.14							.06	23
24	.30	.25	.04	.01	.45			.07			.04	.19	24
25	.26	.67		.03	.02		.15	.01				.08	25
26	.05	.20		.18	.30		.18	.18				.08	26
27	.09	.03		.17	.14		.12	.03				.05	27
28	.20	.01		.07			.03					.19	28
29	.09	X		.06	.12		.05				.13	.36	29
30	.01	X		.14			(.25)				.21	.20	30
31	.09	X	.05	X		X	.05		X	.05	X	.02	31
TOTAL	2.98	3.66	.47	2.87	3.24	-	2.77	3.83	(2.96)	(3.30)	2.20	2.98	YEARS TOTAL
Days with ".01 in. or more.	20	25	10	20	20	-	14	20			12	18	(31.26)
Days with ".04 in. or more.	15	14	6	14	16	-	10	13			9	16	

Read Acc.

(Signed) A. F. Gatch

[P.T.O.]

Section



for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—

FORM 1090.

REGISTER OF RAINFALL

FISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

Hanks/5

LL IN 1928.

Kept at St. Cross, Winchesterin the County of HampshireDiameter of Funnel of Gauge in.Height of top of Gauge above Ground ft. in." Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE

PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made following year in the space on the right of this paragraph.

January 1st of the following

Jan. 1, following.

Please read the Notes and Instructions

overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	verleaf.				Date.	
	in.	in.	in.	in.	in.	in.	in.	in.	Sept.	Oct.	Nov.	Dec.		
1									in.	in.	in.	in.	1	
2												2	2	
3											03		3	
4													4	
5									3	7		3	5	
6									8	2		11	6	
7										2		2	7	
8										2			8	
9									55	24		2	9	
10										38	12	2	10	
11										50	10	18	11	
12										12	3	10	12	
13								22			4		13	
14										57	63		14	
15										1	32		15	
16										18	22	41	16	
17										12			17	
18										42	10		18	
19								18		90	04	7	19	
20								17			14		20	
21										50	32	1	21	
22										115	30	15	22	
23										25	30	2	23	
24								24	19	12	05	33	24	
25								24		32		26	25	
26								28		13.6		3	26	
27								5		20		115	27	
28									50	746		17	28	
29										6	12	15	29	
30		X								4		11	30	
31		X		X		X			X	2	X		31	
TOTAL									232	1.35	758	286	333	YEAR'S TOTAL
Days with .01 in. or more.									232	1.35	758	286	333	36.11
Days with .04 in. or more.									9	5	24	16	18	17.7

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at S^t Cross, Winchester

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground one ft. in.

„ Ground „ Sea Level 35 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				1				3		40		1	1
2		2					13			41	2	40	2
3		55				7		5		1		16	3
4				5	35		34	11				48	4
5					68	22	10	63		77	22	28	5
6					18	45	23	17		3	24	54	6
7					7			48		41	33	64	7
8					6			1		43		28	8
9		11									18	52	9
10	28			2	1					3	2	30	10
11				2	14						108	5	11
12				4	7								12
13	2				15			2				3369	13
14					373			150				7	14
15	2	12 snow				50					80	8	15
16								33	1		594		16
17				2									17
18	snow					8					63		18
19											19		19
20			Some not measured				20	6		43		44	20
21	9		3									13	21
22							2	2			43		22
23		9		1						8	61	55	23
24			2	1						77	119	65	24
25		2									26	6	25
26					6						10	19	26
27				16	3						105	12	27
28	25			1			40			44	54	63	28
29	12 1/2			51		6				5	65	35	29
30	1	x				20	3		7	526	95	27	30
31	62	x		x		x	33	1	x		x		31
TOTAL	1.48	.91	.05	.84	1.82	1.58	178	192	28	426	954	7.23	YEAR'S TOTAL
Days with .01 in. or more.	9	6	2	10	12	7	9	12	3	13	20	24	127
Days with .04 in. or more.	6	4	0	4	9	7	7	7	2	10	18	22	96

Section



for the entry of Daily Observations.

726
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1923.

Kept at St Cross Headway
in the County of HampshireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground one ft. in." Ground " Sea Level 135 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	7	41		24							42		1
2	3	4	2		60		6	47			30		2
3	7	8		70	2			66		4			3
4	106	700	2	4				5	4	14			4
5	1				4			31		2			5
6	2				1			15	32	1		7	6
7	13							7		37	36	10 1/2	7
8	8			6	1			1		1		21	8
9	28		4		28				18			6	9
10	72		15		35							100	10
11	15		2	4	3		13			5		10	11
12	20			15	14			18				27	12
13	4		12	29	5		3	16	36				13
14	7	66	14	7	1		9		3	03		3	14
15	61	612	26				47			11	12	18	15
16									19			15	16
17			6	20			8	2	41	24			17
18			snr		8		6	3	13	3	19	19	18 23 6 1/2
19			11	20				7	45	24	78	2	19
20			3	18		02	66	80	20	5	29		20
21			2			01		3		12	72		21
22	40			1	7	05		49	5	32	24		22
23	30		10	23		25	15	3	8		13	4	23
24	19	3.15		36	4	3					49	37	24 27 9 1/2
25	8	22		1	17	2			4	10	19	6	25
26	30	4			7		7		17		41	22	26 30 1/2
27	3		4				2		4	11	19	22	27
28	5		3				4		15	1	70	17	28 34 6 1/2
29	13		3				20	11	22	2	2	2 1/2	29 34 9
30	4	X			11	10	7				55	22	30 37 1
31	62	X	13	X	23	X			X	8	X	8	31
TOTAL	508	101	134	278	231	48	2.13	3.40	3.06	2.10	5.55	1.79	33.03
Days with .01 in. or more.	25	9	12	15	18	7	14	16	17	20	16	21	198
Days with .04 in. or more.	20	8	14	13	13	2	12	11	16	13	15	18	152

720

RE WINCHESTER

Kept at

in the County of

Diameter of Funnel of Gau

Height of top of Gauge abo

Ground

1928-20

FOR OFFICIAL USE.
ORGANIZATION.
1928.

685B
11/1/28/5

this year
will be OK
1929

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Nil.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.18	0.34	0.20	0.23	Nil	Nil	0.15	0.20	Nil	Nil	Nil	Nil	1
2	1.37	Nil	0.08	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	2
3	Nil	0.70	0.13	0.30	Nil	Nil	Nil	0.10	Nil	Nil	Nil	0.03	3
4	Nil	Nil	Nil	0.23	Nil	Nil	0.12	0.12	Nil	Nil	0.02	Nil	4
5	0.01	0.47	Nil	Nil	0.04	0.03	Nil	0.02	Nil	Nil	Nil	0.01	5
6	0.02	0.41	0.23	0.04	Nil	0.17	0.03	Nil	Nil	0.06	Nil	Nil	6
7	Nil	Nil	0.04	Nil	Nil	0.25	Nil	Nil	0.09	Nil	Nil	0.09	7
8	Nil	0.10	0.10	0.30	Nil	0.07	Nil	0.10	Nil	0.01	Nil	Nil	8
9	0.02	0.35	Nil	0.04	Nil	0.54	0.01	Nil	Nil	0.01	Nil	Nil	9
10	0.05	Nil	0.01	0.05	Nil	0.07	Nil	Nil	0.53	0.22	Nil	0.01	10
11	0.24	0.39	Nil	0.08	Nil	Nil	Nil	0.01	Nil	0.35	0.12	0.02	11
12	Nil	Nil	Nil	0.07	Nil	Nil	Nil	Nil	Nil	0.52	0.10	0.18	12
13	0.72	0.48	Nil	0.06	Nil	Nil	Nil	Nil	Nil	0.06	0.06	0.04	13
14	Nil	0.08	Nil	Nil	Nil	0.52	Nil	0.20	Nil	Nil	0.02	Nil	14
15	0.15	0.10	Nil	0.40	Nil	0.21	Nil	0.02	Nil	0.50	0.63	Nil	15
16	0.04	Nil	Nil	0.30	Nil	Nil	Nil	Nil	Nil	0.01	0.24	Nil	16
17	Nil	0.10	Nil	0.01	0.02	Nil	Nil	Nil	Nil	0.22	0.32	0.42	17
18	0.01	Nil	Nil	0.02	0.50	0.01	Nil	Nil	Nil	0.06	Nil	Nil	18
19	0.44	Nil	0.05	Nil	0.07	0.05	Nil	Nil	Nil	0.41	0.11	Nil	19
20	Nil	Nil	0.10	Nil	0.14	0.01	Nil	0.20	Nil	0.76	0.02	0.07	20
21	0.30	Nil	0.12	0.01	0.30	Nil	Nil	0.22	Nil	0.12	0.15	Nil	21
22	0.25	Nil	0.15	0.06	0.15	0.02	Nil	Nil	Nil	0.34	0.31	Nil	22
23	Nil	Nil	0.35	Nil	Nil	Nil	Nil	Nil	Nil	1.14	0.34	0.15	23
24	0.60	Nil	0.06	Nil	0.04	Nil	Nil	Nil	Nil	0.25	0.40	0.03	24
25	0.01	Nil	0.08	Nil	Nil	Nil	Nil	Nil	0.16	0.08	0.05	0.30	25
26	Nil	Nil	Nil	Nil	Nil	0.06	Nil	0.02	Nil	0.25	Nil	0.28	26
27	0.26	Nil	0.01	Nil	0.01	0.11	0.05	0.40	Nil	1.29	0.01	0.02	27
28	Nil	Nil	0.12	Nil	Nil	Nil	0.48	0.04	Nil	0.19	Nil	1.01	28
29	0.90	Nil	0.12	Nil	Nil	Nil	Nil	Nil	0.45	Nil	Nil	0.19	29
30	0.30	X	0.60	0.05	Nil	0.01	0.05	Nil	Nil	0.07	0.04	0.15	30
31	Nil	X	0.53	X	0.01	X	0.43	Nil	X	0.02	X	0.09	31
TOTAL	6.03	3.38	3.11	2.25	1.28	2.13	1.32	2.35	1.23	6.94	2.94	3.09	YEARS TOTAL
Days with 01 in. or more.	19	11	19	14	10	15	8	13	4	23	17	18	35.8.2
Days with 04 in. or more.	14	11	17	14	7	10	6	9	4	19	13	12	13.8.5

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Winchester (High Street)
in the County of Hampshire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft.
„ Ground „ Sea Level.....200 ft.

*W.D. this year
but will be OK
1929*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Nil

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.18	0.34	0.20	0.23	Nil	Nil	0.15	0.20	Nil	Nil	Nil	Nil	1
2	1.37	Nil	0.08	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	2
3	Nil	0.70	~~0.13~~	0.30	Nil	Nil	Nil	0.10	Nil	Nil	Nil	0.03	3
4	Nil	Nil	Nil	0.23	Nil	Nil	0.12	0.82	Nil	Nil	0.02	Nil	4
5	0.01	0.47	Nil	Nil	0.04	0.03	Nil	0.02	Nil	Nil	Nil	0.01	5
6	0.02	0.41	0.23	0.04	Nil	0.17	0.03	Nil	Nil	0.06	Nil	Nil	6
7	Nil	Nil	0.04	Nil	Nil	0.25	Nil	Nil	0.09	Nil	Nil	0.09	7
8	Nil	0.10	0.10	0.30	Nil	0.07	Nil	0.10	Nil	0.01	Nil	Nil	8
9	0.02	0.35	Nil	0.04	Nil	0.54	0.01	Nil	Nil	0.01	Nil	Nil	9
10	0.05	Nil	0.01	0.05	Nil	0.07	Nil	Nil	0.53	0.22	Nil	0.01	10
11	0.24	0.39	Nil	0.08	Nil	Nil	Nil	0.01	Nil	0.35	0.12	0.02	11
12	Nil	Nil	Nil	0.07	Nil	Nil	Nil	Nil	Nil	0.52	0.10	0.18	12
13	0.72	0.48	Nil	0.06	Nil	Nil	Nil	Nil	Nil	0.06	0.06	0.04	13
14	Nil	0.08	Nil	Nil	Nil	0.52	Nil	0.20	Nil	Nil	0.02	Nil	14
15	0.15	0.10	Nil	0.40	Nil	0.21	Nil	0.02	Nil	0.50	0.63	Nil	15
16	0.04	Nil	Nil	0.30	Nil	Nil	Nil	Nil	Nil	0.01	0.24	Nil	16
17	Nil	0.10	Nil	0.01	0.02	Nil	Nil	Nil	Nil	0.22	0.32	0.42	17
18	0.01	Nil	Nil	0.02	0.50	0.01	Nil	Nil	Nil	0.06	Nil	Nil	18
19	0.44	Nil	0.05	Nil	0.07	0.05	Nil	Nil	Nil	0.41	0.11	Nil	19
20	Nil	Nil	0.10	Nil	0.14	0.01	Nil	0.20	Nil	0.76	0.02	0.07	20
21	0.30	Nil	0.12	0.01	0.30	Nil	Nil	0.22	Nil	0.12	0.15	Nil	21
22	0.25	Nil	0.15	0.06	0.15	0.02	Nil	Nil	Nil	0.34	0.31	Nil	22
23	Nil	Nil	0.35	Nil	Nil	Nil	Nil	Nil	Nil	1.14	0.34	0.15	23
24	0.60	Nil	0.06	Nil	0.04	Nil	Nil	Nil	Nil	0.25	0.40	0.03	24
25	0.01	Nil	0.08	Nil	Nil	Nil	Nil	Nil	0.16	0.08	0.05	0.30	25
26	Nil	Nil	Nil	Nil	Nil	0.06	Nil	0.02	Nil	0.25	Nil	0.28	26
27	0.26	Nil	0.01	Nil	0.01	0.11	0.05	0.40	Nil	1.29	0.01	0.02	27
28	Nil	Nil	0.12	Nil	Nil	Nil	0.45	0.04	Nil	0.19	Nil	1.01	28
29	0.90	Nil	0.12	Nil	Nil	Nil	Nil	Nil	0.45	Nil	Nil	0.19	29
30	0.30	X	0.60	0.05	Nil	0.01	0.05	Nil	Nil	0.07	0.04	0.15	30
31	Nil	X	0.53	X	0.01	X	0.43	Nil	X	0.02	X	0.09	31
TOTAL	6.03	3.38	3.11	2.02	1.28	2.28	1.37	2.15	1.23	6.94	2.94	3.09	YEARS TOTAL
Days with "01 in. or more.	19	11	19	14	10	15	8	13	4	23	17	18	35.8.2
Days with "04 in. or more.	14	11	17	14	7	10	6	9	4	19	13	12	138.5.2

REGISTER OF RAINFALL IN 1929.

Kept at Winchester
in the County of Hampshire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.05	—	0.05	—	0.01	—	—	—	0.48	—	0.01	I
2	—	0.50	—	—	—	—	0.12	—	—	0.31	0.01	0.45	2
3	—	—	0.01	—	—	0.04	0.06	0.05	—	Trace	—	0.16	3
4	—	—	—	0.04	0.42	0.16	0.27	0.11	—	Trace	—	0.56	4
5	—	—	—	—	0.65	0.43	0.09	0.58	—	0.74	0.30	0.26	5
6	—	—	—	—	0.15	0.01	0.17	0.12	—	0.01	0.14	0.62	6
7	—	—	—	—	0.06	0.06	—	0.33	—	0.41	0.37	0.69	7
8	—	—	—	—	0.03	0.04	—	Trace	—	0.51	—	0.37	8
9	0.1	0.16	—	—	—	—	—	—	—	Trace	0.19	0.47	9
10	0.11	—	—	—	0.01	—	—	—	—	0.02	Trace	0.35	10
11	—	0.02	—	0.01	0.22	Trace	—	—	—	Trace	1.11	0.03	11
12	—	—	—	0.03	—	0.05	—	—	—	—	Trace	—	12
13	0.01	—	—	—	0.15	—	—	0.03	—	—	—	0.04	13
14	—	—	—	—	0.02	0.42	—	—	—	—	—	0.11	14
15	0.01	0.14	—	—	—	0.17	—	—	—	—	0.82	0.02	15
16	—	—	—	—	—	—	—	0.30	Trace	—	0.03	—	16
17	0.07	—	—	0.02	—	—	—	—	—	Trace	—	—	17
18	—	—	—	—	—	—	—	Trace	—	—	0.68	—	18
19	—	—	—	—	—	—	—	—	Trace	—	0.18	—	19
20	—	—	Trace	—	—	—	0.16	0.05	—	0.42	—	0.49	20
21	0.07	—	—	—	—	Trace	—	—	—	Trace	—	0.06	21
22	—	—	—	—	—	—	0.01	0.01	—	—	0.48	0.01	22
23	—	0.08	—	0.01	—	—	—	—	—	—	0.70	0.54	23
24	—	—	0.02	—	—	—	—	—	—	0.78	1.26	0.67	24
25	—	—	Trace	Trace	—	—	—	—	—	Trace	0.19	—	25
26	—	0.01	—	—	0.11	—	—	—	—	—	0.12	0.20	26
27	—	—	—	0.17	0.04	—	—	—	—	0.03	1.18	0.11	27
28	0.26	—	—	Trace	—	—	0.40	—	—	0.45	0.42	0.68	28
29	0.11	—	—	0.48	—	0.1	—	—	0.06	0.04	0.65	0.50	29
30	0.01	X	—	—	—	0.12	0.03	—	0.18	—	0.90	0.07	30
31	0.63	X	—	X	0.05	X	0.29	—	X	—	X	0.01	31
TOTAL	1.38	0.96	0.03	0.81	1.91	1.66	1.60	1.58	0.24	4.20	9.73	7.48	31.33
Days with "01 in. or more.	10	7	2	8	12	12	10	9	2	12	19	25	128 days
Days with "04 in. or more.	7	5	0	4	9	10	8	7	2	9	17	20	98 days

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1930.

Kept at Winchester
in the County of Hampshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

0.06"

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	0.55	—	0.13	—	0.19	0.10	—	—	Trace	0.10	Trace	1
2	—	0.34	—	0.25	—	—	—	Trace	—	—	0.45	—	2
3	0.10	0.03	0.03	0.03	0.65	—	0.04	0.48	—	—	0.17	—	3
4	0.11	0.04	—	0.64	0.02	—	—	0.55	—	0.05	0.01	—	4
5	1.08	0.06	0.02	0.01	Trace	—	—	0.14	0.05	0.13	—	—	5
6	—	—	Trace	Trace	0.03	—	—	0.31	—	0.02	—	—	6
7	0.02	—	—	—	Trace	—	—	0.20	0.29	0.01	—	0.04	7
8	0.13	Trace	—	—	—	—	—	0.05	—	0.36	0.35	0.11	8
9	0.08	—	—	0.05	0.01	—	—	0.02	0.01	0.01	0.01	0.22	9
10	0.32	—	0.04	—	0.24	—	—	—	0.30	—	0.01	0.02	10
11	0.88	—	0.13	—	0.38	—	—	0.01	—	—	—	0.88	11
12	0.25	—	0.01	0.06	—	—	0.13	Trace	—	0.05	—	0.20	12
13	0.17	—	Trace	0.24	0.14	—	—	0.01	—	—	—	0.28	13
14	0.05	—	0.13	0.12	0.04	—	0.03	0.15	0.34	—	0.01	0.01	14
15	0.08	0.05	0.14	0.04	—	—	0.12	—	0.02	0.04	—	0.03	15
16	Trace	0.06	0.25	—	—	—	0.48	—	—	0.10	0.12	0.20	16
17	Trace	—	—	0.01	—	—	—	—	0.16	—	—	0.10	17
18	Trace	Trace	0.05	0.22	—	—	0.08	0.02	0.43	0.25	—	0.01	18
19	Trace	—	—	0.01	0.05	—	0.04	0.02	0.24	0.02	0.19	0.16	19
20	Trace	—	0.01	0.18	—	0.02	—	0.04	0.32	0.23	1.00	0.02	20
21	—	—	0.05	0.09	—	0.01	0.40	0.82	0.18	0.04	0.19	—	21
22	—	—	0.01	—	—	—	0.01	0.04	0.02	0.13	0.64	—	22
23	0.48	—	—	0.03	0.06	0.04	—	0.50	0.02	0.30	0.24	—	23
24	0.30	—	0.01	0.14	Trace	0.24	0.14	0.10	0.04	Trace	0.26	0.06	24
25	0.20	0.04	—	0.34	0.03	0.04	—	—	0.02	0.01	0.36	0.42	25
26	0.08	0.24	—	0.01	0.15	0.01	—	—	0.09	0.06	0.23	0.08	26
27	0.34	0.01	—	—	0.05	—	0.04	—	0.12	Trace	0.34	0.25	27
28	0.02	—	—	—	—	—	0.01	—	0.03	0.10	0.21	0.19	28
29	0.05	X	0.05	—	—	—	0.01	—	0.14	0.01	0.42	0.18	29
30	0.11	X	0.03	—	0.01	—	0.14	0.12	0.19	0.02	0.01	0.09	30
31	0.04	X	—	X	0.11	X	0.04	—	X	Trace	X	0.15	31
TOTAL	4.90	1.45	0.96	2.66	2.00	0.55	2.20	3.61	3.04	1.94	5.65	3.73	YEAR'S TOTAL 32.72
*Days with or in. or more.	22	10	15	19	15	4	16	18	20	20	21	22	205
*Days with or in. or more.	19	8	8	13	10	4	12	13	14	13	16	14	147

40-9999

*See Instruction 2 (f) on other side.

(Signed) H. E. N. Williams [P.T.O.]

Kept at Winchester
in the County of Hamp
by E. E. Wilde

721
WINCHESTER
EAST HILL
HANTS

IMPORTANT NOTE.

If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instruct
and particulars as to the B
sent post-free on application
Square, London, N.W. 1.

1921-~~24~~-26-27

29

n Gauge in.
ve Ground ft. in.
Sea Level ft.
entered to the previous day.

ested to add
at the end of
f rain gauges,
ll Observers,"
62, Camden

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	29	03	04					03			14	12	1
2					02			11		11	16	02	2
3	02				07	01		08			24		3
4	11				15			08			48		4
5					02			19			27	02	5
6	17		24		15						01		6
7	60				32						07		7
8	03		02		10								8
9				01					03				9
10	26							01				02	10
11	41		02						63			01	11
12	30		05		48			52	01			06	12
13	03		18	24				16		02			13
14			09		28		01					20	14
15				05			20	01			04	02	15
16	06		01	38				82			44	01	16
17	16		15	02			07	03	06				17
18	02									25	01		18
19			16								03	12	19
20			03							14	03		20
21													21
22				09						19		19	22
23				04			08	25		20			23
24	04	04										09	24
25	01	10				01	01					11	25
26	02				01							28	26
27				24	01							01	27
28			23				01					20	28
29	09		06		25			01				01	29
30	47	~~XX~~			02						24	20	30
31	04	~~XX~~		~~XX~~	02	~~XX~~			~~XX~~		~~XX~~		31
TOTAL	3.13	1.17	1.28	1.07	1.90	0.02	0.38	2.30	0.73	0.91	2.16	1.69	15.74
Days with 0.1 in. or more	19	3	13	8	14	2	6	13	4	6	13	18	119
Days with 0.4 in. or more	13	2	9	6	8	0	3	8	2	5	9	10	75

REGISTER OF RAINFALL IN 1922.

Kept at Winchester East Hillin the County of Hampshireby E. E. Walde

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		13	18		08	01	22	14	30		47		1
2		20	10	17	01		27				02		2
3	13	25	30	19	11		01	16		01	06		3
4		26	18		24		11			39			4
5	02			01			172			19	72		5
6	11		36				01	133			24		6
7	08		31	20			08	09			03		7
8	12		08	02		03	30				04	01	8
9	10			03			02	22		04	02		9
10	01									01	34		10
11	04			11	03							01	11
12				58			03	23	47				12
13	16			60		45	29		21				13
14	01			05		01	69		27				14
15	36	26		04			01				01		15
16		07		19	21			13	06			19	16
17		23					09					20	17
18	130	06			07		01		17			14	18
19	02	12							13	04		46	19
20	06	26	01										20
21	29	28		15								74	21
22		02		01		02		12				34	22
23		06		12		12	20		05				23
24	06		14	09	20	15		09			01		24
25	46	01	04	28		05			16		27		25
26	09	32		21			15		01		10		26
27	24	13	15	04				20		01		38	27
28	17	25	04			18		01				11	28
29	01					02	01	01		18		26	29
30	01	X	06			20		25	12	01	08	83	30
31	29	X	19	X		X	27	11	X	21	X	06	31
TOTAL													YEAR'S TOTAL
Days with 01 in. or more	4.14	2.91	2.14	3.09	95	1.24	4.49	3.09	1.95	1.09	2.03	4.11	31.23
Days with 04 in. or more	23	17	15	19	8	11	19	14	11	10	11	16	174
	17	15	14	15	6	6	12	12	10	6	7	13	133

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Winchester, Miledown, East Hill
in the County of Hants.
by Edrick E. Wilde

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 256 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.04	.25	.	.	.	.	.	.01	.10	.01	.42	1
2	.21	.	.04	.	.03	.	.	.01	.	.12	.01	.	2
3	.01	.	.03	.	.	.	.	.	.08	.65	.03	.06	3
4	.	.	.	.	.	.	.	.	.02	.	.	.18	4
5	.46	.	.	.01	.	.	.	.	.	.15	.12	.01	5
6	.60	.30	.12	.04	.	.	.	.	.	.	.	.02	6
7	.03	1.00	.03	.	.04	.	.	.	.	.35	.	.34	7
8	.01	.05	.10	.	.01	.	.	.	.	.18	.32	.	8
9	.12	.55	.	.	.	.	.	.	.	.01	.	.	9
10	.	.25	.	.42	.04	.	.05	.	.	.13	.	.01	10
11	.01	.07	.	.28	.03	.	.	.	.	.71	.	.	11
12	.	.14	.45	.38	.13	.	.	.	.	.50	.	.	12
13	.01	.11	.01	.05	.	.	.	.	.	.	.67	.03	13
14	.	.	.04	.16	.05	.	.04	.02	.61	.	.	.	14
15	.	.01	.	.17	.37	.31	.02	.	.11	.	.39	.	15
16	.	.19	.	.37	.10	.	.	.	.	.	.17	.	16
17	.	.21	.	.	.	.	.	.	.24	.01	.06	.	17
18	.03	.20	.	.	.01	.04	.	.13	.09	.	.01	.	18
19	.03	.04	.	.	.	.	.01	.02	.16	.84	.	.05	19
20	.	.21	.	.	.	.	.	.	.25	.13	.01	.	20
21	.	.12	.	.02	.	.	.	.	.04	.12	.	.28	21
22	.	.35	.05	.	.	.	.	.14	.07	.19	.	.28	22
23	.	.28	.04	.	.76	.	.06	.69	.	.29	.	.12	23
24	.	.09	.	.08	.	.	.	.24	.25	.02	.	.11	24
25	.	.39	.	.54	.02	.01	.	.04	.09	.72	.	.31	25
26	.	.10	.	.14	.	.	.	.	.	.22	.	.34	26
27	.	.07	.12	.	.	.	.	.17	.	.09	.	.08	27
28	.	.12	.10	.30	.37	.	.13	.01	.	.02	.01	.	28
29	.	X	.20	.02	.30	.	.12	.60	.	.	.	.06	29
30	.	X	.01	.01	.	.01	.14	.01	.01	.28	.	.45	30
31	.	X	.	X	.	X	.10	.	X	.01	X	.19	31
TOTAL	1.63	4.89	1.59	2.99	2.26	.37	.97	2.08	2.03	5.84	1.78	3.34	YEAR'S TOTAL 29.77
Days with 01 in. or more	12	23	15	16	14	4	9	12	14	23	12	19	173
Days with 04 in. or more	5	22	11	12	9	2	7	7	11	18	5	15	124

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Winchester, East Hill, (Mile-end)
in the County of Hants
by Mrs (Edith E) Wilde

Lat. 51° 41' Long. 1° 19' W
Time of Observation _____
Nearest Railway Station Winchester
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3.0 in.
" " " " Sea Level 256 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			08		02	16	08	06	01		70	24	1
2	04		16		01	10	04	02		04		19	2
3	02		04		16	08	22	16	05	15	01		3
4					13	49	01		06	03		29	4
5			15			01	07			12		06	5
6					04			06	03	38			6
7	04				05	32			31	24			7
8	18	04		05	02	04	03		08	17			8
9	04	04			05	12			06	02		01	9
10	13			11	61	24			04	03			10
11	06			29	26	06			01	10	34	01	11
12	01			13	12	47		02	18		05		12
13	06			59	08		04		46		02	27	13
14	01			12				12			01	04	14
15								16	06			104	15
16	03							21	03			03	16
17	22				02	11	55	32	04			01	17
18	48	04			34			10		09	01		18
19	23				02			02	02	02		02	19
20	01				06	04	11	02	21	18		01	20
21	45		01		09		09	13	20	72			21
22	27		50		03		02	24	29	01			22
23			12		26		01	06	02			68	23
24	44	17	06	16	15			01	54			41	24
25			12	09	03		22	03	173	05	06	12	25
26				37			01	05	08	17	71	15	26
27		01		72			91	01		23	15	65	27
28							103	40		03	38	02	28
29				13	22	01	20	26	11	70	03	46	29
30		X		23	36		01	07	52	33	12	45	30
31		X		X	42	X		04	X	17	X	05	31
TOTAL	272	30	124	299	355	225	365	257	514	398	259	521	YEAR'S TOTAL
Days with 01 in. or more	182	5	9	12	24	14	18	23	24	22	13	22	3619
Days with 04 in. or more	13	4	8	12	17	12	12	16	18	16	8	15	204
													151

WINGCHESTER

EAST HILL

HANTS

1925

NIZATION.

Kept at Milesdown, East Hill
in the County of Hampshire
by E. E. Wilde

Gauge _____ in.
Ground _____ ft. _____ in.
Sea Level _____ ft.
previous day.

Jan. 1, following.

Rain should be measured daily at 9

An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	82	01	11	02	07	-		44	04	-	74		1
2	35	03	01	16	01		17	01			51		2
3	17	03		01	12		02				09	01	3
4	02			23	23			14	01		06		4
5		33		75	15			03	21		06		5
6		10		02	28		42	10			42		6
7		26	01		34		01	01			01	21	7
8	16	04	01	01	02			02	01			15	8
9		03		16	13			10	14			02	9
10		08	02	01	12			03	01		01	01	10
11	01	10		01	01			69			01		11
12		52						14				01	12
13	02	44	07	11				01				04	13
14	28	29	01	20									14
15	11	01		14						06			15
16	05	02		01					19	21			16
17				01	03		03		03				17
18		06		01	33				05			07	18
19		08		06	02		31		67	61		40	19
20		01	05					07	64	65		03	20
21		02	04				52	29	15	49		37	21
22		21	01	16	13		48	08	61	63		45	22
23	11	15	10		17			1.06		06	01	05	23
24	32	23	04	07	45			08		02	04	15	24
25	24	76	01	03			17	01	23	04	01	04	25
26	06	22		11	27	01	24	20		30		10	26
27	09	02		18	20	01	29	03			02	03	27
28	22	01		15			02			01		28	28
29	09			06	13		05			01	11	61	29
30	01	X		25			28			06	15	31	30
31	13	X	05	X		X	05		X	06	X		31
TOTAL	3.26	4.06	5.4	2.93	3.21	02	3.06	3.54	2.99	3.21	2.25	3.34	32.41
Days with 01 in. or more	19	26	14	25	20	2	15	20	14	14	15	20	204
Days with 04 in. or more	15	16	7	15	15	0	11	12	10	11	9	14	135
YEAR'S TOTAL													823

REGISTER OF RAINFALL IN 1925.

Kept at Milesdown, East Hill, Winchester
in the County of Hampshire
by E. E. Wilde

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	82	01	11	02	07	-		44	04	-	74		1
2	35	03	01	16	01		17	01			51		2
3	17	03		01	12		02				09	01	3
4	02			23	23			14	01		06		4
5		33		75	15			03	21		06		5
6		10		02	28		42	10			42		6
7		26	01		34		01	01			01	21	7
8	16	04	01	01	02			02	01			15	8
9		03		16	13			10	14			02	9
10		08	02	01	12			03	01		01	01	10
11	01	10		01	01			69			01		11
12		52						14				01	12
13	02	44	07	11				01				04	13
14	28	29	01	20									14
15	11	01		14						06			15
16	05	02		01					19	21			16
17				01	03		03		03				17
18		06		01	33				05			07	18
19		08		06	02		31		67	61		40	19
20		01	05					07	64	65		03	20
21		02	04				52	29	15	49		37	21
22		21	01	16	13		48	08	61	63		45	22
23	11	15	10		17			1.06		06	01	05	23
24	32	23	04	07	45			08		02	04	15	24
25	24	76	01	03			17	01	23	04	01	04	25
26	06	22		11	27	01	24	20		30		10	26
27	09	02		18	20	01	29	03			02	03	27
28	22	01		15			02			01		28	28
29	09			06	13		05			01	11	61	29
30	01	X		25			28			06	15	31	30
31	13	X	05	X		X	05		X	06	X		31
TOTAL	3.26	4.06	5.4	2.93	3.21	02	3.06	3.54	2.99	3.21	2.25	3.34	YEAR'S TOTAL
Days with 01 in. or more	19	26	14	25	20	2	15	20	14	14	15	20	20.4
Days with 04 in. or more	15	16	7	15	15	0	11	12	10	11	9	14	13.5

REGISTER OF RAINFALL IN 1926.

FOR OFFICIAL USE.

County No. _____
River Dist. _____
Station No. _____

Kept at Milesdown, East Hill, Winchester
in the County of Hampshire
by E. E. Wilde

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	78	05				43			05		27		1
2	04					33	07		40		11		2
3	27	08	09			64			01		01		3
4	06	18	07	20			13		01		29		4
5	13	10	20		28	01	34		01	01	07	22	5
6	33	39	01	22	02	01	06	19	11		37		6
7	16	04		09	24	18			26		70	02	7
8	01			17		04				12	65	01	8
9			02		03	26	12			02	40		9
10					06	19	02	02			08		10
11		03			16	33		11	01	03	10		11
12					03	03				24	01		12
13						01			02	01	85	01	13
14	11	08		41	27	12				50	01		14
15	40	09		10					01	27	12		15
16	09	21		35				09		01	04		16
17	14	49		09		28	08				33	01	17
18	20	08		06		01	01	10			73		18
19	01			03			19	04			24	01	19
20				44	03		01	32			31		20
21					03		03	02		02	18		21
22	50	01		01						02	01		22
23	11	01	03	02		01					01		23
24	02		11				17			47	01		24
25	14		01	61			04	02	02	11	13	02	25
26	01	01		04	08		23	01			04		26
27	12	01	01		10		01		16	05	05		27
28	47			07	02		30			04	18		28
29	19			13	20					03	05	01	29
30	21	X		14	08						15		30
31	30	X		X		X		14	X		X	01	31
TOTAL	4.80	1.86	55	3.18	1.63	2.88	1.81	1.06	1.07	1.95	6.50	32	27.61
Days with "01 in. or more.	24	16	9	18	15	16	16	11	12	16	30	9	192
Days with "04 in. or more	20	11	4	15	9	10	11	7	5	8	24	1	125

Section **A**

for the entry of Daily Observations.

664
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at *Milesdown East Hill Winchester*

in the County of *Hants*

Diameter of Funnel of Gauge.....*5* in.

Height of top of Gauge above Ground.....*1* ft..... in.

„ Ground „ Sea Level*256* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.86	.03	.01	-	-	.77	.26	-	.31	.56	-	1
2	.01	-	.04	.15	-	-	-	-	-	.01	.02	-	2
3	.21	<i>tr</i>	.03	-	-	-	.13	-	-	-	.01	.03	3
4	.07	<i>tr</i>	.05	.09	.02	-	.28	-	-	-	.04	-	4
5	.13	.08	.18	.35	.06	.07	-	-	-	-	.15	-	5
6	.03	<i>tr</i>	.33	.45	-	.01	.02	.14	.39	<i>tr</i>	.01	-	6
7	.01	.25	.01	.21	-	.23	-	.01	-	.01	.02	.01	7
8	.02	-	.03	.40	.04	<i>tr</i>	.19	.07	.09	-	.02	.02	8
9	.01	-	.05	.16	.02	-	-	.01	.54	-	-	.08	9
10	-	-	.04	.01	-	-	.07	.21	.05	-	-	-	10
11	.01	-	-	-	-	-	<i>tr</i>	.22	-	-	-	-	11
12	.18	-	-	-	.01	-	.26	.08	-	.02	-	-	12
13	.10	.01	-	-	<i>tr</i>	-	.72	.55	.16	.01	.11	.31	13
14	.02	<i>tr</i>	-	.13	.03	-	.19	.03	2.01	.01	.02	.18	14
15	-	<i>tr</i>	-	-	.02	-	-	.24	.03	-	.01	-	15
16	.01	<i>tr</i>	-	-	.18	.35	-	.01	.22	-	-	-	16
17	.18	-	.13	-	-	.18	<i>tr</i>	.41	.03	-	-	-	17
18	-	-	.01	-	-	.46	-	.07	.01	-	.76	-	18
19	-	.26	-	-	-	.01	.03	.42	-	.04	.36	-	19
20	.25	.11	-	-	-	-	.20	.46	.01	-	.21	.26	20
21	-	.29	-	-	.01	.06	.02	.21	.46	.25	.10	.92	21
22	.21	.23	.19	-	.01	.05	-	.01	.16	.21	.01	.51	22
23	.01	.65	.63	.02	-	.18	-	.08	.78	-	.22	.08	23
24	-	.07	.42	.03	-	.09	.02	.25	.05	.07	-	.32	24
25	.02	.20	.18	-	-	.03	.02	.07	.15	.05	.01	.54	25
26	.18	.31	.08	-	.04	.02	.37	<i>tr</i>	.03	.04	.01	.04	26
27	.29	.33	<i>tr</i>	-	.33	.06	.18	-	-	.56	.02	-	27
28	.40	.22	.14	.07	<i>tr</i>	.20	.16	-	.03	.03	.34	-	28
29	.11	X	.10	-	-	.39	.01	-	.65	-	.77	-	29
30	.17	X	.07	-	-	.26	.03	<i>tr</i>	.05	.32	.01	-	30
31	.04	X	.28	X	-	X	.11	-	X	.02	X	.26	31
TOTAL	2.68	3.87	3.02	2.08	.77	2.65	3.78	3.81	5.90	1.96	3.79	3.56	YEAR'S TOTAL 37.87
Days with ".01 in. or more.	25	14	21	13	12	17	20	21	20	16	23	14	216
Days with ".04 in. or more.	14	13	16	9	5	13	13	16	14	9	11	11	144



FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**Register of Rainfall in 1929.**Kept at Winchester Finesdown East Hill
in the County of HampshireDiameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft. in.
 " Ground " Sea Level ft.Observers are requested to read the instructions
printed overleaf before filling in this form.Every Observer should fill in section C
overleaf.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**An observer who does not conform to this rule should insert the reading made on January 1st of the
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		07		02		05				52		02	1
2		32				02	12			17	02	30	2
3					01	04	13	04				11	3
4				04	32	15	27	13		01		30	4
5					49	39	12	54		82	16	25	5
6					15	01	14	11		02	19	35	6
7					08	07		43		33	28	46	7
8					03	02		02		51		34	8
9	12	12									19	33	9
10	08			01	01					03	02	29	10
11		02		02	17	02					82	04	11
12				04	05	05							12
13	02				11			03				03	13
14					02	40						06	14
15	01	13				15					81	07	15
16								33	01		03		16
17	06			01							01		17
18	02							02			49	01	18
19	01										16		19
20	03						14	06		37		35	20
21	04		03									06	21
22							02	01			35		22
23		09		03						08	59	47	23
24			02	01						79	95	45	24
25		01								01	18	06	25
26					10						09	15	26
27	02			15	03					03	87	11	27
28	17			01			33		01	43	35	44	28
29	08			52		15			07	05	48	42	29
30	01	X				14	04		17		72	09	30
31	49	X		X		X	27	01	X		X	02	31
TOTAL	1.16	76	05	86	1.57	1.66	1.53	1.73	26	4.17	776	5.59	YEARS TOTAL
Days with "01 in. or more.	14	7	2	11	13	14	10	12	4	15	21	26	149
Days with "04 in. or more.	7	5	0	4	8	10	9	7	2	10	17	22	101

(Signed).....P.T.O.

WONSTON

HANTS

1924 - 26

OFFICIAL USE.

County No. 618

ORGANIZATION.

River Dist.

24

Station No.

Kept at Wonston

in the County of Hants

by C. de la Haye

THE MORNING MEAN

g. 9 a.m.

Sutton Sea Level S.W.R.

Rain Gauge 5 in.

above Ground 5 ft.

Sea Level 217

PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—		.01		.12	.07			—	.61	.45	1 ~~W~~
2	.05	—		—		.05	.10			.04	—	.12	2 ~~W~~
3	—	—		—		.13	.34			.03	—	—	3
4	—	—		—		.42	—			—	—	.31	4
5	.02	—		—		—	.12			.12	—	.02	5
6	—	—		—		—	—			.47	—	—	6
7	.06	—		—		.40	—			—	—	—	7
8	.13	.04		.07		—	.04			.29	—	—	8
9	.03	.09		.02		.07	—			.14	—	—	9
10	.15	—		.11		.32	—			.03	—	—	10
11	.20	—		.33		.05	—			.10	.36	—	11
12	.20	—		.14		.16	—			—	.03	—	12
13	.10	—		.67		—	—			.01	.02	.25	13
14	.02	—		.06		—	—			—	—	.06	14
15	—	—		—		—	—			—	—	.75	15
16	.04	—		—		—	—			—	—	.04	16
17	.20	—		—		.09	.45			—	—	—	17
18	.54	.06		—		—	—			.10	—	—	18
19	.16	.01		—		—	—			.03	—	.02	19
20	.02	—		—		.01	.18			.27	—	—	20
21	.47	—		—		—	.03			.77	—	—	21
22	.20	—		—		—	.20			—	—	—	22
23	—	—		—		—	.02			—	—	—	23
24	.49	.13		.17		—	—			—	—	—	24
25	.02	—		.19		—	.20			.12	.05	—	25
26	—	—		.40		—	.01			.17	.76	—	26
27	—	.04		.78		—	—			.23	.24	—	27
28	—	—		—		—	.57			.04	.40	R.80	28
29	.01	—		.18		—	.06			.70	.12	.58	29
30	—	X		.46		—	.30			.72	.24	.57	30
31	.01	X		X		X	—		X	.14	X	.17	31 974
TOTAL	38.12	.37	1.23	3.59	3.65	1.82	3.69	2.31	5.36	4.52	2.83	5.84	38.33
Days with .01 in. or more.	21	6	3	14		11	15			20	10	13	38.33
Days with .04 in. or more	14	5	12	13		12	14			16	8	11	38.37

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No.

River Dist.

Station No.

Kept at Worster

in the County of Hants

by Cedric Belfrage

Lat. Long. Time of Observation 9 a.m.

Nearest Railway Station Sutton Scotney S.W.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 0 in.

Sea Level 212

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—		.01		.12	.07			—	.61	.45	1 ~~W~~ —
2	.05	—		—		.05	.10			.04	—	.12	2 W S
3	—	—		—		.13	.34			.03	—	—	3
4	—	—		—		.42	—			—	—	.31	4
5	.02	—		—		—	.12			.12	—	.02	5
6	—	—		—		—	—			.47	—	—	6
7	.06	—		—		.40	—			—	—	—	7
8	.13	.04		.07		—	.04			.29	—	—	8
9	.03	.09		.02		.07	—			.14	—	—	9
10	.15	—		.11		.32	—			.03	—	—	10
11	.20	—		.33		.05	—			.10	.36	—	11
12	.20	—		.14		.16	—			—	.03	—	12
13	.10	—		.67		—	—			.01	.02	.25	13
14	.02	—		.06		—	—			—	—	.06	14
15	—	—		—		—	—			—	—	.75	15
16	.04	—		—		—	—			—	—	.04	16
17	.20	—		—		.09	.45			—	—	—	17
18	.54	.06		—		—	—			.10	—	—	18
19	.16	.01		—		—	—			.03	—	.02	19
20	.02	—		—		.01	.18			.27	—	—	20
21	.47	—		—		—	.03			.77	—	—	21
22	.20	—		—		—	.20			—	—	—	22
23	—	—		—		—	.02			—	—	—	23
24	.49	.13		.17		—	—			—	—	—	24
25	.02	—		.19		—	.20			.12	.05	—	25
26	—	—		.40		—	.01			.17	.76	—	26
27	—	.04		.78		—	—			.23	.24	—	27
28	—	—		—		—	.57			.04	.40	R .80	28
29	.01	—		.18		—	.06			.70	.12	.58	29
30	—	X		.46		—	.30			.72	.24	.57	30
31	.01	X		X		X	—		X	.14	X	.17	31 9 7 4
TOTAL	38.12	.37	1.23	3.59	3.65	1.82 1.73	3.69 3.00	2.31	5.36	4.52	2.83	5.84 5.86	38.33 38.37
Days with ".01 in. or more.	21	6	2	14		11	15			20	10	13	
Days with ".04 in. or more	14	5	12	13		18	14			16	8	11	

Section



for the entry of Daily Observations.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

FOR OFFICIAL USE.

Kept at Winstone Cottage
in the County of Hampshire

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" Ground " Sea Level _____ ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. Reading for Jan 1 1926
asked for 20/1/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

.03


Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.75	—	.07	.01	.02	—	—	.08	.02	—	.70	—	1
2	.32	.04	—	.24	—	—	.21	—	—	—	.75	—	2
3	.12	.01	—	.01	.15	—	.01	—	—	—	.04	—	3
4	.03	—	—	.27	.21	—	—	.13	.05	—	.09	—	4
5	.09	.35	—	.65	.15	—	—	—	.26	—	.03	—	5
6	—	.06	—	.03	.19	—	—	.13	—	—	.26	—	6
7	—	.25	.01	—	.28	—	—	—	—	—	.12	.30	7
8	.18	.02	—	—	.20	—	—	.02	.05	—	.01	.25	8
9	—	.04	—	.17	.09	—	—	.11	.05	—	—	.01	9
10	—	.09	.02	—	.08	—	—	.15	—	—	—	—	10
11	—	.23	—	—	.02	—	44	.23	—	—	.03	—	11
12	—	.70	—	—	—	—	—	.15	—	—	—	—	12
13	—	.42	.07	.12	—	—	—	.03	—	—	—	—	13
14	.29	.28	.03	.18	—	—	—	—	—	—	—	—	14
15	.21	—	—	.13	—	—	—	—	—	.17	—	—	15
16	.04	.02	—	—	—	—	*	—	.13	—	—	—	16
17	.01	—	—	—	—	—	.02	—	.03	.07	—	—	17
18	—	.06	—	.02	.75	—	—	.39	.06	—	—	—	18
19	—	.07	—	—	.02	—	.17	.01	.87	.64	—	.47	19
20	—	—	.08	—	—	—	—	.05	.75	.60	—	.06	20
21	—	—	.10	—	—	—	.69	.20	.23	.82	—	.32	21
22	—	.15	—	.15	.16	—	.45	.06	.78	.75	—	—	22
23	.10	.12	.15	.03	.20	—	—	.80	.03	.04	.04	.60	23
24	.25	.37	.01	.25	.36	—	—	.38	.03	.03	.04	.06	24
25	.17	.96	—	—	.04	—	.10	.02	.19	.05	—	.20	25
26	.04	.28	—	.22	.18	—	.30	.37	—	.37	—	.08	26
27	.06	.02	—	.05	.34	—	.46	.02	—	.01	—	.09	27
28	.12	.03	—	.01	—	—	.05	—	.01	—	—	.05	28
29	.10	—	—	.04	.18	—	.03	—	—	—	.09	.27	29
30	—	X	—	.16	—	—	.29	—	—	.05	.10	.51	30
31	.12	X	.06	X	.02	X	.06	—	X	.03	X	.62	31
TOTAL	3.00	4.57	.60	2.74	3.64	—	3.28	3.33	3.54	3.63	2.26	.03	31
Days with 0.1 in. or more.	18	22	10	19	20	—	14	19	16	13	12	15	179
Days with 0.4 in. or more.	16	17	6	13	16	—	11	14	11	10	9	14	137

(Signed) C. de la Haye

P.T.O.

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

Wonsaton Cottage 1925

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

An examination of your rainfall return for 1925 indicates that from December 22nd to the end of the year the values were entered to the day of reading and not thrown back to arrive at the total for the year we require the amount read at 9 a.m. on January 1st 1926. We should be glad if you would kindly enter this value, on the opposite side of this form.

3.
20.4.26

REPLY.

The rainfall at Wonsaton Cottage measured at 9 a.m. 1st January 1926 was 0 inch.03

Signed.

McCarthy

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

608

Kept at Worston Cottagein the County of HampshireDiameter of Funnel of Gauge.....5 in. ~~4~~Height of top of Gauge above Ground.....3 ft. ~~4~~ in.,, Ground ,, Sea Level 210 ft.*Con for Air***THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.63	.05	—	—	.03	.37	—	—	.08	—	.24	—	1
2	.07	.01	—	—	—	.48	—	—	.84	—	.15	—	2
3	.34	.07	.23	—	—	—	—	—	.01	—	—	.01	3
4	.06	.15	.08	.30	—	—	.06	—	—	—	.35	—	4
5	.11	.10	.13	—	.49	—	.50	—	.01	.01	.23	.27	5
6	.42	.33	.01	.26	.01	—	.21	.15	.05	—	.62	—	6
7	.05	.05	—	.15	.45	.22	.01	—	.14	—	.74	—	7
8	.01	.01	—	.11	.03	.02	—	—	—	.15	.66	—	8
9	—	—	.01	—	—	.20	.02	.04	—	.08	.42	—	9
10	—	—	—	—	.10	.20	.01	.09	—	—	.09	.01	10
11	—	.04	—	—	.07	.20	—	.28	.03	.01	.03	—	11
12	—	.01	—	—	.25	.02	—	—	—	.17	.01	.01	12
13	—	—	—	—	.02	.25	—	.03	.02	.11	.94	—	13
14	Snow	.13	—	.44	.34	.11	—	—	—	.64	.01	.02	14
15	"	.08	—	.23	—	—	—	.09	—	.32	.03	—	15
16	"	.08	—	.45	.02	.38	—	—	—	.01	.09	.03	16
17	"	.44	—	.08	—	.02	.08	.10	—	—	.27	—	17
18	.80	.11	—	.02	.04	—	.03	.06	—	—	1.05	.03	18
19	—	.02	—	.04	.04	—	.17	.23	—	—	.18	.01	19
20	—	—	.01	.27	.01	—	—	.02	—	—	.27	—	20
21	—	—	—	.01	—	—	.04	—	—	.01	.09	—	21
22	.48	.02	—	.08	—	—	—	—	—	—	.07	—	22
23	.17	.01	—	—	—	—	—	—	—	—	—	—	23
24	.02	—	—	—	—	—	—	.01	—	.44	—	—	24
25	.08	—	.17	.57	—	—	.16	—	.03	.15	.12	.04	25
26	.03	.01	.02	.05	.13	—	.04	—	.09	—	.04	—	26
27	.22	—	—	.05	.07	—	.60	—	.02	.06	.09	—	27
28	.37	—	—	.03	.05	—	.01	—	—	.21	.13	—	28
29	.06	—	—	.08	.22	—	.29	—	—	.02	.17	—	29
30	.21	X	—	.11	.03	—	—	—	—	—	.27	—	30
31	.34	X	—	X	.06	X	—	.09	X	—	X	—	31
TOTAL	4.47	1.72	.66	3.33	2.46	2.47	2.23	1.19	1.32	2.39	7.36	.43	YEARS TOTAL
	4.48	1.73		3.23									30.03
Days with .01 in. or more.	19	7	8	19	20	12	15	12	11	15	27	9	186
Days with .04 in. or more.	16	12	4	16	13	9	8	9	5	9	23	2	178

Please read the Notes and Instructions Overleaf.

Kept at Upton Housein the County of Gloucestershireby Henry J. Gane661
WONSTON, UPTON HOUSE

1924-30

ATION

618

A

JAN 1925
Section 1925
ge 5 in.

and 1 ft. 0 in.

Level 230 ft.

vious day.

9 a.m. on

Jan. 1, following.

Rain should be measured

An Observer who prefers not to

January 1st of the following year, in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	02	-	02	09	08	06	-	-	65	40	RRW
2	03	-	09	-	01	05	09	-	-	03	-	12	SWR
3	02	-	04	-	08	12	36	20	02	02	-	-	3
4	-	-	-	-	07	49	-	-	07	02	-	36	4
5	-	-	16	-	-	-	11	-	-	09	-	02	5
6	-	-	-	06	03	-	-	06	01	49	-	-	6
7	06	-	-	-	09	40	-	-	30	32	-	-	7
8	10	05	06	09	03	-	04	-	06	10	-	-	8
9	04	08	-	02	02	06	-	-	10	-	-	-	9
10	15	-	-	09	07	65	25	-	02	03	-	-	10
11	13	-	-	29	30	08	-	-	-	09	39	-	11
12	18	-	-	11	14	18	-	04	22	-	02	-	12
13	08	-	-	69	04	-	-	02	34	01	02	28	13
14	02	-	-	04	-	-	-	09	-	-	-	07	14
15	-	-	-	-	-	-	-	13	05	-	-	91	15
16	03	-	-	-	-	-	-	16	04	-	-	02	16
17	22	-	-	-	02	08	64	08	07	-	-	01	17
18	56	05	-	-	19	-	-	28	01	09	-	-	18
19	18	-	-	-	09	-	-	11	30	02	-	01	19
20	02	-	04	-	13	-	15	-	13	27	-	-	20
21	52	-	01	-	18	-	02	04	16	80	-	-	21
22	25	-	50	-	06	-	22	35	28	-	-	-	22
23	-	-	15	-	56	-	02	14	01	-	-	68	23
24	48	11	08	28	14	-	-	-	42	-	-	54	24
25	-	-	05	10	-	-	19	-	1.43	12	07	13	25
26	-	-	-	38	-	-	-	02	11	18	81	30	26
27	-	03	-	76	-	-	77	01	-	24	22	73	27
28	-	-	-	-	-	-	1.11	26	-	04	48	01	28
29	-	01	-	18	32	-	18	25	05	69	11	57	29
30	-	X	-	34	12	01	-	06	25	64	24	60	30
31	-	X	-	X	50	X	-	04	X	10	X	15	960 31
TOTAL	3.02	33	1.17	3.35	3.79	1.86	3.98	2.40	4.45	4.40	3.01	5.94	37.18
Days with 01 in. or more	16	6	10	12	23	11	14	20	23	21	10	19	187
Days with 04 in. or more	13	4	8	12	16	9	12	17	18	15	8	14	146

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION
REGISTER OF RAINFALL IN 1924.

Kept at Upton House, Bromley
in the County of Kent
by Henry J. Gardiner

Lat. 51.9 Long. 1.19
Time of Observation 9 a.m.
Nearest Railway Station Sutton Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 230 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	02	-	02	09	08	06	-	-	65	40	RR in SvL
2	03	-	09	-	01	05	09	-	-	03	-	12	
3	02	-	04	-	08	12	36	20	02	02	-	-	3
4	-	-	-	-	07	49	-	-	07	02	-	36	4
5	-	-	16	-	-	-	11	-	-	09	-	02	5
6	-	-	-	06	03	-	-	06	01	49	-	-	6
7	06	-	-	-	09	40	-	-	30	32	-	-	7
8	10	05	06	06	03	-	04	-	06	10	-	-	8
9	04	08	-	02	02	06	-	-	10	-	-	-	9
10	15	-	-	09	09	65	35	-	02	03	-	-	10
11	13	-	-	29	30	03	-	-	-	09	39	-	11
12	18	-	-	11	14	18	-	04	22	-	02	-	12
13	08	-	-	69	04	-	-	02	34	01	02	28	13
14	02	-	-	04	-	-	-	09	-	-	-	07	14
15	-	-	-	-	-	-	-	13	05	-	-	97	15
16	03	-	-	-	-	-	-	16	04	-	-	02	16
17	22	-	-	-	02	08	64	08	07	-	-	01	17
18	56	05	-	-	19	-	-	28	01	09	-	-	18
19	18	-	-	-	09	-	-	11	30	02	-	01	19
20	02	-	04	-	13	-	15	-	13	27	-	-	20
21	52	-	01	-	18	-	02	04	16	80	-	-	21
22	25	-	30	-	06	-	22	35	28	-	-	-	22
23	-	-	15	-	56	-	02	14	01	-	-	68	23
24	43	11	08	28	14	-	-	-	42	-	-	54	24
25	-	-	05	10	-	-	19	-	1.43	12	07	13	25
26	-	-	-	38	-	-	-	02	11	18	81	30	26
27	-	03	-	76	-	-	77	01	-	24	22	73	27
28	-	-	-	-	-	-	1.11	26	-	04	48	01	28
29	-	01	-	18	32	-	18	25	05	69	11	57	29
30	-	X	-	34	12	01	-	0.6	25	64	24	60	30
31	-	X	-	X	50	X	-	0.4	X	13	X	15	960 31
TOTAL	3.02	33	1.17	3.35	3.79	1.86	3.98	2.40	4.45	4.40	3.01	5.97	37.18
Days with 01 in. or more	16	6	10	12	23	11	14	20	23	21	10	19	187
Days with 04 in. or more	13	4	8	12	16	9	12	17	18	15	8	14	146

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Upton House, Worsley, Salford, Lancashire

in the County of Hampshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 229 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1. following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.81	—	.06	—	.01	—	—	.07	—	—	.78	—	1
2	.35	.03	—	.23	—	—	.19	—	—	—	.88	—	2
3	.13	—	—	—	.16	—	.01	—	—	—	.03	—	3
4	.02	—	—	.32	.22	—	—	.09	.05	—	.08	—	4
5	.07	.37	—	.94	.16	—	—	—	.27	—	.02	—	5
6	—	.03	—	.02	.19	—	.45	.12	—	—	.38	—	6
7	—	.24	.01	—	.41	—	—	—	—	—	.10	.33	7
8	.17	.03	—	—	.11	—	—	.01	.04	—	—	.24	8
9	—	.04	—	.17	.06	—	—	.10	.04	—	—	—	9
10	—	.06	.02	—	.05	—	—	.17	—	—	.02	—	10
11	—	.19	—	—	.01	—	—	.23	—	—	.02	—	11
12	.02	.79	.07	—	—	—	—	.13	—	—	—	—	12
13	—	.39	.02	.10	—	—	—	—	—	—	—	—	13
14	.25	.25	—	.20	—	—	—	—	—	—	—	—	14
15	.18	—	—	.12	—	—	—	—	—	.05	—	—	15
16	.03	—	—	—	—	—	—	—	.15	.15	—	.02	16
17	.01	—	—	—	.03	—	.02	—	.03	—	—	—	17
18	—	.05	—	.02	.77	—	—	.45	.06	—	—	.01	18
19	—	.06	—	—	.02	—	.17	.02	.85	.77	—	.48	19
20	—	—	.06	—	—	—	—	.05	.66	.61	—	.04	20
21	—	—	.04	—	—	—	.78	.23	.25	.81	—	.29	21
22	—	.21	—	.15	.17	—	.42	.04	.81	.81	—	.47	22
23	.17	.13	.14	.02	.22	—	—	1.00	—	.02	—	.06	23
24	.24	.40	.03	.21	.36	—	—	.13	.03	.02	.04	.18	24
25	.17	.87	—	—	.02	—	.10	—	.19	.05	—	.11	25
26	.03	.22	—	.16	.28	—	.27	.26	—	.37	—	.09	26
27	.05	.02	—	.05	.18	—	.43	—	—	—	.02	.05	27
28	.11	.02	—	—	—	—	.04	—	—	—	—	.31	28
29	.10	X	—	.03	.18	—	.03	—	—	—	.06	.51	29
30	—	X	—	.12	—	—	.29	—	—	.05	.09	.69	30
31	.10	X	.06	X	—	X	.03	—	X	.04	X	.03	31
TOTAL	3.01	4.40	.51	2.86	3.61	—	3.23	3.10	3.43	3.75	2.52	3.91	31.33
Days with .01 in. or more.	19	20	10	16	20	—	14	16	13	12	13	17	170
Days with .04 in. or more.	14	15	6	12	15	—	10	14	11	10	8	14	129

(Signed) Henry J. Gaudmer P.T.O.

IMPORTANT.

All communications must be addressed to THE DIRECTOR.

In reply to this letter quote

CIRC.D1./M.O.7.

Telegrams:—"WEATHER, LONDON."

Telephones:—

Kingsway Offices: REGENT 8000.

South Kensington Offices: KENSINGTON
(Exhibition Road): } 5810.

METEOROLOGICAL OFFICE,

AIR MINISTRY,

ADASTRAL HOUSE, KINGSWAY,

LONDON, W.C.2.

19. April, 1926.

Dear Sir,

In your return of observations for last year there is a discrepancy between the total for the month of April and the sum of the daily entries. The correct sum appears to be 286 inches. The amended total for the year is 34.33 in.

I hope that if, by any chance, you do not concur in this amendment, you will let me know.

Yours faithfully,

Reply April 24th 1926

Your amendment is correct:

There was an error on the part of my man which I did not detect

Glaspoole

F. J. W. WHIPPLE.

Harry J. Gardner

for SUPERINTENDENT.

H. J. Gardner, Esq.

Upton House,

Wanston,

Sutton Scotney,

Hants.

BRITISH RAINFALL ORGANIZATION.

M.O. 7

26 APR 1926

- above are printed in small type:—
- (a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
- (b) The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than '005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- (c) In some measures there is graduation marked 0.05; this graduation is to show the limit between the amounts which count as '01 and those which are mere "traces." An entry '005 is not to be made in the register.
- (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was '14 in.
- (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- (f) The "total number of days with '01 in. or more" includes all the days with any rain except those for which the entry is "trace."
- (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1925. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Upton House, Monmouth
in the County of Sutton, Seamen HANTS

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....ft.....12.....in.
,, Ground ,, Sea Level.....250.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.66	.06	-			.41			.03		.30		1
2	.06	.01	-			.27			.84		.14		2
3	.36	.07 ⁰⁷	.10	.30									3
4	.06	.16	.08	-			.09	-	-	.02	.34	.26	4
5	.12	.14	.15	.26	.57		.46	-	.01	-	.22	.01	5
6	.42	.33	-	.15	.02		.10	.14	.05	-	.55	.03	6
7	.05	.05	-	.11	.45	.21			.14	-	.88	-	7
8	.01	-	-		.02	.02	-	-	-	.25	.63	-	8
9	-	-	-			.25	.02	.04	-	-	.44	-	9
10	.01	-	-		.06	.18	.02	.08	-	-	.09	-	10
11	-	.08	-		.04	.24	-	.25	-	.02	.03	-	11
12	-	-	-		.24	-	-	-	-	.21	-	.01	12
13	-	-	-		.02	.25	-	.02	.02	.14	.92	.02	13
14	-	.10	-	.44	.21	.10	-	-	-	.56	-	.02	14
15	.08	.07	-	.21		-	-	-	-	.28	.05	-	15
16	.74	.08	-	.48		-	-	.08	-	-	.09	-	16
17	.23	.40	-	.17		.41	.08	-	-	-	.33	.03	17
18	.23	.11	-		.05	.02	.03	.02	-	-	1.12	-	18
19	-	.01	-	.05	.04		.16	.06	-	-	.20	.01	19
20	-	-	.02	.26			-	.20	-	-	.31	-	20
21	-	-	-				.05	.01	-	.01	.10	-	21
22	.74	.03	-	.08			-	-	-	.01	.07	-	22
23	.15	.01	-	-			-	-	-	-	-	-	23
24	.08	-	-	-			.15	-	-	.49	.01	-	24
25	.09	-	.17	.50			.07	-	.03	.10	.11	.04	25
26	.04	.02	-	.04	.12		.54	-	.08	-	.04	-	26
27	.20	-	-	.02	.09		-	-	.01	.06	.10	-	27
28	.55	-	-	.02	.02		.29	-	-	.17	.12	-	28
29	.06	X	-	.08	.22		-	-	-	.03	.14	-	29
30	.23	X	-	.12	.09		-	-	-	-	.23	-	30
31	.43	X	-	X	-	X	-	.12	X	-	X	-	31
TOTAL	5.35	1.73	.61	3.29	2.36	2.36	2.07	1.12	1.21	2.38	7.56	.43	YEAR'S TOTAL
Days with 01 in. or more.	23	17	5	17	16	11	13	11	9	14	26	9	171
Days with 04 in. or more.	20	11	4	15	12	9	10	9	4	9	24	2	(129)

Please read the Notes and Instructions Overleaf.

Section **A** for the entry of Daily Observations.

603
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Upton House, Houlston
in the County of Damphshire

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....ft. 12 in.
„ Ground „ Sea Level.....230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>.02</u>	<u>1.08</u>	<u>.12</u>	—	—	—	<u>1.03</u>	<u>.24</u>	—	<u>.22</u>	<u>.67</u>	—	1
2	<u>.02</u>	<u>.01</u>	<u>.09</u>	<u>.17</u>	<u>.01</u>	—	—	—	—	<u>.03</u>	<u>.06</u>	—	2
3	<u>.20</u>	<u>.01</u>	<u>.07</u>	—	—	—	<u>.09</u>	—	—	—	—	<u>.04</u>	3
4	<u>.05</u>	—	<u>.10</u>	<u>.06</u>	<u>.03</u>	—	<u>.13</u>	—	—	—	—	<u>.01</u>	4
5	<u>.09</u>	<u>.09</u>	<u>.31</u>	<u>.37</u>	—	<u>0.8</u>	—	—	—	—	<u>.10</u>	—	5
6	<u>.03</u>	—	<u>.31</u>	<u>.41</u>	—	—	—	<u>.16</u>	<u>.45</u>	—	—	—	6
7	<u>.01</u>	<u>.22</u>	—	<u>.15</u>	—	<u>.22</u>	<u>.02</u>	<u>.08</u>	—	—	<u>.05</u>	—	7
8	<u>.02</u>	—	<u>.05</u>	<u>.80</u>	<u>.01</u>	—	<u>.53</u>	<u>.03</u>	<u>.05</u>	—	<u>.01</u>	—	8
9	—	—	<u>.11</u>	<u>.13</u>	—	—	—	<u>.02</u>	<u>.43</u>	—	—	<u>.09</u>	9
10	—	—	<u>.02</u>	<u>.02</u>	—	—	<u>.07</u>	<u>.03</u>	<u>.07</u>	—	—	—	10
11	<u>.01</u>	—	—	<u>.02</u>	—	—	—	<u>.12</u>	—	—	—	—	11
12	<u>.13</u>	—	—	—	<u>.04</u>	—	—	<u>.22</u>	—	—	—	—	12
13	<u>.10</u>	<u>.01</u>	—	—	—	—	<u>.50</u>	<u>.25</u>	<u>.14</u>	<u>.01</u>	<u>.09</u>	<u>.29</u>	13
14	<u>.03</u>	<u>.01</u>	—	<u>.12</u>	<u>.05</u>	—	<u>.19</u>	<u>.15</u>	<u>2.21</u>	—	<u>.02</u>	<u>.14</u>	14
15	—	<u>.02</u>	—	—	<u>.06</u>	—	—	<u>.28</u>	<u>.03</u>	—	—	—	15
16	—	<u>.01</u>	—	—	<u>.23</u>	<u>.35</u>	—	<u>.02</u>	<u>.23</u>	—	—	—	16
17	<u>.27</u>	—	<u>.16</u>	—	—	<u>.16</u>	—	<u>.44</u>	<u>.05</u>	—	—	—	17
18	<u>.01</u>	—	—	—	—	<u>.42</u>	—	—	—	—	<u>.59</u>	—	18
19	—	<u>.32</u>	—	—	—	—	<u>.08</u>	<u>.39</u>	—	<u>.09</u>	<u>.50</u>	—	19
20	<u>.26</u>	<u>.09</u>	—	—	<u>.09</u>	—	<u>.31</u>	<u>.36</u>	<u>.01</u>	<u>.24</u>	<u>.20</u>	<u>.28</u>	20
21	—	<u>.26</u>	<u>.01</u>	—	—	<u>.05</u>	<u>.05</u>	<u>.19</u>	<u>.32</u>	<u>.35</u>	<u>.10</u>	<u>1.11</u>	21
22	<u>.23</u>	<u>.23</u>	<u>.30</u>	—	—	<u>.06</u>	—	<u>.05</u>	<u>.19</u>	—	—	<u>.69</u>	22
23	<u>.03</u>	<u>.67</u>	<u>.63</u>	—	—	<u>.17</u>	—	<u>.03</u>	<u>.76</u>	—	<u>.22</u>	<u>.23</u>	23
24	<u>.01</u>	<u>.10</u>	<u>.55</u>	<u>.02</u>	—	<u>.15</u>	—	<u>.26</u>	<u>.03</u>	<u>.08</u>	<u>.01</u>	<u>.33</u>	24
25	<u>.05</u>	<u>.21</u>	<u>.28</u>	—	—	<u>.02</u>	—	<u>.21</u>	<u>.06</u>	<u>.08</u>	<u>.02</u>	<u>.31</u>	25
26	<u>.20</u>	<u>.69</u>	<u>.27</u>	—	<u>.08</u>	<u>.08</u>	<u>.25</u>	—	<u>.04</u>	<u>.02</u>	—	<u>.35</u>	26
27	<u>.02</u>	<u>.40</u>	<u>.20</u>	—	<u>.30</u>	<u>.03</u>	<u>.35</u>	—	—	<u>.35</u>	—	—	27
28	<u>.71</u>	<u>.36</u>	<u>.12</u>	<u>.04</u>	—	<u>.16</u>	<u>.02</u>	—	<u>.08</u>	<u>.03</u>	<u>.47</u>	—	28
29	<u>.03</u>	—	<u>.18</u>	—	—	<u>.37</u>	—	—	<u>.55</u>	<u>.01</u>	<u>.00</u>	—	29
30	<u>.04</u>	X	<u>.08</u>	—	<u>.02</u>	<u>.28</u>	<u>.03</u>	—	<u>.05</u>	<u>.21</u>	<u>.02</u>	—	30
31	<u>.04</u>	X	<u>.36</u>	X	—	X	<u>.07</u>	—	X	<u>.02</u>	X	<u>.91</u>	31
TOTAL	<u>2.61</u>	<u>4.79</u>	<u>4.12</u>	<u>2.31</u>	<u>.92</u>	<u>2.55</u>	<u>3.72</u>	<u>3.42</u>	<u>5.75</u>	<u>1.94</u>	<u>4.03</u>	<u>4.17</u>	YEAR'S TOTAL
Days with ".01 in. or more.	<u>25</u>	<u>19</u>	<u>21</u>	<u>12</u>	<u>11</u>	<u>15</u>	<u>16</u>	<u>20</u>	<u>19</u>	<u>14</u>	<u>17</u>	<u>13</u>	<u>202</u>
Days with ".04 in. or more.	<u>13</u>	<u>13</u>	<u>17</u>	<u>9</u>	<u>7</u>	<u>12</u>	<u>13</u>	<u>14</u>	<u>16</u>	<u>8</u>	<u>12</u>	<u>12</u>	<u>146</u>

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Upton House Worsleyin the County of SandDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 12 ft." Ground " Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'55	—	'07	'01	—	—	—	'01	—	—	—	—	1
2	'70	'60	'13	'03	—	—	—	'11	—	—	—	'03	2
3	'02	'01	—	'23	—	—	'12	'84	—	—	'06	—	3
4	—	'20	—	—	—	'02	—	'02	—	'10	—	'02	4
5	'04	'22	'15	—	'00	'15	'04	—	'02	—	—	—	5
6	—	—	'09	—	—	'14	—	—	'06	—	—	'05	6
7	'01	'02	'11	'18	—	'08	—	'04	—	'02	—	—	7
8	'01	'00	'01	'04	—	'56	'02	—	—	'11	—	—	8
9	'03	—	'03	'06	—	'02	—	—	'55	'24	—	'02	9
10	'35	'19	—	'04	—	'03	—	'01	—	'36	'09	'02	10
11	'02	—	—	'06	—	—	—	—	—	'28	'10	'23	11
12	'65	'45	—	'10	—	—	—	—	—	'11	'04	'03	12
13	'01	'06	—	'01	—	'34	—	'21	—	—	'03	—	13
14	'08	'10	—	'29	'04	'24	—	—	—	'41	'49	—	14
15	'08	'02	—	'41	'02	'02	—	—	—	'02	'24	—	15
16	—	'11	—	'64	'04	—	—	—	—	'18	'29	'36	16
17	'03	—	'02	'09	'22	—	—	—	—	'05	—	'02	17
18	'33	—	'04	—	'03	'32	—	—	—	'24	'14	'01	18
19	—	—	'05	—	'10	'22	—	'15	—	'54	'02	'06	19
20	'19	—	'19	—	'05	—	—	'14	—	'10	'11	—	20
21	'31	—	'12	'05	'46	'01	—	—	—	'09	'46	—	21
22	—	—	'31	—	—	—	—	—	—	'58	'26	'11	22
23	'45	—	'11	—	'05	—	—	—	—	'21	'21	'03	23
24	'12	—	'11	—	—	—	—	—	'18	'05	'05	'23	24
25	'08	—	—	—	—	'04	—	'06	—	'06	—	'19	25
26	'19	—	—	—	—	'05	'05	'29	—	1.46	'03	'02	26
27	'01	—	'09	'03	—	—	'36	'14	'05	'20	—	1.07	27
28	'62	—	'18	—	—	—	—	—	'56	—	—	'19	28
29	'30	'15	'40	'01	'02	'04	—	'03	—	'09	'10	'10	29
30	'02	×	'57	—	—	'13	'46	—	—	'01	—	'16	30
31	'25	×	'33	×	—	×	'11	—	×	—	×	'01	31
TOTAL	5.45	2.16	3.06	1.41	1.36	2.50	1.49	2.11	1.42	5.68	2.42	2.96	YEAR'S TOTAL
Days with '01 in. or more.	26	13	20	17	11	17	7	13	6	23	17	21	191
Days with '04 in. or more.	19	9	17	12	4	12	6	9	5	20	14	11	139

REGISTER OF RAINFALL IN 1929 .

Kept at Upton House, Wotton Bassett
in the County of Wants

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 12 ft. in.
,, Ground ,, Sea Level 230 ft.

total/day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	'07	—	'02	—	'05	—	'18	—	'38	—	—	I
2	—	'40	—	—	—	—	'25	—	—	'10	'02	'42	2
3	—	—	—	—	'02	—	'09	'04	—	—	—	'17	3
4	—	'01	—	'04	'33	'19	'36	—	—	—	—	'87	4
5	—	—	—	—	'53	'35	'05	'42	—	'60	'21	'52	5
6	—	—	—	—	'10	—	'06	'04	—	'02	'19	'50	6
7	'02	—	—	—	—	—	—	'09	—	'54	'30	'55	7
8	'02	—	—	—	—	'01	—	—	—	'32	—	'37	8
9	'10	'13	—	—	—	—	—	—	—	—	'30	'65	9
10	'08	—	—	'03	'02	—	—	—	—	'02	—	'41	10
11	—	—	—	'01	'10	'01	—	—	—	—	1.03	'09	11
12	—	—	—	'07	'03	'05	—	—	—	—	—	—	12
13	'02	—	—	—	'13	—	—	'03	—	—	—	'03	13
14	—	—	—	—	'09	'39	—	—	—	—	—	'09	14
15	'03	'09	—	—	—	'12	—	—	—	—	'62	'06	15
16	—	—	—	—	—	—	—	'07	'05	—	'05	'02	16
17	'04	—	—	—	—	—	—	'03	—	'02	'01	'02	17 ('03)
18	'04	—	—	—	—	—	—	—	—	—	'61	'01	18
19	'03	—	—	—	—	—	—	—	—	—	'28	—	19
20	'04	—	—	—	—	—	'47	'10	—	'42	'02	'54	20
21	'06	—	'05	—	—	—	—	—	—	—	—	'06	21
22	'01	—	—	—	—	—	—	'03	—	—	'71	'02	22
23	'01	'18	—	—	—	—	'01	—	—	'07	'81	'37	23
24	—	—	—	'01	—	—	—	'01	—	1.07	1.24	'65	24
25	—	—	'02	—	—	—	—	—	—	—	'15	'03	25
26	—	'01	'02	—	'12	—	—	—	—	—	'06	'24	26
27	—	—	—	'23	'03	—	—	—	—	'04	1.01	'13	27
28	'22	—	—	'02	—	—	'26	—	—	'36	'34	'67	28
29	'15	—	—	'30	—	'10	—	—	'08	'02	'62	'34	29
30	'01	×	—	—	—	'15	'06	—	'18	—	'90	'16	30
31	'70	×	—	×	—	×	'16	'03	×	—	×	'02	31
TOTAL	1.58	'84	'09	'73	1.50	1.42	1.71	1.07	'31	3.92	9.48	8.31	30.86
Days with '01 in. or more.	17	7	3	9	11	10	10	12	3	14	21	28	145
Days with '04 in. or more.	9	5	1	4	7	8	9	7	3	10	18	21	102

Section

A

for the entry of Daily Observations.

669
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Upm Grove Norton Sutton Seelby

in the County of Leams

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 12 ft. 12 in.

Ground Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.39	-	.22	-	.01	-	-	-	-	.30	-	1
2	.02	.04	.03	.03	.41	-	.04	.53	-	-	.56	-	2
3	.10	.06	-	.60	.06	-	-	.29	-	.05	-	-	3
4	.78	.02	.02	.02	-	-	-	.22	.17	.11	-	-	4
5	-	-	-	-	.03	-	-	.41	-	.06	-	-	5
6	-	-	.01	-	.04	-	-	.28	.16	-	-	.03	6
7	.17	-	.01	-	-	-	-	.16	-	.29	.29	.06	7
8	.03	-	-	.07	.03	-	-	-	.03	.01	-	.24	8
9	.26	-	.06	-	.18	-	-	-	.31	-	-	-	9
10	.79	-	.12	-	.21	-	-	.02	-	-	-	.60	10
11	.18	-	-	.05	.01	-	.22	-	-	.16	-	.22	11
12	.23	-	-	.01	.16	-	-	-	-	-	-	.25	12
13	.04	-	.10	.19	.03	-	.03	.14	.22	.01	.02	.03	13
14	.12	.07	.16	.05	-	-	.05	-	-	.02	-	.02	14
15	.01	.08	.31	-	-	-	.22	.01	-	.05	.09	.15	15
16	-	-	.02	.06	-	-	.01	-	.13	.01	.01	.09	16
17	-	-	.03	.15	-	-	.03	.01	.44	.23	-	.02	17
18	-	-	.02	.04	.13	-	.04	-	.26	.02	.15	.09	18
19	-	-	-	.19	-	-	-	.39	.26	.19	.66	.02	19
20	.02	-	.02	.03	-	-	.68	.72	.23	.04	.12	-	20
21	-	-	-	-	-	-	.00	.03	.02	.03	.65	-	21
22	.36	-	-	.05	.03	.02	.02	.39	.03	.26	.17	-	22
23	.22	-	.09	.13	-	.20	.15	-	.06	-	.21	.04	23
24	.15	-	-	.24	.08	.02	-	-	-	-	.42	.33	24
25	.10	.20	-	.02	.02	-	-	-	-	.05	.16	.04	25
26	.30	.03	-	-	.04	-	.02	-	.16	-	.24	.29	26
27	.03	-	.02	-	-	-	.01	-	.28	.05	.15	.13	27
28	.07	-	.07	-	-	-	-	-	.08	-	.29	.20	28
29	.11	-	.01	-	.03	-	.10	.33	.26	.04	.03	.06	29
30	.03	X	-	-	.12	.14	.12	-	-	-	.01	.19	30
31	.49	X	.09	X	.27	X	-	-	X	.10	X	.07	31
TOTAL	4.67	.89	1.19	2.18	1.88	.39	1.94	4.03	3.27	1.68	4.83	3.27	50.25
*Days with .01 in. or more.	24	8	18	18	18	5	16	15	17	20	19	22	200
*Days with .04 in. or more.	18	6	8	13	11	2	9	11	14	14	15	17	138

40-9999

*See Instruction 2 (f) on other side

(Signed)

Wm J. Gardiner [P.O.]

Section

FORM 10

FOR OFFICIAL USE.

BRITISH RAINFALL ORGANIZATION.
ALL IN 1926

678A

728
WORTHY DOWN
1926-30

Kept in the Diameter Height
T
An observation made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in inches should be entered on Form 1090.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1											6.3	-	1
2											4.8	Trace	2
3											Trace	Trace	3
4											2.6	Trace	4
5											9.4	6.4	5
6											16.4	0.1	6
7											19.0	0.6	7
8											16.6	-	8
9											9.5	Trace	9
10											1.6	-	10
11											1.7	Trace	11
12											Trace	Trace	12
13											27.7	0.3	13
14											0.2	0.1	14
15											1.6	-	15
16											2.3	-	16
17											7.9	0.4	17
18											27.9	Trace	18
19											2.2	0.1	19
20											12.8	-	20
21											4.6	Trace	21
22											0.1	-	22
23											-	-	23
24											-	-	24
25											2.8	0.9	25
26											1.9	Trace	26
27											1.0	Trace	27
28											3.6	0.1	28
29											4.7	Trace	29
30		X									7.2	-	30
31		X		X		X			X		X	Trace	31
TOTAL											77.4	135	YEARS TOTAL
Days with 0.2 mm. or more.											196.4	9.0	205.4
Days with 1.0 mm. or more.											25	5	30
											24	1	25

Please read the Notes and Instructions Overleaf.

Kept at WORTHY DOWN
in the County of HANTS
Diameter of Funnel of Gauge.....8 in.
Height of top of Gauge above Ground.....1 ft..... in.
„ Ground „ Sea Level 27.2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Inches should be entered on Form 1090.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1											6.3	-	1
2											4.8	Trace	2
3											Trace	Trace	3
4											2.6	Trace	4
5											9.4	6.4	5
6											16.4	0.1	6
7											19.0	0.6	7
8											16.6	-	8
9											9.5	Trace	9
10											1.6	-	10
11											1.7	Trace	11
12											Trace	Trace	12
13											27.7	0.3	13
14											0.2	0.1	14
15											1.6	-	15
16											2.3	-	16
17											7.9	0.4	17
18											27.9	Trace	18
19											2.2	0.1	19
20											12.8	-	20
21											4.6	Trace	21
22											0.1	-	22
23											-	-	23
24											-	-	24
25											2.8	0.9	25
26											1.9	Trace	26
27											1.0	Trace	27
28											3.6	0.1	28
29											4.7	Trace	29
30		X									7.2	-	30
31		X		X		X			X		X	Trace	31
TOTAL											77.4	135	YEARS TOTAL
Days with 0.2 mm. or more.											196.4	9.0	205.4
Days with 1.0 mm. or more.											25	5	30
											24	1	25

Section

A

for the entry of Daily Observations.

672A
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1927.

Kept at Wootton Bassett

in the County of Norfolk

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground 2.73 ft. Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.1	27.5	3.1	0.1	-	-	25.4	6.2	Trace	6.8	14.1	-	1
2	0.2	0.1	1.0	3.9	0.1	Trace	Trace	-	-	0.2	0.8	Trace	2
3	5.7	0.1	1.4	-	-	Trace	3.5	-	Trace	-	-	1.0	3
4	0.1	0.1	1.6	2.2	0.5	Trace	4.6	-	-	-	0.3	Trace	4
5	3.3	2.6	10.6	9.1	1.1	1.9	0.6	Trace	-	0.1	3.1	-	5
6	0.6	0.1	6.9	5.5	1.1	Trace	0.2	5.7	11.6	Trace	Trace	-	6
7	0.2	6.3	0.6	10.1	-	8.3	0.9	0.1	Trace	Trace	0.2	Trace	7
8	0.3	-	1.3	14.8	-	-	12.9	1.1	1.4	Trace	Trace	0.1	8
9	-	-	4.1	2.8	1.3	-	0.2	0.7	9.5	Trace	-	2.4	9
10	-	-	3.0	0.1	-	-	1.4	0.7	8.0	Trace	Trace	-	10
11	0.4	Trace	Trace	0.4	-	Trace	0.1	5.0	-	Trace	-	-	11
12	3.8	Trace	0.5	-	0.5	-	0.7	4.1	-	0.1	0.1	-	12
13	2.3	0.1	-	Trace	-	-	18.5	9.1	3.7	0.2	2.4	4.9	13
14	0.4	0.2	-	3.7	0.5	Trace	4.8	1.0	56.3	-	0.5	4.8	14
15	Trace	0.2	-	-	1.4	-	Trace	7.6	1.4	-	0.2	-	15
16	Trace	0.2	-	-	5.1	1.6	Trace	0.5	5.1	-	Trace	-	16
17	5.6	-	1.8	Trace	-	10.6	-	8.0	1.9	-	Trace	-	17
18	0.8	-	0.4	0.2	-	9.7	-	1.9	0.1	-	14.7	-	18
19	0.1	3.0	Trace	-	-	0.5	2.7	4.0	Trace	0.8	12.4	Trace	19
20	6.5	7.2	-	-	1.2	Trace	5.4	14.6	Trace	-	6.1	5.2	20
21	0.3	7.8	0.3	-	0.1	1.6	0.7	2.7	8.3	5.8	2.4	29.1	21
22	4.8	7.0	5.7	0.8	0.4	0.3	-	0.9	7.6	10.1	0.2	14.8	22
23	0.5	14.2	16.6	-	-	2.5	Trace	1.0	20.4	0.2	5.4	5.3	23
24	0.1	2.9	3.9	Trace	-	2.3	0.3	6.6	0.1	0.9	0.4	4.2	24
25	0.9	4.7	16.2	0.1	-	0.2	0.1	5.4	2.0	1.3	0.3	(33.1)	25
26	5.7	12.1	3.2	-	Trace	0.2	6.0	-	1.8	0.9	0.1	(9.0)	26
27	1.2	8.3	0.3	-	9.3	1.5	5.9	-	Trace	14.0	0.1	(2.0)	27
28	14.4	10.0	2.0	1.1	-	2.9	0.3	-	0.6	1.0	8.7	-	28
29	1.3	X	4.2	-	-	11.6	Trace	-	18.1	Trace	25.1	-	29
30	1.1	X	1.7	-	-	5.2	0.8	Trace	0.1	5.0	0.5	-	30
31	0.3	X	9.9	X	Trace	X	1.1	Trace	X	2.2	X	5.1	31
TOTAL	2.40	4.52	3.95	2.16	0.89	2.40	3.82	3.42	6.23	1.95	3.86	4.76	YEARS TOTAL
	61.0	114.7	100.3	54.9	22.6	60.9	97.1	86.9	158.0	49.6	98.1	(121.0)	(1025.1)
Days with 0.2 mm. or more.	23	16	24	12	11	16	21	20	16	14	19	13	40.36
Days with 1.0 mm. or more.	12	13	19	9	7	12	12	16	15	8	10	13	205

(144w)

* Estimates - gauge snowed up.

40-9999.

(Signed)

W. Bearden

[P.T.O.]



FORM 1091.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1928.

Kept at Worthy Down
 in the County of Hampshire
 Diameter of Funnel of Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 „ Ground „ Sea Level 275 ft.*

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. *cymsr*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7.1	0.3	1.3	1.2	—	—	—	Trace	—	—	—	Trace	1
2	27.0	15.4	4.8	0.3	Trace	—	—	1.6	—	Trace	Trace	0.7	2
3	0.1	—	—	6.2	0.9	—	3.2	17.6	Trace	Trace	0.8	Trace	3
4	0.4	4.3	—	—	0.1	0.6	—	2.6	—	Trace	—	0.1	4
5	0.7	8.0	4.9	0.2	0.5	3.3	1.4	—	0.7	2.6	—	—	5
6	0.1	Trace	0.6	—	—	4.3	Trace	—	1.9	0.2	Trace	2.0	6
7	0.1	0.3	3.9	5.9	—	3.1	—	2.0	—	0.2	—	—	7
8	0.6	0.8	—	0.2	—	13.9	0.6	—	Trace	3.9	—	—	8
9	1.6	—	0.6	1.0	—	2.8	—	—	12.6	4.8	—	Trace	9
10	4.7	5.4	Trace	2.4	Trace	0.4	—	0.1	Trace	7.7	2.1	0.1	10
11	2.2	Trace	0.2	0.5	—	Trace	—	—	Trace	7.2	2.3	4.9	11
12	15.7	5.7	0.1	4.4	—	—	—	Trace	Trace	7.2	0.6	1.9	12
13	—	6.6	Trace	0.1	Trace	10.3	—	7.1	—	—	1.2	—	13
14	3.4	2.0	Trace	8.4	0.2	5.9	—	1.4	—	10.7	13.2	Trace	14
15	3.3	0.1	—	9.3	0.1	0.9	—	—	Trace	0.1	5.6	Trace	15
16	Trace	2.5	—	3.5	1.1	Trace	—	—	—	2.8	12.5	10.4	16
17	0.3	Trace	0.1	1.3	15.1	0.1	—	—	Trace	4.0	—	—	17
18	9.1	—	1.1	—	0.9	11.0	—	—	—	8.6	3.0	0.3	18
19	0.1	—	1.8	—	5.2	2.8	—	3.7	—	16.2	0.8	0.9	19
20	5.4	Trace	2.0	Trace	2.4	—	—	3.4	—	1.7	3.0	Trace	20
21	6.3	—	4.4	1.3	9.7	0.1	—	Trace	—	3.5	11.0	—	21
22	Trace	Trace	7.2	—	—	Trace	—	0.1	Trace	19.4	4.7	2.7	22
23	11.7	—	2.4	0.1	1.6	—	Trace	Trace	—	4.8	9.3	0.1	23
24	2.1	—	1.2	—	Trace	—	Trace	Trace	4.5	2.7	0.7	7.2	24
25	3.3	—	Trace	—	—	1.6	—	0.9	Trace	2.0	0.7	5.3	25
26	9.2	—	—	—	0.1	1.0	1.3	8.5	Trace	33.7	0.7	0.5	26
27	0.2	—	3.7	0.2	—	—	11.5	3.8	Trace	6.6	0.1	25.1	27
28	15.8	Trace	1.2	Trace	0.1	Trace	—	Trace	14.4	Trace	—	5.4	28
29	10.6	3.7	16.2	0.8	0.1	1.0	Trace	Trace	—	1.1	2.6	3.6	29
30	Trace	X	6.0	—	Trace	5.6	11.7	—	Trace	1.6	Trace	3.7 ^(S)	30
31	6.5	X	13.7	X	—	X	2.8	—	X	0.1	X	0.3	31
TOTAL	147.6	55.1	77.4	47.3	38.1	68.7	32.5	52.8	34.1	153.4	74.9	75.2	857.1
Days with 0.2 mm. or more.	23	12	19	17	10	16	7	11	5	23	18	16	177
Days with 1.0 mm. or more.	18	9	16	11	6	13	6	10	4	21	12	11	137

* See note overleaf.

(Signed) *C. V. B. K. E. d. e.* M. *Met. Office* B.R.O.

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1929.

Kept at Wootly Down
in the County of Hampshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 275.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	Trace	0.4	—	0.4	—	1.2	—	0.3	0.2	4.3	—	0.1	1
2	—	12.1	—	—	—	0.2	3.8	—	—	7.0	0.3	11.3	2
3	—	Trace	0.1	Trace	—	0.1	0.1	1.0	—	0.2	—	3.7	3
4	Trace	Trace	—	1.1	7.4	11.3	13.6	2.3	—	—	—	12.7	4
5	Trace	Trace	—	Trace	17.2	9.3	1.9	13.0	—	18.2	4.0	23.5	5
6	0.4	—	—	—	3.5	0.5	1.3	3.5	—	0.6	5.6	15.3	6
7	Trace	—	—	—	0.6	1.5	—	14.1	—	12.5	7.7	19.4	7
8	—	—	—	Trace	1.9	0.7	—	0.1	—	17.5	—	6.6	8
9	2.4	4.1	—	Trace	Trace	Trace	—	Trace	—	0.1	0.9	22.2	9
10	3.9	0.1	—	0.2	0.4	—	—	—	—	0.4	4.2	6.6	10
11	—	0.2	—	0.5	2.0	Trace	—	Trace	—	0.1	29.0	5.2	11
12	—	—	Trace	1.4	3.8	1.2	—	—	—	—	—	—	12
13	0.4	—	Trace	0.3	4.2	Trace	—	0.8	—	—	Trace	0.4	13
14	—	—	—	—	2.6	10.4	—	—	—	—	—	2.4	14
15	0.2	2.7	—	—	0.2	3.1	—	—	—	—	17.6	2.5	15
16	Trace	—	Trace	Trace	Trace	Trace	—	3.8	1.2	—	1.0	0.1	16
17	1.5	—	Trace	0.3	—	—	—	Trace	—	0.1	0.2	0.1	17
18	0.1	—	Trace	Trace	—	—	—	Trace	—	—	14.5	Trace	18
19	—	—	—	—	—	—	—	—	Trace	—	8.2	—	19
20	—	—	0.1	—	—	—	4.9	1.1	Trace	11.2	0.1	6.1	20
21	2.3	Trace	0.9	—	—	—	—	Trace	Trace	—	0.1	9.5	21
22	0.2	—	0.1	—	—	Trace	0.4	0.5	Trace	Trace	12.2	—	22
23	0.1	2.5	Trace	0.2	Trace	Trace	Trace	—	—	1.9	26.1	13.0	23
24	—	0.2	0.2	0.1	Trace	—	—	Trace	—	24.8	30.8	17.4	24
25	—	0.1	0.1	0.3	—	—	—	0.1	—	0.3	4.7	0.8	25
26	Trace	0.1	Trace	Trace	1.7	—	—	—	—	—	3.4	5.7	26
27	0.1	—	Trace	4.2	2.4	—	—	Trace	—	Trace	22.5	1.5	27
28	4.8	—	—	0.3	—	—	8.4	—	—	9.4	15.2	15.6	28
29	3.6	X	—	12.2	—	0.3	—	Trace	1.7	0.4	10.2	4.2	29
30	Trace	X	—	—	—	6.6	1.2	—	4.2	—	28.9	10.4	30
31	15.4	X	—	X	—	X	8.7	0.3	X	—	X	0.1	31
TOTAL	35.4	22.5	1.5	21.5	47.9	46.4	44.3	40.9	7.3	109.0	247.4	216.4	YEAR'S TOTAL
Days with 0.2 mm. or more.	11	7	2	12	13	12	9	11	4	14	21	23	139
Days with 1.0 mm. or more.	7	4	0	4	10	8	8	7	3	9	18	21	99

(144W)

40-9999

(Signed)

L. V. Becken den

[P.T.O.]

FORM 1000.

REGISTER OF RAINFALL IN 1930 .

Kept at Winchester, Worthy Down
in the County of Hants.

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 272 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.35											I
2													2
3				.59									3
4													4
5													5
6													6
7										.32			7
8													8
9													9
10	.87				.29								10
11												.69	11
12													12
13													13
14													14
15			.26										15
16													16
17									.49				17
18													18
19													19
20							.74	.77	.49				20
21													21
22													22
23						.19							23
24											.79		24
25													25
26													26
27													27
28													28
29		X											29
30		X											30
31		X		X		X			X		X		31
TOTAL	4.92 ~~1.29~~	0.78	1.29	2.29	1.72	0.40	1.86	3.62	3.21	1.68	5.52	3.46	YEAR'S TOTAL 30.75
Days with or in. or more.	23	8	14	15	17	5	15	17	17	18	15	21	188
Days with .04 in. or more.	17	6	9	13	11	3	8	12	13	11	14	18	135
40.99	99.124.8	19.8	32.8	58.2	43.6	10.1	47.2	91.9	81.5	42.7	140.1	87.8	786.5
							(Signed)						P.T.O.



FORM 1091.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

Register of Rainfall in 1930.

Kept at Worthy Down
 in the County of Hampshire

Diameter of Funnel of Gauge 8 in.
 Height of top of Gauge above Ground 0 ft. 0 in.
 „ Ground „ Sea Level 245 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.8	8.8	—	4.8	—	Trace	Trace	0.1	—	—	6.5	—	1
2	Trace	0.9	0.6	1.2	6.3	—	1.6	8.4	—	—	12.8	—	2
3	2.4	1.6	Trace	14.9	1.6	Trace	—	14.4	—	1.5	Trace	—	3
4	20.6	0.4	0.4	0.5	0.1	Trace	—	3.3	0.2	3.2	—	—	4
5	0.5	Trace	—	0.1	0.4	—	—	11.4	—	1.0	—	—	5
6	—	Trace	0.1	—	0.6	—	—	4.1	2.3	0.2	—	0.9	6
7	4.9	Trace	0.3	—	Trace	—	—	0.4	0.2	8.1	8.0	1.5	7
8	1.0	Trace	Trace	1.9	0.6	—	Trace	0.1	Trace	1.3	Trace	5.4	8
9	6.4	Trace	0.6	0.1	6.6	—	—	0.3	10.5	Trace	Trace	0.2	9
10	22.1	Trace	4.1	Trace	4.3	Trace	Trace	0.3	—	—	Trace	8.6	10
11	5.8	Trace	0.1	0.1	0.5	Trace	4.9	Trace	—	0.9	—	14.6	11
12	6.2	Trace	Trace	1.4	3.4	—	—	0.4	Trace	0.1	—	6.5	12
13	0.8	Trace	4.3	5.0	1.1	—	0.6	3.9	9.0	Trace	0.1	1.6	13
14	1.4	1.4	3.9	2.1	—	—	0.8	—	0.8	0.9	0.1	0.1	14
15	0.3	1.0	6.4	—	Trace	—	9.6	Trace	—	1.5	3.5	1.4	15
16	—	—	0.2	0.1	—	Trace	Trace	—	3.9	—	—	5.1	16
17	Trace	0.1	1.1	5.9	Trace	—	0.4	0.3	12.4	6.2	Trace	Trace	17
18	Trace	—	Trace	1.0	2.1	Trace	0.3	Trace	1.0	Trace	3.8	2.4	18
19	Trace	—	0.5	4.9	Trace	0.5	—	3.6	12.4	5.5	9.4	0.5	19
20	—	—	0.5	1.3	Trace	0.1	18.4	19.6	5.1	0.3	12.0	—	20
21	0.1	—	—	—	—	Trace	0.4	1.5	0.1	0.4	15.8	—	21
22	10.3	—	—	0.2	0.4	0.6	0.3	10.3	0.3	6.9	11.9	0.1	22
23	8.4	—	2.6	4.6	Trace	4.9	4.0	1.2	2.5	—	0.1	1.0	23
24	4.3	0.1	—	4.4	1.1	1.0	—	—	—	0.1	20.2	8.1	24
25	2.2	2.8	—	0.1	0.8	Trace	—	—	Trace	2.0	6.4	2.2	25
26	8.1	2.4	—	Trace	2.0	—	1.1	—	4.3	—	4.4	6.3	26
27	0.9	—	0.5	Trace	Trace	—	0.2	—	6.0	1.5	2.8	4.5	27
28	0.8	—	1.4	Trace	Trace	—	Trace	—	3.1	0.1	14.9	2.5	28
29	2.8	X	2.3	—	Trace	—	2.1	4.4	4.4	0.6	0.8	2.6	29
30	0.9	X	—	—	3.1	3.0	2.2	—	—	0.1	Trace	5.4	30
31	11.2	X	2.6	X	5.3	X	—	—	X	0.3	X	2.1	31
TOTAL	124.8	19.8	32.8	58.2	43.6	10.1	44.2	91.9	81.5	42.4	140.1	87.8	YEAR'S TOTAL
Days with 0.2 mm. or more.	23	8	14	15	14	5	15	14	14	18	15	21	188
Days with 1.0 mm. or more.	14	6	9	13	11	3	8	12	13	11	14	18	135

(Signed)

b. V. Ockenden

P.T.O.

11/31